

## For the Period September 5 to 11, 2017

Producers have made significant harvest progress, due in large part to the warm and dry weather, according to Saskatchewan Agriculture's Weekly Crop Report.

Sixty-five per cent of the crop is now combined, up from 45 per cent last week, which is well ahead of the five year (2012-2016) average of 40 per cent combined for this time of year. Twenty-two per cent of the crop is swathed or ready to straight-cut.

Harvest is most advanced in the southwestern region, where 86 per cent of the crop is now combined. The southeastern region has 76 per cent combined, the west-central region 66 per cent and the east-central region 57 per cent. The

northeastern region has 37 per cent combined, while the northwestern region has 35 per cent combined. Some producers have wrapped up harvest operations and many more expect to be finished in the coming weeks.

Ninety-eight per cent of lentils, 95 per cent of field peas, 82 per cent of mustard, 81 per cent of durum, 71 per cent of barley, 63 per cent of spring wheat, 50 per cent of canola and 20 per cent of flax have now been combined. Thirty-nine per cent of canola is swathed or ready to straight-cut.

Durum grades are being reported as 69 per cent 1 CWAD, 28 per cent 2 CWAD and three per cent 3 CWAD. Pea grades are 47 per cent 1 CAN, 49 per cent 2 CAN and four per cent 3 CAN. Lentil grades are 37 per cent 1 CAN, 57 per cent 2 CAN, five per cent 3 CAN and one per cent Sample grade. Minimal disease issues have occurred so far, although there are some lighter bushel weights being reported.

### One year ago

Surplus topsoil moisture and frequent rainfall was delaying harvest progress for much of the province. Thirty-eight per cent of the crop had been combined and downgrading was common due to disease and weathering.

Follow the 2017 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest September 11, 2017 % combined	
Winter wheat	99
Fall rye*	98
Spring wheat	63
Durum	81
Oats*	48
Barley	71
Canaryseed	49
Flax	20
Canola	50
Mustard	82
Soybeans	10
Lentils	98
Peas	95
Chickpeas	74
*includes four per cent 'other'	

Harvest Progress in SK Per cent Combined All Crops	
Sept 11/17	65
5 year avg. (2012-2016)	40
Sept 12/16	38
Sept 14/15	52
Sept 15/14	23
Sept 9/13	30
Sept 10/12	56
10 year avg. (2007-2016)	40

For further information, contact Shannon Friesen, PAg,  
Cropping Management Specialist, Moose Jaw, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [www.saskatchewan.ca/crop-report](http://www.saskatchewan.ca/crop-report).



The majority of the province received no rainfall last week, although the Unity and Neilburg areas both reported receiving 5 mm. Topsoil moisture conditions continue to worsen with the warm and windy weather. Across the province, topsoil moisture on cropland is rated as 15 per cent adequate, 39 per cent short and 46 per cent very short. Hay land and pasture topsoil moisture is rated as 11 per cent adequate, 34 per cent short and 55 per cent very short.

With the dry field conditions, many producers have indicated that winter cereals may not be seeded this fall. Lack of moisture continues to cause crop damage, while strong winds have blown swaths around and shelled-out standing crops. There are many reports of combine and grass fires due to the extremely dry conditions. Some areas in the north reported frost and producers are assessing damage.

SaskPower has received nine reports of farm machinery coming in contact with power lines since September 1, bringing the total since August 1 to 33. Producers are urged to be extremely careful when using equipment around power lines. Safety information is available at [www.saskpower.com/safety](http://www.saskpower.com/safety).

Saskatchewan Harvest by Crop District September 11, 2017 - % combined							
Crop District	% Combined	Crop District	% Combined	Crop District	% Combined	Crop District	% Combined
1A	74	3ASW	73	5A	55	8A	32
1B	78	3AN	91	5B	40	8B	41
2A	68	3BS	86	6A	74	9AE	28
2B	78	3BN	89	6B	63	9AW	40
3ASE	90	4A	85	7A	72	9B	30
		4B	87	7B	63		

#### **Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu’Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

Harvest has wrapped up for some producers in the area and many more expect to complete harvest operations in the coming weeks. Seventy-six per cent of the crop is now in the bin, up from 60 per cent last week and well ahead of the five-year (2012-2016) average for this time of year of 51 per cent. An additional 10 per cent is swathed or ready to straight-cut.

Durum grades in the region are estimated as 59 per cent 1CWAD, 37 per cent 2CWAD and four per cent 3CWAD. Estimated field pea grades are 59 per cent 1CAN, 38 per cent 2CAN and three per cent 3CAN, while estimated lentil grades are 62 per cent 1CAN, 33 per cent 2CAN and five per cent 3CAN.

No rain was reported in the region this past week. The Alida area has reported receiving the most precipitation (199 mm) in the region since April 1. Topsoil moisture conditions continue to

worsen with the lack of rain, strong winds and warm temperatures. Topsoil moisture on cropland is rated as five per cent adequate, 33 per cent short and 62 per cent very short. Hay land and pasture topsoil moisture is rated as three per cent adequate, 31 per cent short and 66 per cent very short. All crop districts are reporting that at least 88 per cent of the cropland and 94 per cent of the hay land and pasture are short to very short topsoil moisture at this time.

The majority of crop damage this past week is due to lack of moisture and strong winds that have blown swaths around. With the dry field conditions, many producers have indicated that winter cereals may not be seeded this fall unless moisture is received soon. There are many reports of combine, stubble and grass fires in the region and rainfall would be welcomed to help alleviate concerns.

Producers are busy combining, moving cattle and working fields.

### **Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

While many producers have wrapped up harvest, others will need another couple of weeks. Eighty-six per cent of the crop is now in the bin, up from 70 per cent last week and well ahead of the five-year (2012-2016) average of 57 per cent for this time of year. An additional four per cent is swathed or ready to straight-cut.

Durum grades in the region are estimated as 77 per cent 1CWAD, 20 per cent 2CWAD and three per cent 3CWAD. Estimated field pea grades are 63 per cent 1CAN, 36 per cent 2CAN and one per cent 3CAN, while estimated lentil grades are 30 per cent 1CAN, 67 per cent 2CAN and three per cent 3CAN.

No rain was reported in the region this past week. The Moose Jaw area has reported receiving the most precipitation (180 mm) in the region since April 1. Topsoil moisture conditions continue to worsen with the lack of rain, strong winds and warm temperatures. Topsoil moisture on cropland is rated as 12 per cent adequate, 29 per cent short and 69 per cent very short. Hay land and pasture topsoil moisture is rated as eight per cent adequate, 19 per cent short and 73 per cent very short. All crop districts except 4B are reporting that at least 90 per cent of the cropland and 85 per cent of the hay land and pasture are short to very short topsoil moisture at this time.

The majority of crop damage this past week is due to lack of moisture and strong winds that have blown some swaths around. With the dry field conditions, many producers have indicated that winter cereals may not be seeded this fall unless moisture is received soon. There are many reports of combine, stubble and grass fires in the region and rainfall would be welcomed to help alleviate concerns. There were reports of frost in the Consul and Val Marie areas, although damage is minimal.

Producers are busy combining, moving cattle and working fields.

**East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Harvest is progressing well in the region. Fifty-seven per cent of the crop is now combined, up from 36 per cent last week and almost double the five-year (2012-2016) average of 30 per cent. Thirty-one per cent of the crop is swathed or ready to straight-cut.

Durum grades in the region are estimated as 57 per cent 1CWAD, 42 per cent 2CWAD and one per cent 3CWAD. Estimated field pea grades are 56 per cent 1CAN, 41 per cent 2CAN and three per cent 3CAN, while estimated lentil grades are 56 per cent 1CAN, 29 per cent 2CAN, nine per cent 3CAN and six per cent Sample grade.

No rain was reported in the region this past week. The Kelvington area has reported receiving the most precipitation (271 mm) in the region since April 1. Topsoil moisture conditions have worsened with the lack of rain, strong winds and warm temperatures. Topsoil moisture on cropland is rated as 17 per cent adequate, 44 per cent short and 39 per cent very short. Hay land and pasture topsoil moisture is rated as five per cent adequate, 46 per cent short and 49 per cent very short. Crop District 6A is reporting that 96 per cent of cropland, hay land and pasture are short to very short topsoil moisture at this time.

Strong winds and lack of moisture caused the majority of crop damage this past week. Some canola crops are coming off with high green count and low moisture. With the dry field conditions, many producers have indicated that winter cereals may not be seeded this fall unless moisture is received soon. There are reports of combine and stubble fires in the region and rainfall would be welcomed to help alleviate concerns. There were reports of frost in the Humboldt area, although damage is minimal.

Producers are busy combining and moving cattle.

**West-Central Saskatchewan:**

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Harvest continues to quickly advance in the region, as 66 per cent of the crop is now in the bin. This is up from 44 per cent last week and well ahead of the five-year (2012-2016) average for this time of year of 35 per cent. Twenty-two per cent of the crop is swathed or ready to straight-cut.

Durum grades in the region are estimated as 41 per cent 1CWAD, 55 per cent 2CWAD and four per cent 3CWAD. Estimated field pea grades are 17 per cent 1CAN, 76 per cent 2CAN and seven per cent 3CAN, while estimated lentil grades are 26 per cent 1CAN, 66 per cent 2CAN and eight per cent 3CAN.

Most areas did not receive any rainfall, although the Unity area reported 5 mm and the Landis area 1 mm. The Cando area has reported receiving the most precipitation (264 mm) in the region since April 1. Topsoil moisture conditions have worsened with the recent warm and dry weather. Topsoil moisture on cropland is rated as nine per cent adequate, 37 per cent short and 54 per cent very short. Hay land and pasture topsoil moisture is rated as eight per cent adequate, 34 per cent short and 58 per cent very short. Crop District 7A is reporting that 100 per cent of cropland, hay land and pasture are short to very short topsoil moisture at this time.

Most crop damage this past week is due to strong winds and lack of moisture. The strong winds have also blown swaths around and shelled-out standing crops. Some canola crops are coming off with high green count and low moisture. With the dry field conditions, many producers have indicated that winter cereals may not be seeded this fall unless moisture is received soon. There are reports of combine and stubble fires in the region and rainfall would be welcomed to help alleviate concerns.

Producers are busy combining, working fields and moving cattle.

#### **Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

About one-quarter of the region's crops were combined in the last week. Producers now have 37 per cent of the crop in the bin, up from 12 per cent last week and well ahead of the five-year (2012-2016) average of 27 per cent for this time of year. Thirty-eight per cent of the crop is swathed or ready to straight-cut.

Durum grades in the region are estimated as 25 per cent 1CWAD, 50 per cent 2CWAD and 25 per cent 3CWAD, while estimated field pea grades are 14 per cent 1CAN, 79 per cent 2CAN and seven per cent 3CAN.

No rain was reported in the region this past week. The Arborfield area has reported receiving the most precipitation (271 mm) in the region since April 1. Topsoil moisture conditions have worsened with the lack of rain, strong winds and warm temperatures. Across the region, topsoil moisture conditions on cropland are rated as 32 per cent adequate, 53 per cent short and 15 per cent very short. Hay land and pasture topsoil moisture is rated as 40 per cent adequate, 44 per cent short and 16 per cent very short.

Lack of moisture has caused the majority of crop damage this past week, while strong winds have blown canola swaths around. There are reports of combine and stubble fires in the region and rainfall would be welcomed to help alleviate concerns.

Producers are busy with harvest operations.

**Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Harvest progress nearly doubled this past week, thanks to ideal weather conditions. Thirty-five per cent of the crop is now in the bin, up from 18 per cent last week and well ahead of the five-year (2012-2016) average of 22 per cent for this time of year. An additional 44 per cent of the crop is swathed or ready to straight-cut.

Estimated field pea grades are 23 per cent 1CAN, 70 per cent 2CAN and seven per cent 3CAN, while estimated lentil grades are 32 per cent 1CAN, 52 per cent 2CAN and 16 per cent 3CAN.

Small amounts of rain were reported in the region, with the Neilburg area receiving the most (5 mm). The Pierceland area has reported receiving the most precipitation (548 mm) in both the region and the province since April 1. Topsoil moisture conditions have significantly deteriorated since last week. Cropland topsoil moisture conditions are rated as 38 per cent adequate, 44 per cent short and 18 per cent very short. Hay land and pasture topsoil moisture is rated as 35 per cent adequate, 49 per cent short and 16 per cent very short.

The majority of crop damage this past week is attributed to lack of moisture. There were reports of frost in some northern areas of the region, and producers are assessing damage. Strong winds have shelled-out standing crops and blown some swaths around. There are reports of combine, stubble and grass fires in the region and rainfall would be welcomed to help alleviate concerns.

Producers are busy with harvest operations and moving cattle.

### Saskatchewan Harvest Progress - September 11, 2017



\*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

<b>Winter Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	1	99	
west central	0	0	0	100	
northeast	0	0	1	99	
northwest	0	0	0	100	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>99</b>	
<b>Fall Rye</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	0	0	0	95	5
southwest	0	0	0	85	15
east central	0	0	0	100	0
west central	0	0	0	100	0
northeast	0	0	0	86	14
northwest	0	0	0	100	0
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>94</b>	<b>4</b>
<b>Spring Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	6	3	6	85	
southwest	8	2	5	85	
east central	10	10	18	62	
west central	11	7	23	59	
northeast	17	8	23	52	
northwest	32	13	19	36	
<b>provincial</b>	<b>13</b>	<b>7</b>	<b>17</b>	<b>63</b>	
<b>Durum</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	9	2	2	87	
southwest	9	1	5	85	
east central	1	1	17	81	
west central	22	6	15	57	
northeast	0	5	5	90	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>11</b>	<b>2</b>	<b>6</b>	<b>81</b>	
<b>Barley</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	2	4	2	92	
southwest	15	1	2	82	
east central	5	10	7	78	
west central	13	6	17	64	
northeast	24	4	14	58	
northwest	25	19	11	45	
<b>provincial</b>	<b>12</b>	<b>7</b>	<b>10</b>	<b>71</b>	
<b>Oats</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	8	12	3	76	1
southwest	12	0	7	68	13
east central	25	12	7	52	4
west central	35	13	11	27	14
northeast	36	9	26	29	0
northwest	34	22	11	29	4
<b>provincial</b>	<b>27</b>	<b>12</b>	<b>13</b>	<b>44</b>	<b>4</b>
<b>Canaryseed</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	16	2	14	68	
southwest	42	0	43	15	
east central	22	6	25	47	
west central	18	0	17	65	
northeast	52	10	10	28	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>24</b>	<b>4</b>	<b>23</b>	<b>49</b>	

<b>Flax</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	61	4	10	25
southwest	62	0	7	31
east central	52	21	14	13
west central	80	5	9	6
northeast	90	0	5	5
northwest	80	8	10	2
<b>provincial</b>	<b>63</b>	<b>7</b>	<b>10</b>	<b>20</b>
<b>Canola</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	7	14	5	74
southwest	18	3	3	76
east central	7	39	7	47
west central	7	24	10	59
northeast	21	45	8	26
northwest	13	56	7	24
<b>provincial</b>	<b>11</b>	<b>32</b>	<b>7</b>	<b>50</b>
<b>Mustard</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	5	0	0	95
southwest	12	2	0	86
east central	0	0	0	100
west central	9	3	25	63
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>10</b>	<b>2</b>	<b>6</b>	<b>82</b>
<b>Soybeans</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	85	0	2	13
southwest	71	0	29	0
east central	85	0	14	1
west central	100	0	0	0
northeast	100	0	0	0
northwest	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>85</b>	<b>0</b>	<b>5</b>	<b>10</b>
<b>Field Peas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	0	0	0	100
southwest	4	0	0	96
east central	0	0	2	98
west central	0	0	6	94
northeast	2	4	3	91
northwest	2	2	5	91
<b>provincial</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>95</b>
<b>Lentils</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	1	0	1	98
southwest	0	0	1	99
east central	0	0	0	100
west central	0	0	4	96
northeast	0	0	0	100
northwest	0	0	0	100
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>98</b>
<b>Chickpeas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	50	0	0	50
southwest	23	0	1	76
east central	0	0	0	100
west central	N/A	N/A	N/A	N/A
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>25</b>	<b>0</b>	<b>1</b>	<b>74</b>

# Crop Districts and Rural Municipalities in Saskatchewan

- Regional Service Office
- Regional Satellite Office
- Crop District
- Rural Municipality




Data Source:  
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

# Weekly Rainfall

from September 5 to September 11, 2017



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period September 5 to 11, 2017


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	
1A	2	Mount Pleasant	NIL	168	4A	49	White Valley	NIL	93	7A	287	St. Andrews	N/A	166	
	3	Enniskillen	NIL	179		51	Reno	NIL	84.9		288	Pleasant Valley	NIL	153	
	31	Storhokoaks	N/A	10		79	Arlington	NIL	89		290 A	Kindersley	NIL	153.1	
	32	Reciprocity	NIL	199		109	Carmichael	NIL	95		290 B	Kindersley	NIL	69.4	
	33	Moose Creek	N/A	161		110	Piapot	N/A	79		290 C	Kindersley	N/A	24	
	34	Browning	N/A	153		111	Maple Creek	N/A	95		292	Milton	NIL	172	
	61	Antler	N/A	108		4B	139 A	Gull Lake	N/A		100	317 A	Marriott	N/A	N/A
	64	Brock	NIL	159			139 B	Gull Lake	NIL		69.5	317 B	Marriott	NIL	174
	65	Tecumseh	NIL	191			169	Pittville	N/A		119	318	Mountain View	NIL	213
	1B	91	Maryfield	NIL		175	231	Happyland	NIL		164	320 A	Oakdale	NIL	181
94		Hazelwood	NIL	171.1	5A	183	Fertile Belt	NIL	153	320 B	Oakdale	NIL	187		
122		Martin	NIL	161		211 A	Churchbridge	NIL	222	321	Prairiedale	NIL	181		
123		Silverwood	NIL	157		211 B	Churchbridge	N/A	44	7B	347	Biggar	NIL	164	
124		Kingsley	NIL	182		213	Saltcoats	NIL	168	350 A	Mariposa	NIL	242.8		
125 A		Chester	NIL	143		241	Calder	NIL	129	350 B	Mariposa	NIL	173		
125 B		Chester	NIL	195		243	Wallace	NIL	131	351	Progress	N/A	202		
151		Rocanville	NIL	183		244	Orkney	N/A	165	352	Heart's Hill	NIL	162		
154 A		Elcapo	NIL	143		245 A	Garry	N/A	157	377	Glenside	NIL	200		
154 B		Elcapo	N/A	145.9		245 B	Garry	NIL	122	378	Rosemount	NIL	264		
155	Wolseley	NIL	164	245 C		Garry	N/A	117	379	Reford	1	171			
2A	67	Weyburn	NIL	105	246 A	Ituna Bon Accord	NIL	126	381	Grass Lake	N/A	135			
	68	Brokenshell	NIL	83	246 B	Ituna Bon Accord	NIL	162.5	382	Eye Hill	NIL	197.5			
	96	Fillmore	NIL	19	247	Kellross	NIL	115	409 A	Buffalo	NIL	196			
	97	Wellington	NIL	103.5	248	Touchwood	N/A	101	409 B	Buffalo	TR	227			
	2B	127 A	Francis	NIL	154.5	5B	271	Cote	NIL	188	8A	410	Round Valley	5	258.7
127 B		Francis	NIL	53.8	273		Sliding Hills	NIL	193	395		Porcupine	N/A	248	
129		Bratt's Lake	NIL	96	277		Emerald	NIL	205	397		Barrier Valley	NIL	253	
131 A		Baildon	NIL	125	305		Invermay	NIL	211	426		Bjorkdale	N/A	45	
131 B		Baildon	N/A	168	307		Elfros	NIL	179	428		Star City	NIL	145	
156 A		Indian Head	NIL	140.7	308 A		Big Quill	NIL	103	456		Arborfield	NIL	271	
156 B		Indian Head	NIL	185	308 B		Big Quill	N/A	116	457		Connaught	NIL	186	
159		Sherwood	NIL	97	331		Livingston	TR	267	486		Moose Range	NIL	268	
160 A		Pense	NIL	76	335		Hazel Dell	N/A	113	487		Nipawin	NIL	518.5	
160 B		Pense	NIL	73.2	336		Sasman	NIL	183	8B		369	St. Peter	NIL	127
161	Moose Jaw	NIL	109	337	Lakeview	N/A	193	370 A	Humboldt		NIL	146			
162	Caron	NIL	125	338	Lakeside	NIL	161	370 B	Humboldt	NIL	124				
191	Marquis	NIL	80	366	Kelvington	NIL	271	371	Bayne	NIL	162				
3ASE	38 A	Laurier	NIL	86.2	367	Ponass Lake	NIL	237	372	Grant	NIL	173.2			
	38 B	Laurier	NIL	88.5	368	Spalding	NIL	248	400	Three Lakes	NIL	169			
3ASW	39	The Gap	NIL	67	6A	190 A	Dufferin	N/A	139	429 A	Flett's Springs	NIL	136		
	10	Happy Valley	N/A	84		190 B	Dufferin	NIL	136	429 B	Flett's Springs	NIL	171		
	12	Poplar Valley	NIL	86		190 C	Dufferin	NIL	110	459	Kinistino	N/A	113		
	42	Willow Bunch	NIL	88		190 D	Dufferin	NIL	72	460	Birch Hills	NIL	133.1		
	43	Old Post	NIL	92		219 A	Longlaketon	NIL	80	9AE	488	Torch River	NIL	203	
	73 A	Stonehenge	NIL	77.4		219 B	Longlaketon	NIL	131	491	Buckland	NIL	141		
	73 B	Stonehenge	NIL	139.5		220	McKillop	NIL	110	520	Paddockwood	NIL	176		
	74	Wood River	NIL	8.3		221 A	Sarnia	NIL	139	521	Lakeland	NIL	176		
	3AN	102	Lake Johnston	NIL		96.1	221 B	Sarnia	N/A	104	9AW	406	Mayfield	1	190
		103	Sutton	NIL		60	222	Craik	NIL	94		435	Redberry	NIL	229
132 A		Hillsborough	NIL	90	251	Big Arm	NIL	103	436	Douglas		NIL	179		
132 B		Hillsborough	NIL	180	252	Arm River	NIL	115	463	Duck Lake		NIL	210.6		
193		Eyebrow	N/A	91	279	Mount Hope	N/A	122.6	466	Meeting Lake		2	298		
3BS	17	Val Marie	N/A	29	282	McCraney	NIL	118	467 A	Round Hill	NIL	272			
	18	Lone Tree	N/A	64	312	Morris	NIL	122.5	467 B	Round Hill	NIL	279			
	75	Pinto Creek	NIL	105	313	Lost River	N/A	173	467 C	Round Hill	2	371			
	76	Auvergne	NIL	83	339	Leroy	NIL	157	493	Shellbrook	N/A	43.8			
	77	Wise Creek	NIL	93	340	Wolverine	NIL	206	494	Canwood	NIL	233			
	78	Grassy Creek	NIL	89.5	341	Viscount	N/A	123	497	Medstead	NIL	90.5			
	105	Glenbain	NIL	96	343	Blucher	NIL	154	9B	438	Battle River	TR	233		
	106	Whiska Creek	NIL	126	223 A	Huron	N/A	104		440	Hillsdale	0.5	302.5		
	107	Lac Pelletier	N/A	79.5	223 B	Huron	N/A	82	442	Manitou Lake	4.6	321.5			
	108	Bone Creek	NIL	77	284 A	Rudy	NIL	165	498 A	Parkdale	N/A	354			
3BN	138 A	Webb	NIL	162	284 B	Rudy	NIL	188.5	498 B	Parkdale	NIL	282.5			
	138 B	Webb	NIL	90	284 C	Rudy	NIL	149	499	Mervin	TR	406.1			
	165	Morse	NIL	161	285	Fertile Valley	NIL	136	501 A	Frenchman Butte	N/A	389			
	166	Excelsior	NIL	104	286	Milden	NIL	183	501 B	Frenchman Butte	TR	317			
	168 A	Riverside	NIL	117	314	Dundurn	NIL	126	501 C	Frenchman Butte	2	340			
	168 B	Riverside	NIL	122.5	344	Corman Park	NIL	195	502	Britannia	NIL	274.5			
	226	Victory	N/A	51	346	Perdue	NIL	129	561	Loon Lake	1	422			
	228 A	Lacadena	NIL	143	376	Eagle Creek	NIL	189	588 A	Meadow Lake	N/A	401			
	228 B	Lacadena	N/A	7	403	Rosthern	NIL	200	588 B	Meadow Lake	3	446			
	257	Monet	NIL	129					622	Beaver River	3	548.4			

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

# Cumulative Rainfall


from April 1 to September 11, 2017



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Cropland Topsoil Moisture Conditions


September 11, 2017



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Hay and Pasture Topsoil Moisture Conditions


## September 11, 2017



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.


# Minimum Temperature

from September 5 to September 11, 2017



# Maximum Temperature

from September 5 to September 11, 2017



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.