

For the Period September 11 to 17, 2018

A wet and cool week stalled most harvest operations in the province. Sixty-two per cent of the crop is now in the bin, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2013-2017) average is 53 per cent for this time of year. Twenty-six per cent of the crop is now swathed or ready to straight-cut. Rain fell over the majority of the province, with the largest amounts being reported in the central and northern regions. Many areas in these regions recorded more than 30 mm of rain. Snow was reported in the northwest region.

Harvest is most advanced in the southwest region, where 86 per cent of the crop is now combined. The southeast region has 84 per cent combined, the west-central 57 per cent and the east-central region 55 per cent. The northeast region has 29 per cent combined while the northwest region has 17 per cent combined.

Saskatchewan Harvest September 17, 2018 Per cent combined

Winter wheat	99
Fall rye*	99
Spring wheat	50
Durum	78
Oats**	45
Barley	70
Canaryseed	27
Flax	25
Canola	44
Mustard	74
Soybeans	21
Lentils	96
Peas	95
Chickpeas	70

*includes 22 per cent 'other'

**includes five per cent 'other'

Ninety-six per cent of the lentils, 95 per cent of the field peas, 78 per cent of the durum, 50 per cent of spring wheat, 44 per cent of the canola and 25 per cent of the flax has now been combined.

Across the province, topsoil moisture conditions have improved. Cropland topsoil moisture is rated as four per cent surplus, 40 per cent adequate, 37 per cent short and 19 per cent very short. Hay land and pasture topsoil moisture is rated as 31 per cent adequate, 38 per cent short and 31 per cent very short.

Limited rainfall throughout many regions of the province has pasture conditions rated as 14 per cent in good condition, 23 per cent in fair condition, 36 per cent in poor condition and 27 per cent in very poor condition.

One year ago

Rain showers delayed harvest for a few days. Topsoil moisture was rated as 21 per cent adequate, 37 per cent short and 42 per cent very short.

Follow the 2018 Crop Report on Twitter
@SKAgriculture

Harvest Progress in SK Per cent Combined All Crops

Sept 17/18	62
5 year avg. (2013-2017)	53
Sept 18/17	75
Sept 19/16	60
Sept 14/15	52
Sept 15/14	23
Sept 16/13	55
10 year avg. (2008-2017)	48

For further information, contact Daphne Cruise, PAg,
Crops Extension Specialist, Regional Services Branch, Toll Free: 1-866-457-2377 or 306-694-3587, cell 306-630-2390 E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.saskatchewan.ca/crop-report.

The majority of crop damage was due to lodging and rain causing quality loss.

SaskPower says there were two reported cases of farm machinery contacting electrical equipment over the last week, bringing the total in September to eight. You can find out more about being safe around power lines by heading to [SaskPower's safety web pages](#).

Saskatchewan Harvest by Crop District September 17, 2018							
Crop District	Per cent combined		Crop District	Per cent combined		Crop District	Per cent combined
1A	85		4A	90		7A	59
1B	76		4B	83		7B	44
2A	82		5A	55		8A	31
2B	85		5B	40		8B	34
3ASE	98		6A	68		9AE	12
3ASW	75		6B	65		9AW	24
3AN	87					9B	12
3BS	89						
3BN	90						

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Some areas in the region were able to get a few more days on the combines before rain showers rolled in again by the weekend. Eighty-four per cent of the crop is in the bin, up from 77 per cent last week. The five-year average (2013-2017) is 63 per cent combined. Overall, crop quality is good. There are large variations in yield over very short distances between fields, which is mainly due to variants in growing season rainfall. Many producers have finished harvest; however, there are still fields of flax, soybean and canola left to combine in some areas.

The Carnduff area received 13 mm of rain, the Tantallon area 12 mm, the Grenfell area 17 mm, the Weyburn area 8 mm, the Moose Jaw area 27 mm, the Wilcox area 9 mm and the Radville area 6 mm. The Lampman area maintains the record (419 mm) for rain

in the region since April 1. The lack of rain in some parts of the region leaves many pastures and hay land in need of significant moisture. Cattle have been moved home or are being fed in pastures. There are reports of significantly more straw baled to help with feed shortages.

Topsoil moisture on cropland is rated as 12 per cent adequate, 45 per cent short and 43 per cent very short. Hay land and pasture topsoil moisture is rated as five per cent adequate, 32 per cent short and 63 per cent very short. Crop District 2A is reporting that 70 per cent of cropland and 78 per cent of hay land and pasture remains very short of topsoil moisture at this time.

Limited rain during the growing season has put some grazing pressure on pastures in the region. Fourteen per cent of the pastures in the region are in fair condition going in to the winter months, 40 per cent are rated as poor and 46 per cent are rated as very poor.

The majority of crop damage this past week is due to lack of moisture. There are still concerns regarding the lack of feed and grass fire risk in many parts of the region. Winter cereal acres are expected to decrease due to dry field conditions.

Producers are busy combining, moving cattle and baling straw.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

A damp week slowed harvest progress. Eighty-six per cent of the crop has been combined, up from 82 per cent last week and well ahead of the five-year (2013-2017) average of 66 per cent for this time of year.

Rain was reported from most of the region and was welcomed, even though producers are trying to finish harvest. Some of the driest areas received significant moisture, while others did not record much precipitation. The Rockglen area recorded 26 mm, the Limerick area 19 mm, the Eyebrow and Gull Lake areas 24 mm, the Shaunavon area 42 mm, the Swift Current area 48 mm, and the Consul area 30 mm. The Shaunavon area has recorded the most rainfall (258 mm) in the region since April 1. The Lucky Lake area has reported the least amount of rainfall in the region since April 1 (89 mm). Many pastures and hay land are still in need of significant moisture.

Topsoil moisture conditions have improved significantly since last week. Cropland topsoil moisture is rated as 28 per cent adequate, 45 per cent short and 27 per cent very short. Hay land and pasture topsoil moisture conditions are rated as 17 per cent adequate, 48 percent short and 35 per cent very short. Crop district 3ASW is reporting 60 per cent of the crop, hay and pasture acres are very short of topsoil moisture at this time.

As the grazing season comes to an earlier end than normal due to a very dry growing season, twenty-two per cent of the pastures in the region are in fair condition, while 46 and 32 per cent are rated in poor and very poor condition.

Because of uneven germination and growing season hail damage, there are reports of cereal crops being slow to finish out maturity and finish off green kernels. Concerns remain about feed shortages and the risk of fire with the dry conditions. Many producers are moving their cattle home and, in some cases, turning them out into stubble to gain a few more days of grazing.

Producers are busy combining, baling straw, hauling bales, moving cattle and controlling weeds.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Fields have been fairly quiet over the past two weeks as producers wait for sunny and dry weather to continue with harvest operations. Fifty-five per cent of the crop is now in the bin, up from 49 per cent last week. This is still ahead of the five-year (2013-2017) average of 44 per cent for this time of year. Of the crop that was combined this past week, the majority of it was taken off tough and put into driers.

Rainfall reported ranged from 8 mm (Rocanville area) to 44 mm (Ituna area). The Esterhazy area received 19 mm, the Raymore area 40 mm, the Rhein area 34 mm, the Kuroki area 21 mm, the Bethune area 30 mm and the Allan area 10 mm. The Langenburg area has received the most precipitation (414 mm) in the region since April 1.

Topsoil moisture on cropland is rated as 47 per cent adequate, 42 per cent short and 11 per cent very short. Hay land and pasture topsoil moisture conditions are rated as 30 per cent adequate, 49 per cent short and 21 per cent very short. The rain is welcomed in the drier areas of the region, despite putting a stop to harvest for the time being.

Four per cent of the pastures in the region are rated in good condition, 26 per cent are rated in fair condition, 41 per cent in poor condition and 29 per cent in very poor condition.

Crop reporters have indicated the recent rain will most likely affect crop quality, causing bleaching and staining. There has been some seeding of winter cereals.

Producers are busy trying to combine and hauling hay bales.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B -- Kerrobert, Macklin, Wilkie and Biggar areas

Combines have been parked for about one week in most of the region due to overcast days and rain. Fifty-seven per cent of the crop is combined, up from 53 per cent last week. The five-year (2013-2017) average for this time of year is 52 per cent combined.

Rain reported ranged from 3 mm (Macklin area) to 60 mm (Rosetown area). The Perdue area has received the most precipitation (345 mm) in the region since April 1. The least amount of rain has been reported from Outlook at 77 mm since April 1.

Topsoil moisture has improved immensely with the last week's rain. Cropland topsoil moisture is rated as 47 per cent adequate, 45 per cent short and eight per cent very short. Hay land and pasture topsoil moisture is rated as 38 per cent adequate, 47 per cent short and 15 per cent very short. The rain was welcomed in the drier areas of the region to help pastures and hay going into the winter months.

As livestock are being moved home from pastures, seven per cent of the pastures are rated in good condition, 29 per cent in fair condition, 44 per cent in poor condition and 20 per cent in very poor condition.

Rain, along with secondary green growth, has caused major delays in harvest operations. The recent rain is expected to cause some bleaching and staining in some crops.

Producers are busy swathing, hauling hay and trying to combine.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Another week of cool and damp weather has held up harvest in most areas of the region. Some swathing occurred between rain events. Crops that were taken off in the last couple of weeks have been tough and are being aerated and dried. Twenty-nine per cent of the crop is now combined, up from 27 per cent last week. The five-year (2013-2017) average is 40 per cent for this time of year.

The region received some significant rain, which has resulted in wet field conditions. The Nipawin area received the most moisture in the region at 62 mm. The Star City area received 32 mm, the Arbourfield area 36 mm, the Humboldt area 17 mm, the Melfort area 37 mm and the Prince Albert area 40 mm. The Nipawin area has received the most precipitation (409 mm) in the region since April 1.

Cropland topsoil moisture is currently rated as 18 per cent surplus, 73 per cent adequate and nine per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 84 per cent adequate and 11 per cent short.

Timely rains throughout the growing season have left pastures in decent condition as the grazing season comes to a close. Five per cent of the pastures in the region are rated in excellent condition, 51 per cent in good condition, 33 per cent in fair condition and 11 per cent in poor condition.

Geese are starting to show up on swathed crops. The rain and very few drying days are expected to cause bleaching, staining and sprouting in some crops. Grain dryers will be needed to help bring the crop moisture down for safe storage.

Producers are busy hauling hay and waiting for weather conditions to improve.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Cool, cloudy and wet weather has continued to slow harvest operations in the region. Snow was reported in the Lloydminster and Meadow Lake areas, ranging from one to six inches, severely lodging crops. Some crops still need time to mature before they can be combined. Crops that were harvested this past week were put into the bin tough and then dried. Seventeen per cent of the crop has been put in the bin, behind the five-year (2013-2017) average of 38 percent for this time of year. Fifty per cent of the crop has been swathed or is ready to straight combine.

Rainfall amounts ranged from 16 mm (Duck Lake) to 70 mm (Meadow Lake). The Radisson area reported 17 mm, the North Battleford area 30 mm, the Glaslyn area 20 mm, the Frenchman Butte area 71 mm and the Pierceland area 31 mm. The Frenchman Butte area has the highest recorded rainfall for the province (since April 1) at 480 mm. A break in the cool and wet weather is needed for harvest to continue.

Cropland topsoil moisture is rated as 16 per cent surplus, 64 per cent adequate, 13 per cent short and seven per cent very short. Hay land and pasture topsoil moisture is rated as eight per cent surplus, 72 per cent adequate, 13 per cent short and seven per cent very short.

At this time, 44 per cent of the pastures are rated in good condition, 30 per cent in fair condition, 17 per cent in poor condition and nine per cent in very poor condition.

Crop damage this past week is mostly attributed to cool and wet weather. Lodging, bleaching and staining are causing quality losses. Geese are starting to move into mature crops. Producers are waiting for some good weather to allow them to continue harvest operations. A good week of sunny and dry weather will be needed before harvest can continue.


Saskatchewan Harvest Progress - September 17, 2018

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	5	95	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	0	0	1	99	
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	0	0	0	99	1
southwest	0	0	0	82	18
east central	0	0	0	100	0
west central	0	0	0	95	6
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	0	0	0	92	8
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	4	4	4	88	
southwest	8	0	14	78	
east central	11	13	15	61	
west central	21	7	33	39	
northeast	20	9	39	32	
northwest	54	10	23	13	
provincial	20	8	22	50	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	3	3	2	92	
southwest	7	2	10	81	
east central	18	6	13	63	
west central	34	3	26	37	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	10	1	11	78	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	1	3	1	93	2
southwest	5	0	3	87	5
east central	5	5	10	79	1
west central	21	4	17	55	3
northeast	11	8	19	62	0
northwest	34	18	24	21	3
provincial	12	7	11	68	2
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	2	8	6	80	4
southwest	8	0	8	72	12
east central	20	16	11	51	2
west central	46	14	5	13	22
northeast	26	11	36	27	0
northwest	55	17	10	4	14
provincial	28	12	14	40	6
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	24	3	17	56	
southwest	17	15	26	42	
east central	N/A	N/A	N/A	N/A	
west central	71	0	13	16	
northeast	37	1	50	12	
northwest	N/A	N/A	N/A	N/A	
provincial	52	2	19	27	


Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	45	6	15	34	
southwest	48	0	18	34	
east central	58	23	5	14	
west central	67	10	10	13	
northeast	92	3	5	0	
northwest	87	0	10	3	
provincial	54	10	11	25	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	4	11	7	78	
southwest	7	7	14	72	
east central	6	39	12	43	
west central	8	33	11	48	
northeast	6	68	10	16	
northwest	16	69	8	7	
provincial	7	39	10	44	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	0	0	99	
southwest	10	0	11	79	
east central	40	14	15	31	
west central	25	6	26	43	
northeast	70	11	12	7	
northwest	N/A	N/A	N/A	N/A	
provincial	13	2	11	74	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	64	0	9	27	
southwest	50	0	20	30	
east central	89	0	10	1	
west central	91	0	7	2	
northeast	74	0	24	2	
northwest	N/A	N/A	N/A	N/A	
provincial	69	0	10	21	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	1	99	
east central	0	0	1	99	
west central	1	0	4	95	
northeast	1	0	5	94	
northwest	7	0	13	80	
provincial	2	0	3	95	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	2	98	
east central	2	0	8	90	
west central	4	0	2	94	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	1	0	2	97	
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	6	94	
southwest	12	0	20	68	
east central	N/A	N/A	N/A	N/A	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	11	0	19	70	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from September 11 to September 17, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period to Sept 11 to 17, 2018


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	13	258	4A	51	Reno	30.4	151.9	7A	287	St. Andrews	48	181
	3	Enniskillen	7	326		79 A	Arlington	30	148		288	Pleasant Valley	60	227
	32	Reciprocity	9	266		79 B	Arlington	48.8	231.9		290 A	Kindersley	49.5	201
	34	Browning	10	419		109	Carmichael	22	99.3		290 B	Kindersley	18	135
	61	Antler	7	286		110	Piapot	N/A	99		292	Milton	18	260
	64	Brock	10	284		111	Maple Creek	N/A	101		317	Marriott	40	313
	65	Tecumseh	4	141	4B	139 A	Gull Lake	24	115		318	Mountain View	38	229
1B	91	Maryfield	10	304		139 B	Gull Lake	14	95		320 A	Oakdale	N/A	198.5
	94	Hazelwood	10.2	181.1		169	Pittville	N/A	62		320 B	Oakdale	13	186
	122	Martin	8	282		229	Miry Creek	8.4	222.7		321	Prairiedale	23	220
	123	Silverwood	8	313		231	Happyland	14	92	7B	347	Biggar	24	237
	124	Kingsley	6	270	5A	152	Spy Hill	8	283		350	Mariposa	35	198
	125 A	Chester	5	210		183	Fertile Belt	19	320.5		351	Progress	36	244
	125 B	Chester	6	307		211	Churchbridge	18	414		352	Heart's Hill	10	186
	151	Rocanville	12	366		213	Saltcoats	14	234		377	Glenside	25	195
	154 A	Elcapo	7	260		216	Tullymet	32	209.8		378	Rosemount	27	260
	154 B	Elcapo	8	256		217	Lipton	26	198		379	Reford	23	216
	155	Wolseley	17	238		241	Calder	8	298		382	Eye Hill	2.5	176
2A	67	Weyburn	NIL	188		243	Wallace	17	223		409 A	Buffalo	36	264
	68	Brokenshell	3	206		244	Orkney	N/A	218		409 B	Buffalo	33	217
	96	Fillmore	N/A	77		245 A	Garry	29	196		410	Round Valley	25	242.4
	97	Wellington	8	279.5		245 B	Garry	23	249	8A	395	Porcupine	31	287
2B	127 A	Francis	14	258.5		245 C	Garry	18	2449		397	Barrier Valley	44	296.2
	127 B	Francis	17.5	212.8		246 A	Ituna Bon Accord	44	311		426	Bjorkdale	N/A	115
	129	Bratt's Lake	9.3	173		246 B	Ituna Bon Accord	N/A	169		427	Tisdale	40	274.5
	131	Baildon	14	135		247	Kellross	27	181		428	Star City	32	276
	156 A	Indian Head	16	165.6		248	Touchwood	40	175		456	Arborfield	36	401
	156 B	Indian Head	10	180	5B	273	Sliding Hills	34	268		457	Connaught	35	218
	159	Sherwood	15	201		277	Emerald	20	209		486	Moose Range	62	342
	160 A	Pense	23	118		305	Invermay	31	285		487	Nipawin	36	409
	160 B	Pense	23	194.7		307	Elfros	23	206	8B	369	St. Peter	24	190
	161	Moose Jaw	27	223		308 A	Big Quill	15	149		370 A	Humboldt	17	246
	162	Caron	16	242.3		308 B	Big Quill	23	153		370 B	Humboldt	18	133.5
	191	Marquis	28	196		331	Livingston	29	331		371	Bayne	19	203
3ASE	38 A	Laurier	4	176.2		336	Sasman	21	189		372	Grant	23.9	254.2
	38 B	Laurier	6	196		337	Lakeview	29	174		400	Three Lakes	19	211
	39	The Gap	2	224		366	Kelvington	30	236		429 A	Flett's Springs	37	256
3ASW	10	Happy Valley	1	173		367	Ponass Lake	N/A	176.5		429 B	Flett's Springs	37	296
	12	Poplar Valley	15	161	6A	190 A	Dufferin	33	179		459	Kinistino	28	235
	43	Old Post	26	169		190 B	Dufferin	30	135		460	Birch Hills	20.2	254.4
	73 A	Stonehenge	15	144.6		190 C	Dufferin	20	190	9AE	488	Torch River	28	258
	73 B	Stonehenge	15	206		190 D	Dufferin	19	128		491	Buckland	N/A	30
	74	Wood River	19	160.8		219 A	Longlaketon	32	174.5		520	Paddockwood	40	236
3AN	102	Lake Johnston	22	186.6		219 B	Longlaketon	14	181		521	Lakeland	40	217
	103	Sutton	12	132		220	McKillop	32	176	9AW	406 A	Mayfield	17	180
	132 A	Hillsborough	20.5	205.5		221	Sarnia	28.1	184.8		406 B	Mayfield	N/A	73
	132 B	Hillsborough	33	237		222	Craik	24	243		435	Redberry	23	280
	193	Eye brow	24	164		251	Big Arm	23	244.5		436	Douglas	31	206
3BS	17	Val Marie	N/A	125.5		252	Arm River	24	269		463	Duck Lake	16	170
	75	Pinto Creek	6	209		279	Mount Hope	26.8	165.4		466	Meeting Lake	24	327
	76	Auvergne	13	155		282	McCraney	19	166.3		467 A	Round Hill	30	282
	77	Wise Creek	13	193		312	Morris	34	227.5		467 B	Round Hill	25	352
	78	Grassy Creek	20	183.8		313	Lost River	10	101		493	Shellbrook	N/A	176.4
	105	Glenbain	9	158		339	Leroy	28.2	192.4		494	Canwood	28	232
	106	Whiska Creek	16	245		340	Wolverine	20	254		497	Medstead	N/A	168
	107	Lac Pelletier	30	165		341	Viscount	8	167	9B	438	Battle River	35	256
	108	Bone Creek	42	201		343	Blucher	9	146		440	Hillsdale	17	294
3BN	138 A	Webb	38	182	6B	223 A	Huron	20	230		442	Manitou Lake	35.7	344.3
	138 B	Webb	48	152.5		223 B	Huron	27	170		498 A	Parkdale	20	311
	165	Morse	42.5	230.9		284 A	Rudy	10	77		498 B	Parkdale	30	310
	166	Excelsior	N/A	74.3		284 B	Rudy	15	112		499	Mervin	43.5	370.5
	167	Sask Landing	35	216.8		285	Fertile Valley	23	161.5		501 A	Frenchman Butte	49	451
	168 A	Riverside	26	173		286	Milden	14	80		501 B	Frenchman Butte	40	375
	168 B	Riverside	27.1	178.8		314	Dundurn	14	135		501 C	Frenchman Butte	71	480
	226	Victory	11	89		344	Corman Park	33	199		502	Britannia	47.5	200.5
	228	Lacadena	13	121		345	Vanscoy	34	151		561	Loon Lake	46	403
	257	Monet	12	90.5		346	Perdue	23	345		588 A	Meadow Lake	51	427
						376	Eagle Creek	26	214		588 B	Meadow Lake	70	455
						403	Rosthern	26	275		622	Beaver River	31	335.6

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to September 17, 2018



Cropland Topsoil Moisture Conditions


September 17, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions


September 17, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from September 11 to September 17, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from September 11 to September 17, 2018

