

For the Period October 9 to 15, 2018

Although wet and cool weather conditions last week continued to delay harvest in much of the province, many producers are back in the field or will be soon. Eighty-two per cent of the crop is now in the bin, according to Saskatchewan Agriculture's weekly Crop Report, up from 78 per cent last week but behind the five-year (2013-2017) average of 91 per cent for this time of year. The warm and dry weather forecast for the next week or more will allow producers to resume combining.

Harvest remains most advanced in the southwest, where 90 per cent of the crop is now combined, and in the southeast, where 89 per cent is combined; these numbers are unchanged from two weeks ago. Producers in the northeastern region have 79 per cent of the crop combined; the west-central region has 74 per cent and the east-central region 68 per cent. Producers in the northwestern region have been delayed by frequent snowfalls but now have 45 per cent combined.

Saskatchewan Harvest October 15, 2018 Per cent combined	
Winter wheat	99
Fall rye*	99
Spring wheat	72
Durum	86
Oats**	72
Barley***	83
Canaryseed	63
Flax	46
Canola	67
Mustard	80
Soybeans	39
Lentils	99
Peas	99
Chickpeas	80
*includes eight per cent 'other'	
**includes six per cent 'other'	
***includes two per cent 'other'	

Eighty-six per cent of the durum, 83 per cent of the barley, 72 per cent of the spring wheat, 67 per cent of the canola, 63 per cent of the canary seed, 46 per cent of the flax and 39 per cent of the soybeans have now been combined. Most crops are coming off tough or damp and are being placed in dryers when available.

Most regions in the province reported small amounts of rain and snow, although some areas in the central regions received close to 25 mm. Topsoil moisture conditions are relatively unchanged from last week. Cropland topsoil moisture is rated as three per cent surplus, 71 per cent adequate, 20 per cent short and six per cent very short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 61 per cent adequate, 27 per cent short and 10 per cent very short.

One year ago

Harvest was wrapping up for most producers as 98 per cent of the crop had been combined. Very little rainfall was reported; topsoil moisture on both cropland and hay land and pasture remained short to very short in most areas.

Follow the 2018 Crop Report on Twitter @SKAgriculture

Harvest Progress in SK Per cent Combined All Crops

Oct 15/18	82
5 year avg. (2013-2017)	91
Oct 16/17	98
Oct 17/16	81
Oct 12/15	91
Oct 13/14	89
Oct 14/13	97
10 year avg. (2008-2017)	93

For further information, contact Brent Flaten, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.saskatchewan.ca/crop-report.

Lodging caused by snow and rain continue to cause crop damage. Geese and other wildlife are feeding on swathed crops while some standing crops have shelled out. Crop quality has been affected due to bleaching and sprouting.

Saskatchewan Harvest by Crop District October 15, 2018							
Crop District	Per cent combined		Crop District	Per cent combined		Crop District	Per cent combined
1A	91		4A	93		7A	68
1B	80		4B	90		7B	71
2A	93		5A	64		8A	75
2B	87		5B	62		8B	84
3ASE	99		6A	80		9AE	75
3ASW	87		6B	82		9AW	43
3AN	89					9B	49
3BS	91						
3BN	91						

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Very little harvest progress was made again this past week; however, many producers are now back in the field or expect to be in the coming days. Forecasted warm and dry weather will allow harvest to resume in much of the region. Harvest remains at 89 per cent complete in the region, slightly behind the five-year (2013-2017) average of 92 per cent for this time of year. Any grain that has come off recently is tough or damp and is being placed in dryers.

Most of the region received little to no precipitation, although the Moosomin area reported 13 mm. The Alida and Weyburn areas received 1 mm of precipitation, the Broadview area 7 mm, the Tantallon area 12 mm, the Wilcox and Moose Jaw areas 3 mm and the Indian Head area 10 mm. The Lampman area has received the most precipitation (475 mm) in the region since April 1.

Topsoil moisture conditions continue to improve; conditions on cropland are rated as 74 per cent adequate, 20 per cent short and six per cent very short; hay land and pasture topsoil moisture is rated as 72 per cent adequate, 24 per cent short and four per cent very short.

Most crop damage this past week was due to lodging from snow and rain; downgrading is expected due to bleaching and sprouting. Geese and other wildlife have been feeding on swathed crops.

Producers are busy combining, drying grain, shipping cattle and baling straw.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Despite a drier week, harvest progress stalled in the region, although many producers are returning to the field, or expect to return in the coming days. Forecasted warm and dry weather will allow harvest to resume in much of the region. Harvest remains at 90 per cent complete, behind the five-year (2013-2017) average of 95 per cent for this time of year. Any grain that has come off recently is tough or damp and is being placed in dryers.

Very little precipitation was reported last week, although the Old Wives area received 10 mm. The Briercrest area reported 4 mm, the Eyebrow area 5 mm, the Vanguard and Shaunavon areas 2 mm and the Kyle area 8 mm. The Old Wives area has recorded the most rainfall (288 mm) in the area since April 1.

Topsoil moisture conditions have slightly worsened with the drier weather, but overall they remain greatly improved since summer. Cropland topsoil moisture is rated as 50 per cent adequate, 38 per cent short and 12 per cent very short. Hay land and pasture topsoil moisture conditions are rated as 46 per cent adequate, 39 percent short and 15 per cent very short.

Crop damage is primarily due to lodging from snow and rain; downgrading is expected at the elevator due to bleaching and sprouting. Geese and other wildlife have been feeding on swathed crops.

Producers are busy combining, drying grain, shipping cattle, baling straw and hauling bales.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Producers are slowly progressing with harvest as time and weather permit. Much of the region was cool and wet last week, but many producers expect to be back in the field in

the coming days thanks to some warm and dry weather in the forecast. Sixty-eight per cent of the crop is now in the bin, up from 63 per cent last week, but well behind the five-year (2013-2017) average of 88 per cent for this time of year. Any grain that has come off recently is tough or damp and is being placed in dryers.

Many areas reported a combination of rain and snow last week, with the Jedburgh area receiving 20 mm. The Rocanville and Kelliher areas received 8 mm of precipitation, the Hubbard area 7 mm, the Lipton area 15 mm, the Elfros area 6 mm, the Bethune and Bulyea areas 10 mm, the Kuroki area 1 mm and the Allan area 7 mm. The Langenburg area has received the most precipitation (461 mm) in the region since April 1.

Topsoil moisture conditions remain relatively unchanged since last week despite the moisture. Topsoil moisture on cropland is rated as one per cent surplus, 70 per cent adequate, 21 per cent short and eight per cent very short. Hay land and pasture topsoil moisture conditions are rated as 56 per cent adequate, 33 percent short and 11 per cent very short.

The majority of crop damage this past week was due to lodging from snow and rain; downgrading is expected at the elevator due to bleaching and sprouting. As well, strong winds have shelled standing crops, and geese and other wildlife are feeding on swathed crops.

Producers are busy combining, hauling bales, putting down fertilizer and drying grain.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B -- Kerrobert, Macklin, Wilkie and Biggar areas

Another week of cool and damp weather has further delayed harvest progress for most producers in the region. Despite this, 74 per cent of the crop is now in the bin, up from 70 per cent last week but remaining well behind the five-year (2013-2017) average of 90 per cent for this time of year. Any grain that has come off recently is tough or damp and is being placed into dryers when available. With warm and dry weather in the forecast, many producers expect to return to the field in the coming days.

A combination of rain and snow was reported across the region, ranging from small amounts to 24 mm in the Marengo area. The Dinsmore and Perdue areas received 13 mm of precipitation, the Hanley area 9 mm, the Tugaske area 11 mm, the Outlook area 14 mm, the Netherhill area 15 mm, the Biggar area 21 mm, the Rosetown and Phippen areas 7 mm and the Sonningdale area 8 mm. The Perdue area has received the most precipitation (396 mm) in the region since April 1.

Topsoil moisture conditions have greatly improved thanks to the recent moisture. Cropland topsoil moisture is rated as two per cent surplus, 82 per cent adequate, 13 per

cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as 71 per cent adequate, 23 per cent short and six per cent very short.

Rain and snow continue to cause the most crop damage; crops have lodged and downgrading is expected due to sprouting and bleaching. There have been a few reports of geese and wildlife feeding on swathed crops. Strong winds have shelled out standing crops.

Producers are busy combining, hauling bales, drying grain and baling straw.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Despite another week of cool and wet weather, producers in the northeast have made tremendous harvest progress. Seventy-nine per cent of the crop is now in the bin, up from 64 per cent last week but remaining well behind the five-year (2013-2017) average of 90 per cent for this time of year. Almost all of the crops are coming off tough or damp and are being placed into dryers when available. With warm and dry weather in the forecast, many producers expect to complete combining in the next week or two.

Both rain and snow were reported last week, with the Nipawin area receiving 17 mm. The Arborfield area received 10 mm of precipitation, the Humboldt area 6 mm, the Bruno area 4 mm, the Vonda area 5 mm and the Melfort area 1 mm. The Nipawin area has received the most precipitation (458 mm) in the region since April 1.

Topsoil moisture conditions on cropland are rated as 19 per cent surplus, 76 per cent adequate, four per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as 12 per cent surplus, 84 per cent adequate and four per cent short.

The majority of crop damage this past week was due to lodging from snow and rain; downgrading is expected at the elevator due to bleaching and sprouting. Some standing crops such as canola have shelled out from wind, and wildlife and geese have been feeding on swathed crops.

Producers are busy combining, drying grain, hauling bales and completing fall field work.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Snow and rain over the past few weeks have delayed harvest in much of the region. Forty-five per cent of the crop is now combined, up just one per cent from last week and well behind the five-year (2013-2017) average of 91 per cent for this time of year. Almost all of the crops are coming off tough or damp and are being placed in dryers. With the weather forecasted to be warm and dry this week, most producers are expecting to be back in the field soon. A good stretch of warm, dry and windy weather would be appreciated so that the rest of the crop can come off.

Precipitation in the region last week ranged from trace amounts to 12 mm in the Neilburg area. The Speers area received 5 mm of precipitation, the Spiritwood area 1 mm, the Mayfair area 8 mm, the Turtleford and Pierceland areas 2 mm, the Frenchman Butte area 6 mm and the Barthel area 4 mm. The Frenchman Butte area has received the most precipitation (488 mm) in the region and the province since April 1.

Cropland topsoil moisture is rated as six per cent surplus, 86 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 88 per cent adequate and nine per cent short.

Rain and snow have caused the crop damage and downgrading is expected at the elevator due to sprouting and bleaching. There continue to be reports of geese and wildlife feeding on swathed crops. Strong winds have shelled standing canola crops.

Producers are busy combining, drying grain, hauling bales and hoping that the warm and dry weather sticks around for a few weeks.


Saskatchewan Harvest Progress - October 15, 2018

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	2	98	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	0	0	1	99	
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	0	0	0	99	1
southwest	0	0	0	82	18
east central	0	0	0	100	0
west central	0	0	0	96	4
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	0	0	0	92	8
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	4	2	3	91	
southwest	4	0	11	85	
east central	4	11	16	69	
west central	8	4	24	64	
northeast	0	2	9	89	
northwest	17	19	14	50	
provincial	7	8	13	72	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	2	1	1	96	
southwest	3	0	9	88	
east central	2	2	18	78	
west central	22	2	26	50	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	3	1	10	86	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	0	1	0	94	5
southwest	1	0	3	93	3
east central	4	4	5	86	1
west central	10	4	12	66	8
northeast	0	0	10	90	0
northwest	10	22	25	42	1
provincial	4	7	6	81	2
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	1	4	2	90	3
southwest	1	0	5	89	5
east central	8	12	10	68	2
west central	12	5	15	33	35
northeast	1	6	16	76	1
northwest	14	32	6	28	20
provincial	6	11	11	66	6
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	12	8	4	76	
southwest	17	0	13	70	
east central	19	0	2	79	
west central	30	1	20	49	
northeast	0	1	56	43	
northwest	N/A	N/A	N/A	N/A	
provincial	21	3	13	63	


Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	24	8	14	54	
southwest	23	0	29	48	
east central	38	17	17	28	
west central	37	5	15	43	
northeast	2	8	36	54	
northwest	40	0	0	60	
provincial	30	8	16	46	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	11	4	84	
southwest	2	2	15	81	
east central	4	29	8	59	
west central	2	15	6	77	
northeast	0	20	9	71	
northwest	7	51	5	37	
provincial	3	23	7	67	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	0	0	99	
southwest	5	0	11	84	
east central	0	10	45	45	
west central	1	2	20	77	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	6	1	13	80	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	30	0	33	37	
southwest	0	0	62	38	
east central	17	3	34	46	
west central	17	0	35	48	
northeast	0	4	50	46	
northwest	0	0	78	22	
provincial	26	1	34	39	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	1	99	
west central	0	0	2	98	
northeast	0	0	4	96	
northwest	0	0	2	98	
provincial	0	0	1	99	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	1	99	
east central	0	0	2	98	
west central	0	0	1	99	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	0	0	1	99	
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	1	99	
southwest	3	0	18	79	
east central	N/A	N/A	N/A	N/A	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	3	0	17	80	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from October 9 to October 15, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period to October 9 to 15, 2018


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	NIL	293.8	4A	51	Reno	TR	187.4	7A	287	St. Andrews	7	210
	3	Enniskillen	NIL	360		79 A	Arlington	TR	190.7		288	Pleasant Valley	7	273
	32	Reciprocity	1	315		79 B	Arlington	TR	251.9		290 A	Kindersley	15	236.5
	34	Browning	TR	475		109	Carmichael	N/A	126.3		290 B	Kindersley	15	167
	61	Antler	N/A	313		110	Piapot	N/A	99		292	Milton	24	333
	64	Brock	TR	350		111	Maple Creek	N/A	101		317	Marriott	18	346
	65	Tecumseh	N/A	193	4B	139 A	Gull Lake	N/A	134		318	Mountain View	20.5	270.5
	91	Maryfield	N/A	357		139 B	Gull Lake	TR	101		320 A	Oakdale	N/A	198.5
	94	Hazelwood	N/A	213		169	Pittville	N/A	62		320 B	Oakdale	11	226
	122	Martin	13	349		229	Miry Creek	TR	238.8		321	Prairiedale	13	281
	123	Silverwood	7	367		231	Happyland	N/A	125		347	Biggar	12	272
	124	Kingsley	7	296.6	5A	152	Spy Hill	5	323		350	Mariposa	TR	227
	125 A	Chester	4	258		183	Fertile Belt	8	394.5		351	Progress	17	288
	125 B	Chester	7	356		211	Churchbridge	4	461		352	Heart's Hill	14	232
	151	Rocanville	12	433		213	Saltcoats	8	279		377	Glenside	8	214
	154 A	Elcapo	N/A	292		216	Tullymet	6.5	264.3		378	Rosemount	10	295
1B	154 B	Elcapo	3	277		217	Lipton	15	246		379	Reford	13	249
	155	Wolseley	5	295	5B	241	Calder	10	342		382	Eye Hill	14	198.8
	67	Weyburn	TR	226		243	Wallace	7	287	8A	409 A	Buffalo	N/A	264
	68	Brokenshell	NIL	255.5		244	Orkney	N/A	246		409 B	Buffalo	7	248
	96	Fillmore	N/A	77		245 A	Garry	20	261		410	Round Valley	N/A	242.4
2A	97	Wellington	0.5	304		245 B	Garry	3	293		395	Porcupine	N/A	304
	127 A	Francis	7	295.5	6A	245 C	Garry	N/A	276		397	Barrier Valley	3.6	314
	127 B	Francis	N/A	248.8		246 A	Ituna Bon Accord	9	353	8B	426	Bjorkdale	N/A	402
	129	Bratt's Lake	3	202		246 B	Ituna Bon Accord	6.6	244.6		427	Tisdale	TR	275.5
	131	Baildon	TR	170		247	Kellross	8	228		428	Star City	N/A	285
2B	156 A	Indian Head	5.4	213.5		248	Touchwood	6	202		456	Arborldfield	10	425
	156 B	Indian Head	10	222.7	6B	273	Sliding Hills	N/A	310		457	Connaught	N/A	245
	159	Sherwood	TR	226		277	Emerald	7	242	9A	486	Moose Range	TR	358
	160 A	Pense	N/A	132		305	Invermay	3	313		487	Nipawin	16.5	458
	160 B	Pense	N/A	226.7		307	Elfros	6	244		369	St. Peter	2	193
3ASE	161	Moose Jaw	3	250		308 A	Big Quill	7	171		370 A	Humboldt	6	261
	162	Caron	3	267.6	6B	308 B	Big Quill	TR	176		370 B	Humboldt	TR	160.8
	191	Marquis	N/A	196		331	Livingston	4	364		371	Bayne	4	243
	38 A	Laurier	TR	226.2		336	Sasman	1	214		372	Grant	4.6	270.3
	38 B	Laurier	TR	226.3		337	Lakeview	N/A	179	9AE	400	Three Lakes	N/A	226
3ASW	39	The Gap	N/A	294		366	Kelvington	6	287		429 A	Flett's Springs	TR	290
	10	Happy Valley	TR	233	6A	367	Ponass Lake	N/A	174.5		429 B	Flett's Springs	1	312
	12	Poplar Valley	TR	230		190 A	Dufferin	10	215		459	Kinistino	N/A	258
	43	Old Post	N/A	231.7		190 B	Dufferin	8	170		460	Birch Hills	NIL	246.4
	73 A	Stonehenge	N/A	193.1		190 C	Dufferin	9	228	9AW	488	Torch River	N/A	279
3AN	73 B	Stonehenge	N/A	241.5		190 D	Dufferin	9	167		491	Buckland	N/A	30
	74	Wood River	N/A	211.1	6B	219 A	Longlaketon	1	188.5		520	Paddockwood	N/A	236
	102	Lake Johnston	N/A	230.6		219 B	Longlaketon	8	209.5		521	Lakeland	TR	226
	103	Sutton	N/A	157		220	McKillop	10	211		406 A	Mayfield	2	189
	132 A	Hillsborough	4	234		221	Sarnia	N/A	196.8		406 B	Mayfield	N/A	73
3BS	132 B	Hillsborough	10	288		222	Craik	N/A	257	9B	435	Redberry	N/A	297
	193	Eyeblow	5	187		251	Big Arm	N/A	257		436	Douglas	5	230
	17	Val Marie	N/A	162.8		252	Arm River	9	293		463	Duck Lake	N/A	198
	75	Pinto Creek	TR	254.5		279	Mount Hope	8.3	220.2		466	Meeting Lake	8	370
	76	Auvergne	NIL	189	6B	282	McCraney	7	186.3		467 A	Round Hill	N/A	306
3BN	77	Wise Creek	N/A	227		312	Morris	8	259.5		467 B	Round Hill	8	393
	78	Grassy Creek	N/A	226.8		313	Lost River	7	132		493	Shellbrook	N/A	180.4
	105	Glenbain	TR	205		339	Leroy	TR	228.2		494	Canwood	N/A	234
	106	Whiska Creek	2	284		340	Wolverine	6	285	9B	497	Medstead	1	203.5
	107	Lac Pelletier	N/A	186		341	Viscount	N/A	179		438	Battle River	0.4	326
3BN	108	Bone Creek	2	232		343	Blucher	7	175		440	Hillsdale	TR	332
	138 A	Webb	N/A	199		223 A	Huron	11	272		442	Manitou Lake	11.9	376.6
	138 B	Webb	TR	175.5		223 B	Huron	11	228		498 A	Parkdale	N/A	311
	165	Morse	N/A	251.9		284 A	Rudy	14	103.7		498 B	Parkdale	5.5	343.5
	166	Excelsior	N/A	74.3		284 B	Rudy	TR	120		499	Mervin	2	383.5
3BN	167	Sask Landing	N/A	224.8		285	Fertile Valley	12	198	9B	501 A	Frenchman Butte	N/A	454
	168 A	Riverside	TR	202.5		286	Milden	13	118		501 B	Frenchman Butte	5	418
	168 B	Riverside	N/A	192.3		314	Dundurn	9	146		501 C	Frenchman Butte	6	488
	226	Victory	N/A	96		344	Corman Park	12	221		502	Britannia	NIL	220.6
	228	Lacadena	TR	138		345	Vanscoy	5	167		561	Loon Lake	4	410
3BN	257	Monet	7.5	119		346	Perdue	13	396		588 A	Meadow Lake	N/A	432
						376	Eagle Creek	N/A	229		588 B	Meadow Lake	TR	458
						403	Rosthern	N/A	289		622	Beaver River	2.4	338

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to October 15, 2018



Cropland Topsoil Moisture Conditions


October 15, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions


October 15, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from October 9 to October 15, 2018



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.