

Crop Report

For the Period September 17 to September 23, 2019

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 22, September 26, 2019

A stretch of warm and relatively dry weather allowed most producers to return to the field and resume harvest operations last week, according to Saskatchewan Agriculture's weekly Crop Report. Thirty-nine per cent of the crop is now in the bin, up from 23 per cent last week but remaining well behind the five-year (2014-2018) average of 62 per cent for this time of year. Crops have been slow to mature and dry down due to frequent showers. Much of the crop harvested so far is tough and is being put into grain dryers and aeration bins.

Harvest is most advanced in the southwest region, where 58 per cent of the crop is now combined. The west-central region has 46 per cent combined and the southeast region 40 per cent. The northeast region has 31 per cent combined, the northwest region 23 per cent and the east-central region 22 per cent.

Saskatchewan Harvest September 23, 2019 Per Cent Combined	
Winter wheat*	93
Fall rye**	94
Spring wheat	31
Durum	48
Oats**	33
Barley***	56
Canaryseed	37
Flax	4
Canola	17
Mustard	36
Soybeans	8
Lentils	88
Peas	89
Chickpeas	37
*includes two per cent 'other'	
**includes five per cent 'other'	
***includes three per cent 'other'	

Ninety-four per cent of the fall rye, 93 per cent of the winter wheat, 89 per cent of the field peas, 88 per cent of the lentils, 59 per cent of the barley, 48 per cent of the durum, 36 per cent of the mustard, 31 per cent of the spring wheat and 17 per cent of the canola is now in the bin. An additional 61 per cent of the canola and 19 per cent of the mustard is swathed or ready to straight-cut.

Some eastern areas of the province received heavy rainfall last week, which will further delay harvest. While the majority of the province received small amounts of rainfall, the Lipton and Ituna areas both received 94 mm.

Across the province, topsoil moisture conditions on cropland are rated as 15 per cent surplus, 79 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated

One year ago

Rain showers and snow delayed harvest for producers in the province. Sixty-eight per cent of the crop had been harvested. Topsoil moisture conditions improved with the moisture to four per cent surplus, 58 per cent adequate, 32 per cent short and six per cent very short.

Follow the 2019 Crop Report on
Twitter @SKAgriculture

Harvest Progress in SK Per cent Combined All Crops

Sept 23/19	39
5-year avg. (2014-2018)	62
Sept 24/18	68
Sept 25/17	78
Sept 19/16	60
Sept 21/15	60
Sept 22/14	43
10-year avg. (2009-2018)	63

For further information, contact Shannon Friesen, PAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada



as six per cent surplus, 81 per cent adequate, 12 per cent short and one per cent very short.

The majority of crop damage this past week was due to hail, strong winds, lodging and localized flooding. There continue to be many reports of crops sprouting, bleaching and staining, and downgrading is expected at the elevator. Geese and wildlife are also feeding on swathed crops and causing damage.

Pasture conditions are rated as 10 per cent excellent, 47 per cent good, 30 per cent fair, 12 per cent poor and one per cent very poor.

Farmers are busy hauling bales and continuing with harvest operations as time and weather permit.

Saskatchewan Harvest by Crop District September 23, 2019					
Crop District	Per cent combined	Crop District	Per cent combined	Crop District	Per cent combined
1A	38	4A	69	7A	57
1B	30	4B	61	7B	39
2A	54	5A	16	8A	36
2B	42	5B	15	8B	27
3ASE	47	6A	32	9AE	26
3ASW	38	6B	43	9AW	21
3AN	61			9B	26
3BS	65				
3BN	56				

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Harvest delays continue in the region, thanks to frequent and heavy rainfall over the past week. However, many producers were able to return to the field and get more of the crop off in between showers. Forty per cent of the crop is now in the bin, up from 24 per cent last week but remaining well behind the five-year (2014-2018) average of 74 per cent for this time of year. An additional 34 per cent of the crop is swathed or ready to straight-cut. Several weeks of warm and dry weather is needed for fields to dry up and for harvest to continue.

Many areas received large amounts of rainfall last week, in addition to hail. Across the region, rainfall ranged from small amounts to 63 mm in the Kisbey area. The Carnduff area received 38 mm, the Alida area 46 mm, the Lampman area 57 mm, the Stoughton area 19 mm, the Maryfield and Indian Head areas 36 mm, the Moosomin area 60 mm, the Weyburn and Glenavon areas seven mm, the Odessa area 30 mm, the Moose Jaw area two mm, the Radville area five mm and the Ceylon area 15 mm. The Lampman area has received the most precipitation since April 1 (506 mm).

Topsoil moisture conditions in the region have worsened since last week, with many fields remaining saturated. Cropland topsoil moisture is rated as 33 per cent surplus, 66 per cent adequate and one per cent short. Hay land and pasture topsoil moisture conditions are rated as three per cent surplus, 94 per cent adequate and three per cent short. Crop District 2A is reporting that 100 per cent of the cropland currently has surplus topsoil moisture.

Most crop damage this past week was due to localized flooding, hail and strong winds. There continues to be many reports of downgrading at the elevator due to sprouting, bleaching and staining. There are also reports of ergot in some cereal crops and of geese and wildlife feeding on swathed crops. Much of the crop that has come off is tough and is being dried when time and space permits.

Pasture conditions have improved in the region due to the recent rain and are now rated as 26 per cent excellent, 50 per cent good, 15 per cent fair and nine per cent poor.

Producers are busy hauling bales, drying grain and combining when field and weather conditions permit.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Warm and dry weather has allowed for many producers to return to the field and continue with harvest operations. Fifty-eight per cent of the crop is now in the bin, up significantly from 37 per cent last week but remaining behind the five-year (2014-2018) average of 76 per cent for this time of year. An additional 15 per cent of the crop is swathed or ready to straight-cut. Continued warm and dry weather is needed in order for the rest of the crop to mature and dry down.

Very little rainfall was received in the region with most areas reporting none. The Mossbank, Leader, Consul and Kyle areas received two mm of rain, the Mortlach and Cabri areas three mm, the Gouldtown area five mm and the Shaunavon area four mm. The area south-west of Moose Jaw has received the most precipitation since April 1 (520 mm).

Cropland topsoil moisture is rated as 20 per cent surplus, 76 per cent adequate and four per cent short. Hay land and pasture topsoil moisture conditions are rated as 11 per cent surplus, 67 per cent adequate, 21 per cent short and one per cent very short. Crop District 4B is reporting that 55 per cent of the cropland has surplus topsoil moisture at this time.

The majority of crop damage this past week was due to strong winds. There continues to be reports of downgrading at the elevator due to sprouting and bleaching. Geese and other wildlife have also been feeding on swathed crops. Much of the crop that has come off is tough and is being dried when time and space permits.

Pasture conditions are rated as 13 per cent excellent, 50 per cent good, 29 per cent fair, seven per cent poor and one per cent very poor.

Producers are busy hauling bales, drying grain and combining when field and weather conditions permit.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Despite heavy rainfall for some areas and frequent showers for others, producers in the region were able to return to the field. Twenty per cent of the crop is now combined, up from 12 per cent last week but remaining well behind the five-year (2014-2018) average of 53 per cent for this time of year. An additional 46 per cent of the crop is swathed or ready to straight-cut. A long stretch of warm and dry weather is needed for crops to mature and dry down so that harvest can resume for most of the region.

A hail storm moved through the region earlier in the week, bringing large amounts of rain and golf ball to baseball-sized hail that severely damaged crops and yards. Rainfall ranged from nil to 94 mm in the Lipton and Ituna areas. The Rocanville area received 17 mm of rain, the Esterhazy area 12 mm, the Goodeve and Foam Lake areas 23 mm, the Kelliher area 65 mm, Kuroki area eight mm, the Rama area 30 mm and the Bethune and Craven areas one mm. The Lipton area has received the most precipitation since April 1 (580 mm) for both the region and the province.

Cropland topsoil moisture conditions are rated as 12 per cent surplus, 85 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 87 per cent adequate, six per cent short and one per cent very short.

Much of the crop damage this past week was due to hail, strong winds and localized flooding. There continues to be reports of downgrading at the elevator due to sprouting and bleaching. Geese and other wildlife have been feeding on swathed crops. Much of the crop that has come off is tough and is being placed into dryers and aeration bins as time and space permits.

Pasture conditions are rated as three per cent excellent, 46 per cent good, 36 per cent fair and 15 per cent poor.

Producers are busy combining, drying grain and hoping for the weather to improve so that harvest can continue.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B -- Kerrobert, Macklin, Wilkie and Biggar areas

Significant harvest progress was made last week thanks to warm and relatively dry weather. The region now has 46 per cent of the crop combined, significantly up from 27 per cent last week and coming closer to the five-year (2014-2018) average of 59 per cent for this time of

year. An additional 34 per cent of the crop is swathed or ready to straight-cut. Continued warm and dry weather is needed for crops to mature and dry down.

The region received rainfall ranging from small amounts to 30 mm in the Phippen area. The Tugaske and Netherhill areas received three mm of rain, the Langham and Harris areas 14 mm, the Perdue, Cando and Rosetown areas 10 mm, the Biggar area nine mm and the Macklin area 20 mm. The Tugaske area has received the most precipitation since April 1 (323 mm).

Cropland topsoil moisture has improved in the region thanks to recent rains. Cropland topsoil moisture is rated as two per cent surplus, 83 per cent adequate and 15 per cent short. Hay land and pasture topsoil moisture is rated as 70 per cent adequate, 29 per cent short and one per cent very short.

The majority of crop damage this past week was due to strong winds. Reports continue of downgrading at the elevator due to sprouting, bleaching and staining. Geese and other wildlife have been feeding on swathed crops. Much of the grain is coming off tough and is being placed in dryers and aeration bins as time and space allows.

Pasture conditions are rated as four per cent excellent, 14 per cent good, 53 per cent fair, 27 per cent poor and two per cent very poor.

Producers are busy drying grain, hauling bales and combining when weather and field conditions permit.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

The region has more than doubled their harvest progress this past week thanks to warm and relatively dry weather in most areas. Thirty-one per cent of the crop is now in the bin, up from 15 per cent last week but remaining behind the five-year (2014-2019) average of 44 per cent for this time of year. An additional 57 per cent of the crop is swathed or ready to straight-cut. Several weeks of warm and dry weather is needed for crops to mature, dry and be combined.

Although much of the region received a small amount of rainfall last week, some areas reported heavy downpours and hail. The Hudson Bay area received 75 mm of rain, the Tisdale and Melfort areas six mm, the Arborfield area 15 mm, the Lake Lenore area 18 mm and the Garrick area 40 mm. The Garrick area has received the most precipitation since April 1 (367 mm).

Cropland topsoil moisture is rated as 10 per cent surplus, 89 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 89 per cent adequate and five per cent short. Crop District 8A is reporting that 22 per cent of the cropland has surplus topsoil moisture at this time.

The majority of crop damage this past week was due to strong winds. Reports of downgrading at the elevator due to sprouting, bleaching and staining continue. Geese and other wildlife have been feeding on swathed crops. Much of the grain is coming off tough and is being placed in dryers and aeration bins as time and space allows.

Pasture conditions are rated as 59 per cent good, 31 per cent fair and 10 per cent poor.

Producers are busy drying grain and combining crops as conditions allow.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Small showers have hampered harvest operations in the region, although progress is being made as the weather permits. Twenty-three per cent of the crop is now combined, up from 10 per cent last week and remaining behind the five-year (2014-2018) average of 40 per cent for this time of year. An additional 57 per cent of the crop is now swathed or ready to straight-cut. Producers in the region will need several more weeks of warm and dry weather in order for the crops to mature and dry down.

Rainfall ranged from trace amounts to 25 mm in the Duck Lake area last week. The Hafford area received 12 mm of rain, the Mayfair area 16 mm, the Spiritwood area five mm, the Speers area eight mm, the Neilburg and Meadow Lake areas one mm and the Turtleford area two mm. The Turtleford area has received the most precipitation since April 1 (426 mm).

Cropland topsoil moisture is rated as 82 per cent adequate and 18 per cent short while hay land and pasture topsoil moisture is rated as 82 per cent adequate, 12 per cent short and six per cent very short. Crop District 9AW is reporting that 29 per cent of crop land and 24 per cent of hay land and pasture is short topsoil moisture at this time.

The majority of crop damage this past week was due to strong winds and hail. Reports of downgrading at the elevator continue due to sprouting and bleaching. There have also been reports of ergot in some cereal crops and of geese and other wildlife feeding on swathed crops. Much of the grain is coming off tough and is being placed in dryers and aeration bins as time and space allows.

Pasture conditions are rated as 51 per cent good, 32 per cent fair, 11 per cent poor and six per cent very poor.

Producers are busy drying grain, hauling bales and combining as weather and field conditions permit.


Saskatchewan Harvest Progress - September 23, 2019

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	0	0	4	96	0
southwest	3	2	0	95	0
east central	1	0	5	90	4
west central	0	0	0	100	0
northeast	0	0	50	50	0
northwest	N/A	N/A	N/A	N/A	N/A
provincial	1	1	5	91	2
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	4	6	5	85	0
southwest	0	2	0	90	8
east central	0	2	0	98	0
west central	0	0	0	100	0
northeast	0	0	0	60	40
northwest	0	3	20	77	0
provincial	1	3	2	89	5
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	25	6	32	37	
southwest	36	3	19	42	
east central	33	20	27	20	
west central	24	7	32	37	
northeast	13	7	47	33	
northwest	27	13	37	23	
provincial	27	10	32	31	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	27	2	22	49	
southwest	30	5	11	54	
east central	47	5	19	29	
west central	40	18	14	28	
northeast	0	0	50	50	
northwest	N/A	N/A	N/A	N/A	
provincial	32	6	14	48	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	13	7	14	64	2
southwest	17	3	5	74	1
east central	20	13	19	42	6
west central	15	8	16	57	4
northeast	13	5	17	65	0
northwest	23	33	13	29	2
provincial	16	10	15	56	3
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	24	12	13	49	2
southwest	43	1	11	43	2
east central	46	18	16	11	9
west central	47	10	13	14	16
northeast	15	7	32	46	0
northwest	47	21	15	8	9
provincial	34	13	20	28	5
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	30	0	58	12	
southwest	34	19	0	47	
east central	100	0	0	0	
west central	71	5	8	16	
northeast	68	0	17	15	
northwest	N/A	N/A	N/A	N/A	
provincial	41	14	8	37	


Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	87	2	8	3	
southwest	83	0	8	9	
east central	92	5	3	0	
west central	83	4	11	2	
northeast	92	1	7	0	
northwest	100	0	0	0	
provincial	87	2	7	4	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	23	38	17	22	
southwest	34	19	13	34	
east central	26	53	10	11	
west central	19	45	13	23	
northeast	10	63	17	10	
northwest	10	68	9	13	
provincial	22	48	13	17	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	40	15	24	21	
southwest	37	8	10	45	
east central	51	23	0	26	
west central	69	11	12	8	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	45	9	10	36	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	87	0	2	11	
southwest	100	0	0	0	
east central	100	0	0	0	
west central	60	1	19	20	
northeast	82	0	16	2	
northwest	N/A	N/A	N/A	N/A	
provincial	90	0	2	8	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	5	1	3	91	
southwest	8	0	0	92	
east central	1	4	11	84	
west central	2	0	5	93	
northeast	4	0	14	82	
northwest	3	4	9	84	
provincial	4	1	6	89	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	2	0	7	91	
southwest	6	0	1	93	
east central	16	0	17	67	
west central	5	0	9	86	
northeast	12	0	8	80	
northwest	31	5	32	32	
provincial	6	0	6	88	
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	90	0	0	10	
southwest	60	0	13	27	
east central	10	0	30	60	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	66	0	10	24	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from September 17 to September 23, 2019



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period from Sept 17 to 23, 2019


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	38	376	4A	51	Reno	1.8	237.6	7A	287	St. Andrews	10	213
	3	Enniskillen	21	372		79 A	Arlington	4	334		288	Pleasant Valley	trace	205
	32	Reciprocity	46	297		79 B	Arlington	1	316.2		290 A	Kindersley	3	160.8
	34	Browning	57	506		109	Carmichael	N/A	89.5		290 B	Kindersley	6	99
	61	Antler	57	400		110	Piapot	N/A	193		292	Milton	N/A	113
	64	Brock	63	390		111	Maple Creek	N/A	125		317	Marriott	14	242
	65	Tecumseh	19	429	4B	139 A	Gull Lake	N/A	278		320 A	Oakdale	8	166.5
1B	91	Maryfield	36	336		169	Pittville	N/A	30.5		320 B	Oakdale	N/A	166
	94	Hazelwood	N/A	179.6		229	Miry Creek	2.8	251		321	Prairiedale	21	219
	122	Martin	60	453		231	Happyland	2	193	7B	347	Biggar	9	270
	123	Silverwood	9	380		152	Spy Hill	17	432		350	Mariposa	10	186
	124 A	Kingsley	8	386	5A	183	Fertile Belt	12	389		351	Progress	19	180
	125 A	Chester	8	329		211	Churchbridge	15	301		352	Heart's Hill	20	169.3
	125 B	Chester	7	409		213	Saltcoats	2	228		377	Glenside	12	1250
	151	Rocanville	15	381		217	Lipton	94	580		378	Rosemount	10	270
	154 A	Elcapo	5	273		241	Calder	6	246		379	Reford	16	308
	154 B	Elcapo	N/A	260		243	Wallace	2	206		382	Eye Hill	25	310.5
	155	Wolseley	2	405		244	Orkney	4	179		409 A	Buffalo	N/A	279
2A	67	Weyburn	7	317		245 A	Garry	N/A	305		409 B	Buffalo	30	291.4
	68	Brokenshell	8	415		245 B	Garry	23	386		410	Round Valley	1	188.1
	97	Wellington	7.5	294.5		246 A	Ituna Bon Accord	94	546	8A	394	Hudson Bay	75	364
2B	127 A	Francis	29.5	354		246 B	Ituna Bon Accord	77.7	454.3		395	Porcupine	N/A	278
	127 B	Francis	12.5	297.4		247	Kellross	65	491		397	Barrier Valley	0.4	253.8
	129	Bratt's Lake	1	272		248	Touchwood	NIL	252.4		426	Bjorkdale	N/A	33
	131	Baildon	NIL	405	5B	273	Sliding Hills	10	212		427	Tisdale	6	167
	156 A	Indian Head	31.1	315.8		277	Emerald	23	346		428	Star City	NIL	290
	156 B	Indian Head	36	462		305	Invermay	30	301		456	Arborfield	15	346
	159	Sherwood	2	336		307	Elfros	14	314		457 A	Connaught	N/A	292
	160 A	Pense	NIL	300		308 A	Big Quill	NIL	282		457 B	Connaught	5	186
	160 B	Pense	N/A	317		308 B	Big Quill	NIL	203		486	Moose Range	14	327
	161 A	Moose Jaw	2	414		336	Sasman	8	236		487	Nipawin	N/A	408
	161 B	Moose Jaw	NIL	344		337	Lakeview	N/A	209.5	8B	369	St. Peter	trace	314
	162 A	Caron	3.8	391.4		366	Kelvington	7	229.5		370 A	Humboldt	NIL	282
	162 B	Caron	2	351		367	Ponass Lake	NIL	256		370 B	Humboldt	N/A	279
	191	Marquis	2	321	6A	190 A	Dufferin	NIL	397		371	Bayne	2	225
3ASE	38 A	Laurier	4.8	309.7		190 B	Dufferin	1	390		372	Grant	N/A	212.8
	38 B	Laurier	11	397.3		190 C	Dufferin	NIL	378		400	Three Lakes	18	342
	39	The Gap	15	410		190 D	Dufferin	trace	221		429 A	Flett's Springs	4	256
3ASW	10	Happy Valley	N/A	449		219 A	Longlaketon	NIL	428		429 B	Flett's Springs	6	317
	12	Poplar Valley	NIL	352		219 B	Longlaketon	1	311.5		459	Kinistino	3	317
	43	Old Post	N/A	298		220	McKillop	N/A	285		460	Birch Hills	4.2	228.2
	73 A	Stonehenge	NIL	370.3		221	Sarnia	trace	297.2	9AE	488	Torch River	40	367
	73 B	Stonehenge	N/A	438.5		222	Craik	N/A	303		491	Buckland	N/A	185
	74	Wood River	NIL	276.2		251	Big Arm	trace	347		520	Paddockwood	N/A	68.5
3AN	102	Lake Johnston	2	429		252	Arm River	NIL	344		521	Lakeland	N/A	68.5
	103	Sutton	NIL	308		279	Mount Hope	N/A	246.6	9AW	405	Great Bend	trace	50
	132 A	Hillsborough	2.5	275.4		282	McCraney	NIL	340		406 A	Mayfield	N/A	123
	132 B	Hillsborough	2	520		313	Lost River	NIL	179		406 B	Mayfield	N/A	66
	193	Eyebrow	NIL	284		339	Leroy	0.6	269.2		435	Redberry	12	259
3BS	17	Val Marie	N/A	233		340	Wolverine	NIL	306		436	Douglas	8	197
	75	Pinto Creek	NIL	317		341	Viscount	NIL	220		463	Duck Lake	25	303
	77	Wise Creek	N/A	344		343	Blucher	N/A	272		466	Meeting Lake	14	275
	78	Grassy Creek	NIL	231.8	6B	223 A	Huron	1	233		467 A	Round Hill	17	263
	105	Glen Bain	trace	291		223 B	Huron	3	322.5		467 B	Round Hill	16	258
	106	Whiska Creek	N/A	306		284 A	Rudy	NIL	244.7		493	Shellbrook	14	119
	107	Lac Pelletier	N/A	322		284 B	Rudy	trace	169		497	Medstead	5	106.5
	108	Bone Creek	N/A	224		285	Fertile Valley	NIL	277		440	Hillsdale	1	320.5
3BN	138 A	Webb	NIL	325		286	Milden	N/A	377	9B	442	Manitou Lake	1.1	288.6
	165	Morse	5	219.2		314	Dundurn	NIL	233.5		498	Parkdale	NIL	176.5
	168 A	Riverside	NIL	253		344 A	Corman Park	14	237		499	Mervin	2	426
	168 B	Riverside	N/A	236.9		345	Vanscoy	5	193		501 B	Frenchman Butte	trace	303
	226	Victory	N/A	96		346	Perdue	10	280		501 C	Frenchman Butte	NIL	343
	228	Lacadena	trace	217		376	Eagle Creek	N/A	245		502	Britannia	N/A	249.5
	257	Monet	2	283		403	Rosthern	15	196		561	Loon Lake	NIL	299
											588 A	Meadow Lake	NIL	320
											588 B	Meadow Lake	1	375
											622	Beaver River	N/A	280.5

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


Cumulative Rainfall

from April 1 to September 23, 2019



Cropland Topsoil Moisture Conditions


September 23, 2019



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Hay and Pasture Topsoil Moisture Conditions


September 23, 2019



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from September 17 to September 23, 2019



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Maximum Temperature

from September 17 to September 23, 2019

