ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority

ALWAYS STAY SAFE
★ NEVER USE ALONE ★ CARRY NALOXONE ★
www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

Fentanyl Testing Strips

1. Put your drugs (amount equal to a few grains of sand) into 30mL/1oz (amount equal to a shot glass) of room temperature tap water
2. Stir or shake contents until sample is dissolved completely
3. HOLD HERE. Dip the strip into the cup for **15 seconds**, no deeper than **the wavy line**
4. Wait 1 minute for red lines to appear
5. **1 LINE:** YES fentanyl — **2 LINES:** NO fentanyl

Strips cannot detect all types of fentanyl, such as carfentanil.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Sticker adopted with permission from Vancouver Coastal Health

Saskatchewan Health Authority