

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.

ALWAYS STAY SAFE

★ NEVER USE ALONE ★ CARRY MALOXONE ★

www.saskatchewan.ca/overdose

Call the National Overdose Response Service 1-888-688-NORS (6677)

1

Put drugs (equal to a few grains of sand) into 2-5mL or 1/2 teaspoon of hot water when testing benzos

2

Stir or shake contents until sample is dissolved completely

3

Dip the stirp into the cup for 15 seconds, no deeper than the wavy line

4

Wait 1 minute for red lines to appear

5

1 LINE: YES benzos
2 LINES: NO benzos

Strips cannot detect all types of benzos, such as etizolam.

A NEGATIVE TEST RESULT DOES NOT MEAN THE SUBSTANCE IS SAFE

Stir or shake until fully dissolved. Do not use for fentanyl or other opioids.