

# Crop Report

For the Period September 13 to 19, 2022

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 21, September 22, 2022

Many producers experienced cool, damp weather this past week which halted or slowed their harvest operations until conditions improved. Other producers that were able to continue either finished their harvest or are very close to doing so. Harvest progress for the province is at 73 per cent, up from 64 per cent last week and ahead of the five-year (2017-2021) average of 68 per cent. An additional 18 per cent of the crop is ready to be swathed or straight-cut.

Harvest is most advanced in the southwest region, where 96 per cent of the crop is now combined. The west-central region has 89 per cent combined and the southeast 65 per cent. The northwest region has 63 per cent combined, the northeast 58 per cent and the east-central 52 per cent.

Ninety-seven per cent of the lentils and field peas, 94 per cent of the durum, 78 per cent of the barley, 77 per cent of the spring wheat, 52 per cent of the canola and 35 per cent of the flax has now been combined. An additional 36 per cent of the canola is swathed or ready to straight-cut.

Precipitation was generally welcomed after several weeks of dry weather. Concerns about field and equipment fires have eased and there is hope that the rain will be enough in some areas to allow pastures a little regrowth. The Pelly area received 44 mm, the Melfort and Moosomin areas 30 mm, the Lipton area 13 mm, the Rosetown area nine mm and the Vanguard area four mm.

Provincial cropland topsoil moisture is rated as one per cent surplus, 37 per cent adequate, 40 per cent short and 21 per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 28 per cent adequate, 42 per cent short and 29 per cent very short. These conditions have declined across the province due to strong winds and a lack of rain.

## One year ago

Harvest progress had reached 89 per cent well ahead of the five-year average of 63 per cent for the time.

There were small rain showers throughout the province, but it did little to halt harvest momentum. Producers are happy that harvest is wrapping up early after a very difficult drought year. They are hoping they receive enough rain to replenish their soils before winter.

Follow the 2022 Crop Report on  
Twitter @SKAgriculture

## Harvest Progress in SK Per cent Combined

All Crops	
5 year avg. (2017-2021)	68
Sept 20/21	89
Sept 21/20	77
Sept 23/19	39
Sept 17/18	62
Sept 18/17	75
10 year avg. (2012-2021)	62

For further information, contact Matthew Struthers, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3714, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

**Saskatchewan**

# Crop Report

**For the Period September 13 to 19, 2022**

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 21, September 22, 2022

Pasture conditions are rated as four per cent excellent, 23 per cent good, 31 per cent fair, 25 per cent poor and 17 per cent very poor. Conditions vary across the province, with the southeast, east-central and northeast regions in good to excellent condition due to rainfall in the spring and throughout the summer that helped maintain pasture grass.

The majority of crop damage this week was due to wind, waterfowl, wildlife and lack of moisture. There were several reports of hard frosts in across the province but producers say damage is low due to crops being so well advanced. The recent rain will likely cause some minor downgrading to standing or swathed cereal crops due to bleaching.

Producers are busy wrapping up harvest, hauling bales, moving cattle home or to market, hauling water and engaged in post-harvest field activities such as herbicide application.

A complete, printable version of the Crop Report is available online at <https://www.saskatchewan.ca/crop-report>.

Follow the 2022 Crop Report on Twitter at @SKAgriculture.

For further information, contact Matthew Struthers, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3714, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](https://www.saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan*

# Crop Report

For the Period September 13 to 19, 2022

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 21, September 22, 2022

For further information, contact Matthew Struthers, AAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3714, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan!*

### Saskatchewan Harvest Progress - September 19, 2022

\*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed or silage

<b>Winter Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	0	0	0	100	0
southwest	0	0	0	90	10
east central	0	0	0	100	0
west central	0	0	0	94	5
northeast	0	0	0	100	0
northwest	0	0	0	100	0
<b>provincial</b>		<b>0</b>	<b>0</b>	<b>98</b>	<b>2</b>
<b>Fall Rye</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	0	0	0	98	2
southwest	0	0	0	55	45
east central	0	0	0	100	0
west central	0	0	0	90	10
northeast	0	0	0	100	0
northwest	0	0	0	100	0
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>90</b>	<b>10</b>
<b>Spring Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	9	8	11	72	
southwest	0	3	0	97	
east central	15	7	19	59	
west central	2	0	7	91	
northeast	5	5	9	81	
northwest	6	6	11	77	
<b>provincial</b>	<b>2</b>	<b>8</b>	<b>13</b>	<b>77</b>	
<b>Durum</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	6	1	10	83	
southwest	0	0	1	99	
east central	0	0	16	84	
west central	0	0	11	89	
northeast	0	0	2	98	
northwest	n/a	n/a	n/a	n/a	
<b>provincial</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>94</b>	
<b>Barley</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	4	2	7	82	5
southwest	0	0	0	95	5
east central	12	5	9	71	3
west central	1	1	6	87	5
northeast	5	3	3	84	5
northwest	5	10	3	78	4
<b>provincial</b>	<b>6</b>	<b>3</b>	<b>8</b>	<b>78</b>	<b>5</b>
<b>Oats</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	16	10	4	63	7
southwest	2	0	13	75	10
east central	27	19	9	40	5
west central	3	2	13	76	6
northeast	4	3	12	76	5
northwest	6	10	13	66	5

<b>provincial</b>	<b>13</b>	<b>10</b>	<b>12</b>	<b>60</b>	<b>5</b>
<b>Canaryseed</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	48	0	21	31	
southwest	0	0	2	98	
east central	38	0	0	62	
west central	0	0	12	88	
northeast	31	0	26	43	
northwest	n/a	n/a	n/a	n/a	
<b>provincial</b>	<b>33</b>	<b>0</b>	<b>12</b>	<b>55</b>	
<b>Flax</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	51	1	25	23	
southwest	10	0	17	73	
east central	63	6	12	19	
west central	19	6	22	53	
northeast	72	4	14	10	
northwest	63	6	0	31	
<b>provincial</b>	<b>45</b>	<b>3</b>	<b>17</b>	<b>35</b>	
<b>Canola</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	24	15	15	46	
southwest	0	0	1	99	
east central	19	31	18	32	
west central	5	3	8	84	
northeast	12	36	24	28	
northwest	5	31	19	45	
<b>provincial</b>	<b>13</b>	<b>21</b>	<b>14</b>	<b>52</b>	
<b>Mustard</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	70	0	0	30	
southwest	0	0	3	97	
east central	5	0	5	90	
west central	0	0	11	89	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
<b>provincial</b>	<b>12</b>	<b>0</b>	<b>0</b>	<b>88</b>	
<b>Soybeans</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	55	0	0	45	
southwest	n/a	n/a	n/a	n/a	
east central	30	0	30	40	
west central	0	0	0	100	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
<b>provincial</b>	<b>28</b>	<b>0</b>	<b>24</b>	<b>48</b>	
<b>Field Peas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	3	97	
southwest	0	0	0	100	
east central	0	0	5	95	
west central	0	0	4	96	
northeast	0	0	0	100	
northwest	0	0	7	93	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>97</b>	
<b>Lentils</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	14	86	
southwest	0	0	0	100	

east central	0	0	1	99	
west central	0	0	4	96	
northeast	0	0	5	95	
northwest	0	0	0	100	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>97</b>	
<b>Chickpeas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	19	0	12	69	
southwest	1	0	11	88	
east central	0	0	40	60	
west central	0	0	0	100	
northeast	n/a	n/a	n/a	n/a	
northwest	n/a	n/a	n/a	n/a	
<b>provincial</b>	<b>5</b>	<b>0</b>	<b>12</b>	<b>83</b>	

**Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville, Minton and Lake Alma areas

Some producers were able to continue their harvest operations without issue while others were slowed down due to cool, damp weather. Harvest progress for the region is at 65 per cent, up from 57 per cent last week but well behind the five-year average of 78 per cent. Many producers in the western half of the region have wrapped while those on the eastern half are still struggling with crop that won't dry down. Canola has been especially troublesome with some producers still applying desiccants.

There was not much widespread precipitation in the region this past week, most areas saw between one to 10 mm. However, the Moosomin area received 30 mm and the Glenavon area 15 mm. While the rain may not be ideal for harvesting, it has helped lower the fire risk in fields as well as help pasture grasses recover before the freeze up.

Cropland topsoil moisture is rated as two per cent surplus, 63 per cent adequate, 33 per cent short and two per cent very short. Hay and pasture land topsoil moisture is rated as three per cent surplus, 49 per cent adequate, 34 per cent short and ten per cent very short. Once harvest has concluded, a good soaking rain would be very beneficial for the soils and pasture grasses in the region.

Pasture conditions are rated as seven per cent excellent, 49 per cent good, 33 per cent fair, nine per cent poor and two per cent very poor. Rainfall early in the season allowed for some pastures to grow quickly and improve their ability to support cattle grazing; now they are beginning to dry down again and more rain will be needed before winter to help the grass recover.

The majority of crop damage this past week was due to wind and frost. Most crops have been well beyond the threat of damage due to being harvested or are too far matured. There was also damage caused by wildlife and waterfowl.

Producers are busy combining, harrowing, spraying, hauling bales and grain and moving cattle.

**Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Harvest has just about wrapped up in the region, there is mostly canola and flax left out to be combined. Ninety-six per cent of the crop in the region has been harvested, up from 93 per cent last week and well ahead of the five-year average of 85 per cent. Producers who are done harvest have begun other chores such as baling straw, hauling bales, cleaning and storing equipment and hauling grain to the elevator.

Very little rainfall was received this past week, producers are very concerned with on-site water availability and some have described their soils as being very hard. The Big Beaver area was lucky to received six mm, the Tyner, Vanguard and Eyebrow areas received four mm. A gentle, weeklong, soaking rain is needed in the region to replenish livestock water sources and recharge the soil moisture.

Cropland topsoil moisture is rated as seven per cent adequate, 40 per cent short and 53 per cent very short. Hay and pasture land topsoil moisture is rated as one per cent adequate, 37 per cent short and 62 per cent very short.

Pasture conditions are rated as six per cent good, 17 per cent fair, 40 per cent poor and 37 per cent very poor. Many producers reported that pasture grass is thin, or completely gone in some areas after the hot, dry summer. Cattle will be supplemented with feed earlier than last year in some parts of the region. Producers are also very worried about where they will source additional feed for the winter.

The majority of crop damage this past week was due to wind, frost, drought and grasshoppers. With most of the crop harvested in the region, the risk of damage from any source is very low

Producers are busy combining, harrowing, hauling bales, moving cattle and starting to plan their fall activities. Many in the region have indicated that it is too dry to plant winter cereals this year.

#### **East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Harvest progress was limited across the region last week as frequent showers and cool, damp weather prevented many producers from getting out into their fields. Harvest progress now sits at 52 per cent, up from 46 per cent last week but still behind the five-year average of 60 per cent. The weather must improve quickly to allow producers to continue their harvesting activities. Much of the grain coming off is very tough and damp and must be dried down before it can be safely stored. Many producers in Crop District 6A have completed their harvest and have moved onto other field activities.

There were several showers that passed through the region over the last week, some areas only got one to five mm, while others received quite a bit more. The Pelly area received 44 mm, the Foam Lake area 24 mm, the Elfros and Semans area 18 mm and the Lipton area 13 mm.

Cropland topsoil moisture is rated as one per cent surplus, 53 per cent adequate, 37 per cent short and nine per cent very short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 43 per cent adequate, 46 per cent short and eleven per cent very short.

Pasture conditions are rated as seven per cent excellent, 29 per cent good, 41 per cent fair, 20 per cent poor and four per cent very poor. Pastures greatly benefited from early

season rains which allowed them to carry cattle all season long with minimal grass and water availability concerns.

The majority of crop damage this past week was due to wind, light frost and waterfowl. The rainfall received this past week will hopefully not have a large effect on grain quality as it could lead to leaching of standing or swathed cereal crops.

Producers are busy combining, swath, drying grain and moving cattle.

#### **West-Central Saskatchewan:**

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston and Major areas
- Crop District 7B – Kerrobert, Macklin, Wilkie and Biggar areas

Harvest is very close to being wrapped up in the region, even after a week of some light rain showers producers were able to make good progress in their fields. Eighty-nine per cent of the crop has been harvested so far, up from 80 last week and well ahead of the five-year average of 69 per cent. Many producers have completed harvest and are now carrying out other field chores while they wait for rain to replenish their soils.

Light rain showers passed over the region this past week with many areas getting small amounts of precipitation. The Harris and Smiley areas received 12 mm, the Cando and Sonningdale areas 10 mm and the Rosetown area nine mm. The region desperately needs a large rain event to improve soil moisture conditions before freeze up.

Rainfall in the region this past week has done little to improve current topsoil moisture conditions. Cropland topsoil moisture is rated as eleven per cent adequate, 46 per cent short and 43 per cent very short. Hay and pasture land topsoil moisture is rated as 12 per cent adequate, 38 per cent short and 50 per cent very short.

Pasture conditions are rated as 23 per cent fair, 37 per cent poor and 40 per cent very poor. Pastures have suffered through heat and drought all season long and now many of them are not fit to graze cattle. Next spring, if early moisture is not received, they may not be able to support cattle grazing at all.

The main cause of crop damage this past week was hard frost, wind and lack of moisture. There were some reports of damage caused by waterfowl. There was also lodging reported in areas that received strong winds.

Producers are busy combining, baling straw, hauling bales, harrowing and hauling water for cattle.

#### **Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Harvest was postponed for many this past week as some rainstorms rolled through and made for very poor harvesting conditions. Fifty-eight per cent of the crop is now in the bin,

up from 41 per cent last week and ahead of the five-year average of 51 per cent. Producers are hoping for warm, dry weather to advance crop maturity and assist with drying down, especially on canola, where some stalks remain green.

There was some very good precipitation across the region last week with many areas receiving more than an inch. The Prince Albert area received 41 mm, the Melfort area 30 mm, the Zenon Park and Star City areas 25 mm and the Humboldt area 12 mm.

Cropland topsoil moisture is rated as 77 per cent adequate and 23 per cent short. Hay and pasture land topsoil moisture is rated as 68 per cent adequate and 32 per cent short. After harvest has concluded in the region, crop and pasture land would benefit from further rainfall.

Pasture conditions are rated as seven per cent excellent, 41 per cent good, 43 per cent fair, eight per cent poor and one per cent very poor. Pastures in this region are in better shape than they were last year and producers are much less concerned about their ability to graze cattle, a couple gentle rains in the fall however, would do them some good.

The majority of crop damage this past week was due to wind, frost and waterfowl. The rain has caused some weed growth along with some crop regrowth, producers are evaluating the need to spray. The areas that received heavy amounts of rain fall are also at a higher risk of seeing their standing or swathed cereal crops become downgraded due to bleaching.

Producers are busy swathing, combining, drying grain and hauling bales.

#### **Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Some producers continued their harvest operations without delay, while others were halted for several days due rain, followed by cool, damp weather. Sixty-three per cent of the crop is now in the bin, up from 47 per cent last week and well ahead of the five-year average of 41 per cent. Most of the cereal crops in the region have been harvested with only a few acres left to be cleaned up. Producers are working mainly on their canola acres at the moment.

A few areas did receive some rain in the region, the first rain in several weeks for some. The Pierceland area received 21 mm, the Duck Lake area 18 mm, the Hafford area seven mm and the Glaslyn area four mm.


Cropland topsoil moisture is rated as 22 per cent adequate, 72 per cent short and five per cent very short. Hay and pasture land topsoil moisture is rated as 22 per cent adequate, 68 per cent short and ten per cent very short.

Pasture conditions are rated as 12 per cent good, 47 per cent fair, 38 per cent poor and three per cent very poor.

The majority of crop damage this past week was due to wind, frost, waterfowl, and wildlife. Producers have noted green regrowth is making harvest difficult but hope the frost will cause the regrowth to die down.


Producers are busy combining, swathing, grain drying and moving bales.

# Crop Districts and Rural Municipalities in Saskatchewan



# Pasture Conditions


September 19, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Weekly Rainfall

from September 13 to September 19, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period from September 13 to September 19, 2022


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	7	411	4B	139	Gull Lake	N/A	175	7A	259	Snipe Lake	5	187
	3	Enniskillen	trace	432		229	Miry Creek	N/A	186.9		287	St. Andrews	4	142
	4	Coal Fields	2	652		231	Happyland	1	127		288	Pleasant Valley	9	154
	6	Cambria	N/A	297	5A	181	Langenburg	14	455		290	Kindersley	10.2	186.8
	32	Reciprocity	N/A	261		183 A	Fertile Belt	10	625		292	Milton	N/A	292.5
	34	Browning	N/A	0		211	Churchbridge	11	320		317 A	Marriott	12	167
	61	Antler	N/A	402		213	Saltcoats	NIL	360		317 B	Marriott	NIL	214.3
	64	Brock	2	374		215	Stanley	2	410		319	Winslow	N/A	75.1
	65	Tecumseh	N/A	342		216	Tullymet	N/A	156.7		320 A	Oakdale	1	254.2
1B	95	Golden West	N/A	0		217	Lipton	13	475		320 B	Oakdale	N/A	235
	122	Martin	30	613		241	Calder	8	358		321	Prairiedale	12	315.5
	123	Silverwood	NIL	506		243	Wallace	trace	278	7B	347	Biggar	11	201
	124	Kingsley	8	443		245 A	Garry	N/A	229		350	Mariposa	6	158
	125 A	Chester	15	395		245 B	Garry	13	369		351	Progress	N/A	145
	125 B	Chester	3	351		246 A	Ituna Bon Accord	16	247		377	Glenside	8	163
	151	Rocanville	10	492		246 B	Ituna Bon Accord	14.5	368.5		378	Rosemount	10	189
	154 A	Elcapo	trace	351		247	Kellross	N/A	245.5		382	Eye Hill	2.5	212
	155	Wolseley	trace	392		248	Touchwood	16	250		409 A	Buffalo	N/A	0
2A	67	Weyburn	NIL	369	5B	273	Sliding Hills	NIL	302		409 B	Buffalo	12	136.3
	68	Brokenshell	NIL	436		275	Insinger	NIL	433.6		410	Round Valley	12	147.5
	96	Fillmore	N/A	0		276	Foam Lake	24	347	8A	394	Hudson Bay	15	271
	97	Wellington	0.5	297.5		277 A	Emerald	9	390		395	Porcupine	N/A	332
	100	Elmsthorpe	trace	247		277 B	Emerald	8	297		397 A	Barrier Valley	5	364.8
2B	127 A	Francis	4.5	416		301	St.Philips	44	353.1		397 B	Barrier Valley	N/A	208
	127 B	Francis	2.5	174.1		305	Invermay	15	362		427	Tisdale	N/A	0
	129	Bratt's Lake	N/A	394		307	Elfros	18	342		428	Star City	24	242
	131	Baldon	trace	262		308 A	Big Quill	11	255		456	Arborefield	20	288
	156 A	Indian Head	6.9	306.9		308 B	Big Quill	N/A	0		457 A	Connaught	N/A	0
	156 B	Indian Head	N/A	432		331	Livingston	NIL	331		457 B	Moose Range	25	167.8
	159 A	Sherwood	trace	282.5		334	Preeceville	N/A	18		486	Moose Range	18	314.2
	159 B	Sherwood	NIL	267		336	Sasman	N/A	117		487	Nipawin	N/A	262
	160	Pense	N/A	146		337	Lakeview	N/A	329	8B	369	St. Peter	21	301
	161 A	Moose Jaw	NIL	240		366	Kelvington	15.5	321		370 A	Humboldt	12	397
	162 A	Caron	2.5	233.1		367	Ponass Lake	N/A	142.5		370 B	Humboldt	N/A	0
	162 B	Caron	6	295.5	6A	189	Lumsden	N/A	70		371	Bayne	23	340
	191	Marquis	N/A	0		190 A	Dufferin	N/A	220		372	Grant	14	255.6
3ASE	38 A	Laurier	N/A	330		190 B	Dufferin	7	220		400	Three Lakes	28	402.5
	38 B	Laurier	N/A	374		190 C	Dufferin	N/A	187		429	Flett's Springs	30	292
3ASW	10	Happy Valley	6	321		190 D	Dufferin	2	105		430	Invergordon	5	276
	40	Bengough	N/A	0		219 A	Longlaketon	15	240		459	Kinistino	27	371
	43	Old Post	NIL	240.5		219 B	Longlaketon	2	253		460	Birch Hills	17.9	292.9
	73 A	Stonehenge	trace	208.4		220	McKillop	N/A	263	9AE	461	Prince Albert	NIL	223.5
	73 B	Stonehenge	N/A	150.8		221	Sarnia	NIL	248.7		488	Torch River	18	297
	74	Wood River	trace	184.4		222	Craik	10	419		491	Buckland	41	409
3AN	102	Lake Johnston	NIL	264		251	Big Arm	N/A	200.5		520	Paddockwood	5	226
	103	Sutton	N/A	86		252	Arm River	6	129		521	Lakeland	5	249
	132 A	Hillsborough	N/A	0		279	Mount Hope	17.5	117.5	9AW	405	Great Bend	N/A	29
	132 B	Hillsborough	1	284		282	McCraney	3	190		406	Mayfield	N/A	63.8
	193	Eyebrook	2	201		310	Usborne	N/A	256.1		435	Redberry	7	217
3BS	75	Pinto Creek	2	187		312	Morris	N/A	232.1		436	Douglas	7	149
	77	Wise Creek	N/A	166		339	Leroy	9.2	305.2		437	North Battleford	N/A	173.5
	78	Grassy Creek	NIL	165		340	Wolverine	N/A	0		463	Duck Lake	18	400
	106 A	Whiska Creek	4	199		341	Viscount	N/A	0		466	Meeting Lake	13	303
	106 B	Whiska Creek	2	251.5		343	Blucher	8.5	323.5		467 A	Round Hill	10	262
	107	Lac Pelletier	N/A	0	6B	223 A	Huron	N/A	192		467 B	Round Hill	12	251
	108	Bone Creek	N/A	191		223 B	Huron	trace	212		493	Shellbrook	14	160.5
3BN	138	Webb	N/A	239.8		223 C	Huron	N/A	0		496	Spiritwood	N/A	310
	165	Morse	3	227		284 A	Rudy	N/A	126		497	Medstead	6	300.5
	168 A	Riverside	NIL	146		285	Fertile Valley	9	130	9B	440	Hillsdale	1	280
	168 B	Riverside	N/A	136.6		286	Milden	6	241		442	Manitou Lake	1.3	230
	226	Victory	N/A	0		314	Dundurn	5	191		498	Parkdale	4	372
	228	Lacadena	4	154		344	Corman Park	11	258		499 A	Mervin	2	408.4
	257	Monet	N/A	69.5		376	Eagle Creek	10	137		499 B	Mervin	NIL	287.5
4A	51	Reno	2	195		403 A	Rosthern	12	260		501 A	Frenchman Butte	4	289
	79 A	Arlington	1	159		403 B	Rosthern	3	134		501 B	Frenchman Butte	N/A	60
	79 B	Arlington	NIL	246							501 C	Frenchman Butte	3	295
	109	Carmichael	N/A	0							502	Britannia	trace	118.5
	110	Piapot	N/A	181.9							561	Loon Lake	NIL	236
	111	Maple Creek	N/A	173							588	Meadow Lake	3	288
											622	Beaver River	21	286.4

**Municipality No: A, B, C and D - more than one reporter**

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


# Cumulative Rainfall

from April 1 to September 19, 2022



# Cropland Topsoil Moisture Conditions

September 19, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

**Saskatchewan**

1:3,500,000  
0 25 50 100 150 200  
Kilometers

Projection: UTM Zone 13 Datum: NAD83




Data Source:  
Moisture - Ministry of Agriculture, Crop Report Database  
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

September 21, 2022

# Hay and Pasture Topsoil Moisture Conditions


## September 19, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Minimum Temperature

from September 13 to September 19, 2022



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Maximum Temperature

from September 13 to September 19, 2022

