

Diagnosis Codes

For Surgical Prioritization
2024-25

Contents

Cardiac Surgery	3
Dental Surgery	4
Gender Dysphoria Surgery.....	5
General Surgery.....	6
Neurosurgery	9
Obstetrics and Gynecology	10
Ophthalmology Surgery	12
Oral Maxillofacial Surgery	14
Orthopedic Surgery.....	16
Orthopedic Oncology Surgery.....	17
Otolaryngology.....	18
Plastics & Reconstructive Surgery.....	20
Spinal Surgery.....	22
Thoracic Surgery	23
Urology.....	24
Vascular Surgery.....	26

Cardiac Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Urgent Priority	31HDAA	Endocarditis (embolus, vegetation, heart block)	1	2 wks
	31HDBA	Laser lead extraction for infection	1	2 wks
	31HDBB	Laser lead extraction (lead fracture or impending failure)	1	2 wks
	31HHAA	Other symptomatic arrhythmias	1	2 wks
	31HZAA	Valve (tissue or native) dysfunction with deteriorating hemodynamics and perfusion	1	2 wks
	31IJAA	Left main stenosis > 70%	1	2 wks
	31IJAB	Hemodynamic instability plus post MI complication	1	2 wks
	31IJAC	Unstable angina on IV nitroglycerine drip/heparin drip	1	2 wks
	31IJAD	Syncope due to coronary ischemia	1	2 wks
	31YYAA	Generator replacement (urgent - end of life - default mode)	1	2 wks
	31ZZZA	Cardiac surgery other P1*	1	2 wks
High Priority	31HDAB	Endocarditis without hemodynamic deterioration	3	6 wks
	31HDBC	Laser lead extraction (too many leads)	3	6 wks
	31HPAA	LV aneurysm with failure, embolization, dysrhythmias	3	6 wks
	31HZAB	Congenital or valvular heart disease with embolization or other symptoms	3	6 wks
	31HZAC	Congenital or valvular lesion with pulmonary hypertension	3	6 wks
	31HZBA	Unable to work including as homemaker due to cardiac disease	3	6 wks
	31HZBB	Unable to care for dependents due to cardiac disease	3	6 wks
	31HZCA	Cardiac tumours	3	6 wks
	31HZFA	Cardiovascular foreign bodies	3	6 wks
	31IDAA	Asymptomatic aortic aneurysm	3	6 wks
	31IDBA	Aortic stenosis with syncope, angina or heart failure	3	6 wks
	31IJAE	Persistent unstable angina	3	6 wks
	31IJAF	Recurrent angina within 6 months of MI	3	6 wks
	31IJAG	Symptomatic or asymptomatic CAD with ominous anatomy and left main stenosis >50%	3	6 wks
	31IJAH	Symptomatic or asymptomatic CAD with ominous anatomy and 3-vessel disease with reduced LV Fn or proximal LAD	3	6 wks
	31IJAI	Symptomatic or asymptomatic CAD with ominous anatomy and left main equivalent	3	6 wks
	31IJAJ	Symptomatic or asymptomatic CAD with Non-invasive confirmation of ischemia including in-patients with double and single vessel disease	3	6 wks
	31IJAK	Symptomatic or asymptomatic CAD with prior ischemia induced VT/VF	3	6 wks
	31YYAB	Generator replacement (routine)	3	6 wks
	31ZZZC	Cardiac surgery other P3*	3	6 wks
Less urgent Priority	31HPAB	Subaortic stenosis with evidence of secondary aortic valve deterioration	4	12 wks
	31HZAD	Critical valvular disease with stable symptoms	4	12 wks
	31HZAE	Valvular disease with deteriorating or reduced ventricular function	4	12 wks
	31HZDA	Congenital lesions with stable symptoms	4	12 wks
	31IJAL	Intractable chronic angina	4	12 wks
Other*	31ZZZD	Cardiac surgery other P4*	4	12 wks
	31ZZZB	Cardiac surgery other P2*	2	4 wks
	31ZZZE	Cardiac surgery other P5*	5	26 wks

* provide unique diagnosis in free text description

Dental Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Dental Disease	91FEAC	Exposure of teeth	5	26 wks
	91FEAD	Dental implant	5	26 wks
	91FEBB	Erupted teeth - associated with severe dental disease requiring extraction	2	4 wks
	91FEBD	Erupted teeth - associated with moderate dental disease requiring extraction	4	12 wks
	91FEBE	Erupted teeth - associated with mild dental disease requiring extraction	5	26 wks
	91FEDB	Impacted teeth - associated with severe dental disease	2	4 wks
	91FEDD	Impacted teeth - associated with moderate dental disease	4	12 wks
	91FEDE	Impacted teeth - associated with mild dental disease	5	26 wks
	91FGAA	Foreign body	4	12 wks
	91FKAC	Dental disease-mild pain/infection with low medical risk	5	26 wks
	91FKAD	Dental disease-moderate pain/infection with moderate medical risk	4	12 wks
	91FKAF	Dental disease-severe pain/infection with severe medical risk	2	4 wks
Dental Exam	91FKCA	Dental Examination and Treatment	5	26 wks
	91FKCB	Clinical Evaluation and Care (unable to examine due to comorbidity and/or discomfort) High Risk Medical Status	2	4 wks
	91FKCC	Clinical Evaluation and Care (unable to examine due to comorbidity and/or discomfort) Moderate Risk Medical Status	4	12 wks
Other *	91ZZZA	Dental surgery other P1	1	2 wks
	91ZZZB	Dental Surgery other P2	2	4 wks
	91ZZZC	Dental surgery other P3	3	6 wks
	91ZZZD	Dental surgery other P4	4	12 wks
	91ZZZE	Dental surgery other P5	5	12 wks
* provide unique diagnosis in free text description				

Gender Dysphoria Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Gender Dysphoria	39PZGC	Gender Dysphoria; urgent revisions for urinary complications	3	6 wks
	35ZZGD	Gender Dysphoria; minor revisions and/or staging procedures	4	12 wks
	35ZZGE	Gender Dysphoria; primary and/or non-urgent revisions	5	26 wks

General Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Adrenalectomy	30PBAE	Primary aldosteronism or Cushing's syndrome	3	6 wks
	30PBAF	Pheochromocytoma	2	4 wks
	30PBCE	Adrenal cancer (known or suspected)	2	4 wks
Benign Anorectal Disease	30NTAA	Haemorrhoids	5	26 wks
	30NTAC	Anal fissure	5	26 wks
	30NTAD	Anal fistula with sepsis	3	6 wks
	30NTAE	Anal fistula	5	26 wks
	30NTAF	Benign lesions	4	12 wks
	30NTAH	Anal fissure severe	2	4 wks
	30NTAI	AIN/Anal lesion NYD (rule out malignancy)	2	4 wks
Breast	30YMBA	Breast cancer risk requiring prophylactic mastectomy	4	12 wks
	30YMCC	Breast cancer (including high risk phyllodes)	2	4 wks
	30YMCE	Benign breast disease	4	12 wks
	30YMCF	Breast cancer for immediate breast reconstruction	2	4 wks
	30YMCG	Premalignant lesion (including CDIS, low risk phyllodes)	3	6 wks
	30YMCH	Atypical breast lesion (including ADH, radial scar, papillary lesion, etc.)	3	6 wks
	30YMCI	Post mastectomy defect - second stage reconstruction	4	12 wks
	30YMCJ	Acute wound requiring surgery, high risk	1	2 wks
	30YMCK	Acute wound requiring surgery, low risk	2	4 wks
Colorectal Surgery	30NMAB	Diverticular stricture of the colon (impending obstruction)	1	2 wks
	30NMAC	Obstructing Crohn's disease	1	2 wks
	30NMAD	Inflammatory bowel disease without complication of haemorrhage, perforation/sepsis, or obstruction	3	6 wks
	30NMCA	Colonic carcinoma	2	4 wks
	30NMCB	Colonic carcinoma - partially obstructing	1	2 wks
	30NMEA	Prophylactic colectomy	4	12 wks
	30NMEB	Diverticular disease (recurrent diverticulitis)	5	26 wks
	30NMEC	Diverticular disease (fistula, stricture without impending obstruction)	4	12 wks
	30NPAA	Temporary stoma - reversal of colostomy/ileostomy	4	12 wks
	30NQAC	Procidentia	4	12 wks
	30NQCA	Rectal carcinoma	2	4 wks
	30NQCB	Rectal carcinoma with short course preop radiation	1	2 wks
	30NQCC	Rectal cancer preop chemo-radiotherapy down staging	3	6 wks
Endoscopy - Positive FIT	30NMDD	Positive FIT (fecal immunochemical test) – outside SPCRC screening program	3B	8 wks
	30NMDE	Positive FIT (fecal immunochemical test) – SPCRC screening program	3B	8 wks
Screening for Family History	30NMDF	Screening Colonoscopy for personal or significant family history	5	26 wks
Endoscopy - Surveillance	30OZDG	Short interval surveillance where reassessment required under 1 year: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep resulting in incomplete procedure	3B	8 wks
	30OZDH	Surveillance where assessment period 1 year or over; wait time starts at date surveillance is due	5	26 wks

General Surgery Cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Endoscopy - Symptoms and Findings	30NADA	Chronic Gastroesophageal Reflux Disease; asymptomatic pancreatic/ biliary stricture with normal liver chemistry, not suspicious for malignancy; pancreatic cyst, not suspicious for malignancy; chronic unexplained abdominal pain; stable dyspepsia	5	26 wks
	30OZDA	High likelihood of cancer; severe Dysphagia/Odynophagia; active IBD; obstructive acute jaundice; resection of neoplasm; variceal ligation; EUS-guided drainage of fluid collection/necrosectomy; stenting of malignant stricture/fistula; PEG/PEJ tube	1	2 wks
	30OZDD	Bright red rectal bleeding; Anemia; confirmation Celiac Disease; stable Dysphagia; obscure GI bleed (capsule endoscopy/enteroscopy); EUS assessment submucosal lesion; stent replacement; duodenal polyp/ampullectomy; treatment of chronic GI bleed (e.g., APC)	3B	8 wks
Endoscopy Other	30OZZA	GI symptoms other P1	1	2 wks
	30OZZB	GI symptoms other P2	2	4 wks
	30OZZC	GI symptoms other P3	3B	8 wks
	30OZZD	GI symptoms other P4	4	12 wks
	30OZZE	GI symptoms other P5	5	26 wks
Hepatobiliary Pancreatic	30OAAA	Liver Transplant - Living Donor	1	2 wks
	30OACA	Hepatocellular carcinoma	2	4 wks
	30OACB	Metastatic liver disease	2	4 wks
	30OACC	Liver benign tumour	3	6 wks
	30ODAB	Biliary colic - severe (daily pain)	1	2 wks
	30ODAC	Biliary colic - intermediate (frequent pain)	3	6 wks
	30ODAD	Biliary colic - chronic (infrequent symptoms)	4	12 wks
	30ODCA	Gall bladder carcinoma	2	4 wks
	30ODCC	Gall bladder polyps	4	12 wks
	30OEAD	Benign bile duct stricture	4	12 wks
	30OECA	Bile duct tumour	2	4 wks
	30OJAB	Chronic pancreatitis	4	12 wks
	30OJCB	Malignant pancreatic tumour or non-functioning endocrine tumour	2	4 wks
	30OJCH	Endocrine tumour of pancreas - functioning	1	2 wks
	Hernias	30SYAA	Inguinal or femoral hernia - symptomatic	4
30SYAE		Inguinal or femoral hernia - asymptomatic	5	26 wks
30SYAB		Umbilical hernia - symptomatic	4	12 wks
30SYAF		Umbilical hernia - asymptomatic	5	26 wks
30SYAC		Incarcerated hernia (inguinal, umbilical, incisional) without bowel obstruction	2	4 wks
30SYAD		Incisional/ventral hernia	4	12 wks
Laparoscopy	30OZAA	Diagnosis laparoscopy - benign	3	6 wks
	30OZCA	Staging laparoscopy – suspect malignant	1	2 wks
Morbid Obesity	30OZBC	Morbid obesity once cleared for surgery through pre-conditioning program	4	12 wks
Retroperitoneal Tumour	30OTCA	Retroperitoneal malignancy	2	4 wks
Salivary Gland	30FPCC	Salivary gland benign disease	4	12 wks
	30FPCD	Salivary gland malignancy	2	4 wks

General Surgery cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Skin	30MZCB	Lymph node malignancy	2	4 wks
	30YSAA	Pilonidal disease	4	12 wks
	30YZCH	Malignant melanoma, squamous cell carcinoma and head and neck cancers T1N1 or T2N0 or higher	1	2 wks
	30YZCI	Cutaneous malignant Melanoma or squamous cell carcinoma, T1N0	2	4 wks
	30YZCJ	Cutaneous or subcutaneous tumours -- confirmed or suspected malignancy	2	4 wks
Small Bowel	30NKCA	Small bowel tumour	2	4 wks
Spleen	30OBCA	Splenic tumour	2	4 wks
Spleen and Kidney	30OBAD	Splenectomy for hematologic disease	3	6 wks
	30PBCE	Adrenal cancer (known or suspected)	2	4 wks
	30PCAJ	Chronic renal failure	3	6 wks
Stomach and Esophagus	30NAAA	Esophageal stricture-with obstruction	1	2 wks
	30NAAB	Esophageal stricture-without obstruction	4	12 wks
	30NAAC	Achalasia	4	12 wks
	30NFCD	GIST tumour of the stomach	3	6 wks
	30NFCE	Gastric Malignancy	1	2 wks
Thyroid Parathyroid	30FUAB	Asymptomatic benign mass-goiter or cyst	5	26 wks
	30FUCA	Medullary thyroid cancer	2	4 wks
	30FUCD	Benign neoplasm/thyroid mass: rule out malignancy	4	12 wks
	30FUCF	Malignant thyroid disease except non-metastatic stage 1 papillary carcinoma	2	4 wks
	30FUCG	Early-stage papillary carcinoma	4	12 wks
	30FVAB	Hyperparathyroidism - significant symptoms or Calcium greater than 3.0 mmol/L	2	4 wks
Unscheduled Case	30FVAC	Hyperparathyroidism	4	12 wks
	30ZZAB	Predominantly unscheduled cases - complex benign	4	12 wks
Other*	30ZZCB	Predominantly unscheduled cases - complex malignant	2	4 wks
	30ZZZA	General surgery other P1	1	2 wks
	30ZZZB	General surgery other P2	2	4 wks
	30ZZZC	General surgery other P3	3	6 wks
	30ZZZD	General surgery other P4	4	12 wks
	30ZZZE	General surgery other P5	5	26 wks
* provide unique diagnosis in free text description				

Neurosurgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Cerebrospinal fluid	32ACAA	Impaired CSF dynamics; severe symptoms	1	2 wks
	32ACAB	Impaired CSF dynamics; moderate symptoms	2	4 wks
	32ACAC	Impaired CSF dynamics; mild symptoms	4	12 wks
Functional Stereotactic	32BAAA	Trigeminal neuralgia	2	4 wks
	32BZAB	Refractory depression	4	12 wks
	32BZAC	Hemifacial spasm	4	12 wks
	32BZAD	Essential tremor/dystonia	4	12 wks
	32BZAE	Parkinson's disease	4	12 wks
	32BZAF	Refractory epilepsy	4	12 wks
	32BZAH	Refractory Epilepsy, second stage following intracranial monitoring	1	2 wks
Oncology	32AFCA	Pituitary adenoma (progressive visual compromise)	1	2 wks
	32AFCC	Pituitary adenoma (mild to moderate symptoms)	4	12 wks
	32AFCD	Pituitary Adenoma (moderate to severe symptoms)	2	4 wks
	32ANCA	Brain tumour (mass effect, seizures, progressive deficit)	1	2 wks
	32ANCB	Brain tumour (malignant)	1	2 wks
	32ANCC	Brain tumour (low grade, stable symptoms)	3	6 wks
	32EACT	Benign skull base tumour (mild/stable symptoms)	4	12 wks
	32EACX	Benign skull base tumour (severe / progressive symptoms)	1	2 wks
	32EACY	Benign skull base tumour (moderate symptoms)	2	4 wks
Peripheral Nerves	32BGAA	Brachial plexus (injury - from booking)	3	6 wks
	32BGCA	Brachial plexus (tumour)	2	4 wks
	32BXAA	Severe peripheral nerve condition with potential for permanent functional loss/impairment	1	2 wks
	32BXAB	Nerve condition - intermittent with functional compromise	3	6 wks
	32BXAC	Mild peripheral nerve condition - minimal functional compromise	5	26 wks
	32BXBA	Neuropathic pain requiring neuromodulation (mild)	4	12 wks
	32BXCA	Neuropathic pain requiring neuromodulation procedures (severe/oncology)	1	2 wks
Radiculopathy	32SCBA	Acute persistent lumbar or cervical radiculopathy with severe symptoms	1	2 wks
	32SCBB	Acute persistent lumbar or cervical radiculopathy with moderate symptoms	2	4 wks
	32SCBC	Acute persistent lumbar or cervical radiculopathy with mild symptoms	4	12 wks
Spine	32SCAA	Tumour (cord compression and/or radiculopathy; severe symptoms)	1	2 wks
	32SCAB	Tumour (cord compression and/or radiculopathy; moderate symptoms)	2	4 wks
Vascular	32JEAA	Symptomatic carotid stenosis-Strokes, TIA's	1	2 wks
	32JWAA	Arterial stenosis (symptomatic TIA / stroke)	1	2 wks
	32JWAB	Aneurysm / AVM (Neurological deficit)	1	2 wks
	32JWAC	Aneurysm / AVM (Headache)	2	4 wks
	32JWAD	Aneurysm / AVM (asymptomatic or seizures)	3	6 wks
Other *	32ZZZA	Neurosurgery Other P1	1	2 wks
	32ZZZB	Neurosurgery Other P2	2	4 wks
	32ZZZC	Neurosurgery Other P3	3	6 wks
	32ZZZD	Neurosurgery Other P4	4	12 wks
	32ZZZE	Neurosurgery Other P5	5	26 wks

* provide unique diagnosis in free text description

Obstetrics and Gynecology

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Adnexal Mass	50RDCB	Adnexal Mass - Clinically Malignant	1	2 wks
	50RDCC	Adnexal Mass - Suspected Malignancy	2	4 wks
	50RDCE	Adnexal Mass - Malignancy Unlikely	4	12 wks
Birth Control	50RFBF	Requested birth control (e.g. tubal ligation)	4	12 wks
	50RMIE	Retained IUD - pregnant	1	2 wks
	50RMIF	Perforated IUD	2	4 wks
	50RMJB	Retained IUD - not pregnant, not perforating	4	12 wks
Cancer Oophorectomy	50RBAB	Cancer breast oophorectomy adjuvant therapy	4	12 wks
	50RBCD	Cancer breast therapeutic oophorectomy	3	6 wks
Cancer Ovary	50RBCC	Cancer ovary borderline	3	6 wks
	50RDCA	Cancer ovary, fallopian tube or peritoneum	1	2 wks
Cervical Disease	50RNAB	Cervical lesion requiring diagnostic excision/biopsy	2	4 wks
	50RNCA	Invasive cancer of the cervix	1	2 wks
	50RNCB	Cancer of the cervix after XRT	4	12 wks
	50RNCD	Cancer cervix CIS (not completely excised) or microinvasive	3	6 wks
	50RNCF	Cancer cervix in situ (completely excised on cone/LEEP)	4	12 wks
Cervical Incompetence	50RNAA	Cervical incompetence	1	2 wks
Endometrial Disease	50RMCA	Cancer endometrium G3	1	2 wks
	50RMCB	Cancer endometrium G1,2	2	4 wks
	50RMDB	Endometrial hyperplasia (complex with atypia)	2	4 wks
	50RMDE	Endometrial hyperplasia (failed medical management)	4	12 wks
	50RMFE	Incidental/asymptomatic endometrial abnormalities	4	12 wks
	50RMMA	Abnormal uterine bleeding high risk of malignancy (for example Postmenopausal)	1	2 wks
	50RMMB	Abnormal uterine bleeding low risk of malignancy (for example premenopausal)	4	12 wks
Endometriosis	50RMEC	Endometriosis, severe, laparoscopically verified, debilitating, requiring narcotics	3	6 wks
	50RMED	Endometriosis/Endometrioma	4	12 wks
Fibroid	50RMFB	Fibroids rapidly enlarging post-menopausal	2	4 wks
	50RMFD	Fibroid	4	12 wks
Gender Dysphoria	39PZGC	Gender Dysphoria; urgent revisions for urinary complications	3	6 wks
	35ZZGD	Gender Dysphoria; minor revisions and/or staging procedures	4	12 wks
	35ZZGE	Gender Dysphoria; primary and/or non-urgent revisions	5	26 wks
Infertility	50RZAC	Infertility	4	12 wks
Menorrhagia	50RMHC	Menorrhagia with severe anemia Hb < 99	3	6 wks
	50RMDF	Menorrhagia – moderate / severe impact on lifestyle	4	12 wks
Other diagnosis	50NPAA	Temporary stoma - reversal of colostomy/ileostomy	4	12 wks
	50RBAA	BRCA 1&2 carrier	4	12 wks
	50RBCB	Cancer recurrence exenteration	2	4 wks
	50RZBD	Mesh erosion	4	12 wks

Obstetrics and Gynecology cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Pelvic Floor Disorders	50NTAA	Fecal incontinence	3	6 wks
Pelvic Organ Prolapse	50RZBA	Pelvic prolapse - severe - complicated - urinary retention, irreducible	1	2 wks
	50RZBB	Pelvic prolapse - moderate - interference with lifestyle	4	12 wks
	50RZBC	Pelvic prolapse - mild - interference with lifestyle	5	26 wks
Pelvic Pain	50RZDF	Pelvic pain (requiring regular use of narcotics and/or frequent visits to ER and/or frequent hospital admissions)	3	6 wks
	50RZDG	Chronic pelvic/vulvar/vaginal pain	4	12 wks
Pregnancy Related	50RMJA	Undesired/abnormal pregnancy, termination- not reportable to SPR	1	2 wks
	50RMLA	Retained products of conception/missed/incomplete miscarriage requiring evacuation	1	2 wks
	50RMLB	Booked caesarean section	NA	52 wks
Urinary incontinence	50PMBF	Urinary incontinence - severe	3	6 wks
	50PMBG	Urinary incontinence - moderate	4	12 wks
	50PMBH	Urinary incontinence - mild	5	26 wks
Vulvar Disease	50RWBD	Extensive condyloma vulva, vagina (marked interference with lifestyle)	4	12 wks
	50RWBE	Vulva lesion - benign	5	26 wks
	50RWBF	Vulvar hypertrophy	5	26 wks
	50RWCA	Cancer vulva	1	2 wks
	50RWCB	Cancer vulva, wide local excision only	2	4 wks
	50RWCE	Bartholin cyst - symptomatic	4	12 wks
	50RWCF	Carcinoma in situ vulva/vagina	3	6 wks
Other *	50ZZZA	Obst/Gynecology other P1	1	2 wks
	50ZZZB	Obst/Gynecology other P2	2	4 wks
	50ZZZC	Obst/Gynecology other P3	3	6 wks
	50ZZZD	Obst/Gynecology other P4	4	12 wks
	50ZZZE	Obst/Gynecology other P5	5	26 wks
* provide unique diagnosis in free text description				

Ophthalmology Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Conjunctiva, Cornea and Anterior Chamber	62CCAA	Cornea opacity or disease for transplantation	4	12 wks
	62CCAB	Cornea opacity for transplantation with pain, thinning, endothelial dysfunction with impending anterior haze or other semi-urgent problems	2	4 wks
	62CJAA	Glaucoma	3	6 wks
	62CJAB	Glaucoma - eye pressure commensurate with accelerated vision loss	1	2 wks
	62CSAD	Pterygium approaching visual axis	4	12 wks
	62CSAE	Pterygium	5	26 wks
Eyelid	62CVAA	Ptosis visual axis obscured	4	12 wks
	62CVAB	Ptosis visual axis not obscured	5	26 wks
	62CVAC	Dermatochalasis with visual field impairment	5	26 wks
	62CXAA	Ectropion	4	12 wks
	62CXAB	Entropion	4	12 wks
	62CXAC	Eye lid retraction	4	12 wks
	62CXAF	Lid malpositioned causing ocular injury	1	2 wks
	62CXCC	Eyelid malignancy - aggressive	1	2 wks
	62CXCD	Eyelid malignancy	2	4 wks
Globe	62CZAA	Blind painful eye	2	4 wks
	62CZAD	Blind painless eye	5	26 wks
	62CZCA	Intraocular tumour	2	4 wks
Lacrimal System	62CTAA	Epiphora	5	26 wks
	62CTAB	Dacryocystitis	1	2 wks
Lens	62CLAC	Cataract - unable to function without assistance	3	6 wks
	62CLAF	Cataract - second eye	3	6 wks
	62CLAG	Cataract - work driving impairment or impairment in the ability to function in the workplace	4	12 wks
	62CLAH	Cataract with functional impairment	5	26 wks
	62CLDB	Aphakia	3	6 wks
	62CLDC	Dislocated lens	3	6 wks
Ocular Muscles	62CQAA	Strabismus	5	26 wks
	62CQAB	Strabismus with diplopia	4	12 wks
Retina	62CNAA	Macular hole	3	6 wks
	62CNAB	Epiretinal membrane	4	12 wks
	62CNBB	Tractional retinal detachment - macular threatening	1	2 wks
	62CNBC	Tractional retinal detachment - not macular threatening	3	6 wks
	62CNFA	Vitreo-macular traction	3	6 wks
Soft tissue of orbit and eyeball NEC	62CPAA	Chronic orbital compression causing vision loss (thyroid orbitopathy)	1	2 wks
	62CPAB	Chronic orbital compression not causing vision loss (thyroid orbitopathy)	4	12 wks
	62CPCA	Orbital and conjunctival tumour	2	4 wks
Vitreous	62CMAD	Vitreous hemorrhage	4	12 wks
	62CMAE	Vitreous hemorrhage, chronic, non-clearing	2	4 wks
	62CMBB	Vitritis with possible lymphoma	2	4 wks
	62CMDA	Intraocular silicone oil - non urgent	4	12 wks
	62CMDB	Intraocular silicone oil - urgent due to IOP or cornea	1	2 wks

Ophthalmology Surgery cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Other *	62ZZZA	Ophthalmology other P1	1	2 wks
	62ZZZB	Ophthalmology other P2	2	4 wks
	62ZZZC	Ophthalmology other P3	3	6 wks
	62ZZZD	Ophthalmology other P4	4	12 wks
	62ZZZE	Ophthalmology other P5	5	26 wks
* provide unique diagnosis in free text description				

Oral Maxillofacial Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Dental Disease	94FEAC	Exposure of teeth	5	26 wks
	94FEAD	Dental implant	5	26 wks
	94FEBB	Erupted teeth - associated with severe dental disease requiring extraction	2	4 wks
	94FEBD	Erupted teeth - associated with moderate dental disease requiring extraction	4	12 wks
	94FEBE	Erupted teeth - associated with mild dental disease requiring extraction	5	26 wks
	94FEDB	Impacted teeth - associated with severe dental disease	2	4 wks
	94FEDD	Impacted teeth - associated with moderate dental disease	4	12 wks
	94FEDE	Impacted teeth - associated with mild dental disease	5	26 wks
	94FGAA	Foreign body	4	12 wks
	94FKAC	Dental disease - mild pain/infection with low medical risk	5	26 wks
	94FKAD	Dental disease - moderate pain/infection with moderate medical risk	4	12 wks
	94FKAF	Dental disease - severe pain/infection with severe medical risk	2	4 wks
Maxillofacial Complex	94EFAB	Osteonecrosis of the jaw	4	12 wks
	94EGAA	Skeletal facial deformity and/or malocclusion with ortho	4	12 wks
	94EGAB	Skeletal facial deformity and/or malocclusion w/o ortho	5	26 wks
	94EGBA	Adult cleft lip and/or palate	5	26 wks
	94ELAA	Acute temporomandibular joint dysfunction	1	2 wks
	94ELAB	Chronic temporomandibular joint dysfunction	5	26 wks
	94ELBA	Maxillofacial complex of jaws	3	6 wks
	94EMAA	Alveolar cleft	4	12 wks
	94FGAC	Maxillofacial soft tissue defect	5	26 wks
	94FGCA	Benign intraoral soft tissue lesion	4	12 wks
	94FGCB	Benign extraoral soft tissue lesion	4	12 wks
	94FGCC	Malignant intraoral soft tissue lesion	2	4 wks
	94FGCD	Malignant extraoral soft tissue lesion	2	4 wks
	94FKAA	Acute oral infection	1	2 wks
	94FKAB	Chronic oral infection	1	2 wks
	94FKAJ	Nerve injury	1	2 wks
	94FKBA	Maxillofacial bone defect	5	26 wks
	94FKBB	Maxillofacial tissue defect	5	26 wks
	94FKCA	Benign intraoral osseous lesion (cyst/tumour)	4	12 wks
	94FKCB	Malignant intraoral osseous lesion (cyst/tumour)	1	2 wks
Nose and Sinuses	94ESAB	Deviated nasal septum	5	26 wks
	94ETAA	Epistaxis - recurrent/chronic	4	12 wks
	94ETAC	Nasal Deformity	5	26 wks
	94EYAA	Chronic sinusitis/polyposis	4	12 wks
	94EYCA	Benign neoplasm sinus	4	12 wks
	94EYCB	Malignant neoplasm sinus	2	4 wks
Salivary Gland	94FPCC	Salivary gland benign disease	4	12 wks
	94FPCD	Salivary gland malignancy	2	4 wks
Sinus disorder	94FBBB	Oral-antral fistula	3	6 wks

Oral Maxillofacial Surgery cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Other *	94ZZZA	Oral surgery other P1	1	2 wks
	94ZZZB	Oral surgery other P2	2	4 wks
	94ZZZC	Oral surgery other P3	3	6 wks
	94ZZZD	Oral surgery other P4	4	12 wks
	94ZZZE	Oral surgery Other P5	5	26 wks
* provide unique diagnosis in free text description				

Orthopedic Surgery

BODY AREA	DIAGNOSIS DESCRIPTION	PRIORITY CODE	REASON (REVISION ONLY)
34	_____	_____	_____

Body Area	Code	Diagnosis Description	Code	Priority*	Code	Revision Reason	Code
Ankle	WA	Acute Fracture	U	1 - 2 wks	K	Acetabular erosion	A
Elbow	TM	Arthritis/Joint Degeneration	A	2 - 4 wks	L	Arthritis in previous unresurfaced compartment	B
Femur	VC	Bony/labral impingement	M	3 - 6 wks	M	Aseptic loosening	C
Foot	WG	Cartilage disorder	R	4 - 12 wks	N	Bearing Wear (poly wear)	D
Hand or wrist	UZ	Revision-failed prosthetic joint	B	5 - 26 wks	O	Implant fracture	E
Hip	VA	Heteroptoc ossification	P			Implant disassociation	F
Humerus	TK	Infection	F			Single stage revision	G
Knee	VG	Joint internal Derangement	J			Stage 1 of 2 revision	H
Pelvis	SQ	(includes Loose Body/ Meniscal tear/ Impingement)				Stage 2 of 2 revision	I
Radius-ulna	TV					Instability (eg dislocation, excludes patella instability)	J
Shoulder	TA	Joint Recurrent Dislocation	K			Leg length discrepancy	K
Tibia-Fibula	VQ	Ligament dysfunction	I			Osteolysis (including reaction to metal debris/ pseudo tumor)	L
		Malalignment/Malunion	G			Other	Z
		Neurological condition	N			Pain of unknown origin	M
		Non-union	H			Patella maltracking or instability	N
		Osteonecrosis	D			Acetabulum	O
		Other	Z			Femur	P
		Retained Hardware	Q			Tibia	Q
		Sequelae of childhood disorder	E			Stiffness	R
		Soft Tissue defect	S				
		Stiffness	L				
		Tendon dysfunction	O				

* Priority is determined by level of functional limitation:	
1 - 2 wks	Severe pain. Patient cannot self-care of delay may lead to serious harm
2 - 4 wks	Severe pain and/or urgent impairment/disability. Immediate threat to role or independence – eg collapsed femoral head, “AVN”
3 - 6 wks	Severe constant pain or constant functional deficit. Imminent threat to role or independence.
4 - 12 wks	Moderate to severe pain with significant or severe functional limitation.
5 - 26 wks	Mild pain, but tolerable functional deficit.

Orthopedic Oncology Surgery

BODY AREA

DIAGNOSIS DESCRIPTION

34	_____	_____
----	-------	-------

Body Area	Code	Diagnosis Description	Code	Priority	Wait Time
Ankle	WA	SOFT TISSUE			
Cranium	EA	Soft Tissue: Wound Complication	CA	1	2 wks
Elbow	TM	Soft Tissue: Open Biopsy Diagnostic for suspected malignancy	CB	1	2 wks
Femur	VC				
Foot	WG	Soft Tissue: Sarcoma High Grade	CC	1	2 wks
Hand	UL	No Pre-op RX			
Hand with wrist	UZ	Soft Tissue: Benign Aggressive Lesion	CF	2	4 wks
Hip	VA	Soft Tissue: Met Disease Soft Tissue	CG	3	6 wks
Humerus	TK	Soft Tissue: Sarcoma Low Grade	CH	3	6 wks
Knee	VG	Soft Tissue: Benign Lesion	CI	4	12 wks
Neck	YG	Soft Tissue: Benign Lesion with Pre-op Rx	CJ	4	12 wks
Pelvis	SQ	Soft Tissue: Sarcoma High Grade	CK	4	12 wks
Other Parts – refer to orthopedic section		Pre-op Rx			
BONE					
Radius and ulna	TV	Bone: Wound complication	CL	1	2 wks
Sacroiliac (only bone diagnosis)	SI	Bone: Open Biopsy Diagnostic for suspected malignancy	CM	1	2 wks
Shoulder	TA	Bone: Sarcoma High Grade No Pre-op Rx	CN	1	2 wks
Soft tissue of the back (only tissue diagnosis)	SH	Bone: Met Disease with Fracture	CO	1	2 wks
Spinal vertebrae	SC	Bone: Met Disease impending Fracture	CP	2	4 wks
Tibia-Fibula	VQ	Bone: Benign Aggressive Lesion	CQ	2	4 wks
Wrist	UB	Bone: Sarcoma Low Grade	CS	3	6 wks
		Bone: Benign Lesion	CT	4	12 wks
		Bone: Benign Lesion with Pre-op Rx	CU	4	12 wks
		Bone: Sarcoma High Grade Pre-op Rx	CV	4	12 wks

Otolaryngology

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Ear/Mastoid	60DEAA	External canal atresia/stenosis	4	12 wks
	60DLAA	Mastoid and/or middle ear disease	4	12 wks
	60DLAB	Mastoid and/or middle ear disease - complicated	1	2 wks
	60DLCA	Malignant neoplasm ear/mastoid	2	4 wks
	60DZAA	Hearing loss - other	4	12 wks
Esophagus	60NAAA	Esophageal stricture/diverticulum - with severe obstruction	1	2 wks
	60NAAB	Esophageal stricture/diverticulum - with non-severe obstruction	4	12 wks
Glottis and Larynx	60GAAA	Vocal cord paralysis	3	6 wks
	60GAAB	Vocal cord paralysis with aspiration	1	2 wks
	60GEAA	Laryngeal polyp/nodule	4	12 wks
	60GEBA	Suspected or confirmed malignant neoplasm of larynx	1	2 wks
	60GECC	Benign neoplasm larynx	4	12 wks
	60GECD	Benign neoplasm larynx - obstructing	1	2 wks
Head/Neck	60YCCB	Malignant neoplasm skin	2	4 wks
	60YG CX	Malignant neoplasm neck	2	4 wks
	60YGCY	Benign neoplasm neck - cyst neck	4	12 wks
Miscellaneous	60ZZAA	Sleep apnea	5	26 wks
Mouth and Pharynx	60FKCC	Malignant neoplasm oral cavity	2	4 wks
	60FKCE	Benign neoplasm oral cavity	4	12 wks
	60FRAC	Tonsillitis - recurrent/chronic	5	26 wks
	60FRAD	Adenoiditis - recurrent/chronic	5	26 wks
	60FXCA	Malignant neoplasm oropharynx, hypopharynx	2	4 wks
	60FXCB	Malignant neoplasm oropharynx - hypopharynx - with impending airway compromise	1	2 wks
	60FXCC	Benign neoplasm oropharynx	4	12 wks
	60FXCE	Benign neoplasm hypopharynx	3	6 wks
Nose and Sinuses	60ESAB	Deviated nasal septum	5	26 wks
	60ETAA	Epistaxis - recurrent/chronic	4	12 wks
	60ETAE	Traumatic Nasal Deformity	4	12 wks
	60EYAA	Chronic sinusitis/polyposis	4	12 wks
	60EYAE	Sinusitis acute - complicated	1	2 wks
	60EYCA	Benign neoplasm sinus	4	12 wks
	60EYCB	Malignant neoplasm sinus	2	4 wks
Salivary Gland	60FPAA	Sialadenitis - acute	1	2 wks
	60FPAB	Sialadenitis - chronic	4	12 wks
	60FPCC	Salivary gland benign disease	4	12 wks
	60FPCD	Salivary gland malignancy	2	4 wks
Thyroid Parathyroid (continued next page)	60FUAB	Asymptomatic benign mass - goiter or cyst	5	26 wks
	60FUCA	Medullary thyroid cancer	2	4 wks
	60FUCD	Benign neoplasm/thyroid mass: rule out malignancy	4	12 wks
	60FUCF	Malignant thyroid disease except non-metastatic stage 1 papillary carcinoma	2	4 wks
	60FUCG	Early-stage papillary carcinoma	4	12 wks
	60FUCI	Well differentiated thyroid cancer with cervical lymph node metastases	2	4 wks
	60FUCJ	Well differentiated thyroid cancer without cervical lymph node metastases	4	12 wks

Otolaryngology cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Thyroid Parathyroid (continued)	60FVAB	Hyperparathyroidism - significant symptoms or Calcium greater than 3.0 mmol/L	2	4 wks
	60FVAC	Hyperparathyroidism	4	12 wks
Tympanic Membrane	60DFAA	Myringotomy and tubes for recurrent otitis media	4	12 wks
	60DFAB	Myringotomy and tube for otitis media with effusion	4	12 wks
	60DFAC	Myringotomy and tube for otitis media recurrent severe	1	2 wks
Other *	60ZZZA	Otolaryngology other P1	1	2 wks
	60ZZZB	Otolaryngology other P2	2	4 wks
	60ZZZC	Otolaryngology other P3	3	6 wks
	60ZZZD	Otolaryngology other P4	4	12 wks
	60ZZZE	Otolaryngology other P5	5	26 wks
* provide unique diagnosis in free text description				

Plastics & Reconstructive Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Bone and Soft Tissue	35ZZCA	Suspected malignancy - requiring open biopsy (i.e., high grade sarcoma - pathological fracture)	1	2 wks
	35ZZCI	Benign Tumour with limited functional impairment (e.g., lipoma)	5	26 wks
	35ZZCJ	Benign tumour with functional impairment	4	12 wks
	35ZZCP	Locally aggressive tumour	2	4 wks
	35ZZCR	Metastatic diseases, low grade sarcoma	2	4 wks
Breast	35YMAA	Mastectomy defect for delayed reconstruction	5	26 wks
	35YMAB	Hypermastia and all other benign breast conditions	5	26 wks
	35YMBA	Breast cancer risk requiring Prophylactic Mastectomy	4	12 wks
	35YMCD	Post-mastectomy defect - for breast reconstruction post radiation or chemotherapy	3	6 wks
	35YMCF	Breast cancer for immediate breast reconstruction	2	4 wks
Eyelid	35CVAA	Ptosis, visual axis obscured	4	12 wks
	35CVAB	Ptosis visual axis not obscured	5	26 wks
	35CVAC	Dermatochalasis with visual field impairment	5	26 wks
	35CXAA	Ectropion	4	12 wks
	35CXAB	Entropion	4	12 wks
	35CXAC	Eyelid retraction	4	12 wks
	35CXAF	Lid malposition: Corneal impact or threat to vision	1	2 wks
	35CXCC	Eyelid malignancy - aggressive	1	2 wks
	35CXCD	Eyelid malignancy	2	4 wks
	35CXDB	Periorbital conditions with visual axis or corneal compromise	2	4 wks
Facial Bones	35EHAA	Craniofacial deformity with functional impairment	4	12 wks
	35EHAB	Craniofacial deformity without functional impairment	5	26 wks
	35EHAC	Craniofacial deformity functional compromise - timed/staged procedure	3	6 wks
Gender Dysphoria	39PZGC	Gender Dysphoria; urgent revisions for urinary complications	3	6 wks
	35ZZGD	Gender Dysphoria; minor revisions and/or staging procedures	4	12 wks
	35ZZGE	Gender Dysphoria; primary and/or non-urgent revisions	5	26 wks
Hand	35UZAD	Hand condition: severe pain - patient cannot self-care - delay will lead to serious harm (e.g. loss of nerve function)	1	2 wks
	35UZAE	Hand condition: severe pain or disability - immediate threat to role or independence	2	4 wks
	35UZAF	Hand condition: moderate to severe constant pain or constant functional deficit - imminent threat to role or independence	3	6 wks
	35UZAG	Hand condition: Mild constant pain and disability - moderate threat to role and independence (e.g., carpal tunnel- tenosynovitis- neuroma- arthritis)	4	12 wks
	35UZAH	Hand condition: little or no pain - tolerable functional deficit - intermittent severe pain restricting activity (e.g., Dupuytren's- ganglion- stiff joint)	5	26 wks
Peripheral Nerves	35BXAA	Severe peripheral nerve condition with potential for permanent functional loss/impairment	1	2 wks
	35BXAB	Nerve condition - intermittent with functional compromise	3	6 wks
	35BXAC	Mild peripheral nerve condition - minimal functional compromise	5	26 wks

Plastics & Reconstructive Surgery cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Skin	35YRAE	Axillary hyperhidrosis	5	26 wks
	35YZBE	Scar without functional restriction	5	26 wks
	35YZBG	Chronic wounds and non-healing ulcers requiring surgery	5	26 wks
	35YZBH	Scar with functional restriction	4	12 wks
	35YZCE	Benign skin and subcutaneous tumours	5	26 wks
	35YZCH	Malignant melanoma, squamous cell carcinoma and head and neck cancers T1N1 or T2N0 or higher	1	2 wks
	35YZCI	Cutaneous malignant Melanoma or squamous cell carcinoma, T1N0	2	4 wks
	35YZCJ	Basal cell cancers	3	6 wks
	35YZCK	Squamous cell carcinoma and head and neck cancers - post-radiation and head and neck cancers and other aggressive skin malignancies	2	4 wks
Vascular Malformation	35EQAA	Vascular malformation - benign, no functional compromise or acute complication	5	26 wks
	35EQAB	Vascular malformation - functional compromise	3	6 wks
	35EQAC	Vascular malformation - acute complication (bleeding, ulceration, infection) - low severity	2	4 wks
	35EQAD	Vascular malformation - acute complication (bleeding, ulceration, infection) - high severity	1	2 wks
Other*	35ZZZA	Plastic surgery other P1	1	2 wks
	35ZZZB	Plastic surgery other P2	2	4 wks
	35ZZZC	Plastic surgery other P3	3	6 wks
	35ZZZD	Plastic surgery other P4	4	12 wks
	35ZZZE	Plastic surgery other P5	5	26 wks
* provide unique diagnosis in free text description				

Spinal Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Claudication	33SCEA	Claudication – progressive	1	2 wks
	33SCEB	Claudication – stable	4	12 wks
Myelopathy	33SCDA	Myelopathy – progressive	1	2 wks
	33SCDB	Myelopathy – stable	2	4 wks
Oncology	33SCCA	Spinal Bone – primary	1	2 wks
	33SCCB	Spinal Bone - secondary/metastases	2	4 wks
	33SCCC	Intradural – progressive	2	4 wks
	33SCCD	Intradural – stable	3	6 wks
Radiculopathy	33SCBA	Acute persistent lumbar or cervical radiculopathy with severe symptoms	1	2 wks
	33SCBB	Acute persistent lumbar or cervical radiculopathy with moderate symptoms	2	4 wks
	33SCBC	Acute persistent lumbar or cervical radiculopathy with mild symptoms	4	12 wks
Spinal Deformity - bone	33SCFA	Spinal deformity – progressive	1	2 wks
	33SCFB	Spinal deformity – stable	5	26 wks
Spinal Instability	33SCGA	Cervical instability	3	6 wks
	33SCGB	Thoracolumbar instability	4	12 wks
Other *	33SCZA	Spinal surgery other P1	1	2 wks
	33SCZB	Spinal surgery other P2	2	4 wks
	33SCZC	Spinal surgery other P3	3	6 wks
	33SCZD	Spinal surgery other P4	4	12 wks
	33SCZE	Spinal surgery other P5	5	26 wks
* provide unique diagnosis in free text description				

Thoracic Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Chest Wall	36SYBA	Pectus excavatum	5	26 wks
	36SYCA	Chest wall mass	1	2 wks
Diaphragm	36GXAA	Hiatus hernia NOS/diaphragmatic hernia - with recent hospitalization or complication	1	2 wks
	36GXAB	Paraesophageal hernia (Type II, III, IV)/diaphragmatic Hernia - with no complication	3	6 wks
	36GXAF	Hiatus hernia (type I only) with no complication	4	12 wks
	36GXAG	Paraesophageal hernia (Type II- III- IV)/diaphragmatic hernia - with complication	1	2 wks
	36GXAH	Diaphragm disorders (Eventration/traumatic defects)	3	6 wks
Esophagus and Stomach	36NAAA	Benign esophageal swallowing disorder with recent hospitalization or complication	1	2 wks
	36NAAB	Benign esophageal swallowing disorder with no complication	4	12 wks
	36NACA	Esophageal cancer	1	2 wks
	36NFCC	Gastric malignancy	1	2 wks
Lung	36GTAB	Pneumothorax - active	1	2 wks
	36GTAD	Pneumothorax - simple/recurrent	4	12 wks
	36GTAG	Interstitial lung disease - no recent hospitalization or complication	3	6 wks
	36GTAH	Interstitial lung disease with recent hospitalization or complication	1	2 wks
	36GTAF	Lung mass NOS	3	6 wks
	36GTAG	Lung cancer - confirmed or suspected	1	2 wks
	36GWCD	Mediastinal adenopathy NOS - lymphoma or other malignancy suspected	1	2 wks
Pleura	36GVBA	Pleural effusion	1	2 wks
Skin	36YRAE	Hyperhidrosis	5	26 wks
Thoracic cavity NEC	36GKCB	Thymic neoplasm - suspect malignancy	1	2 wks
	36GKCD	Thymic neoplasm or other indolent condition	2	4 wks
	36GYAA	Fibrothorax or chronic empyema	1	2 wks
Other *	36ZZZA	Thoracic surgery other P1	1	2 wks
	36ZZZB	Thoracic surgery other P2	2	4 wks
	36ZZZC	Thoracic surgery other P3	3	6 wks
	36ZZZD	Thoracic surgery other P4	4	12 wks
	36ZZZE	Thoracic surgery other P5	5	26 wks

* provide unique diagnosis in free text description

Urology

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Adrenalectomy	39PBCB	Pheochromocytoma - adrenocortical carcinoma - unilateral adrenalectomy	2	4 wks
	39PBCD	Functioning tumour - unilateral adrenalectomy	3	6 wks
Bladder Fulguration	39PMCB	Bladder cancer - bladder fulguration with cystoscopy	2	4 wks
	39PMDA	Hematuria - bladder fulguration	1	2 wks
Circumcision	39QDAA	Phimosis - risk of urinary retention or infection - circumcision	1	2 wks
	39QDAE	Phimosis - circumcision	5	26 wks
Collagen Injections	39PQAA	Incontinence - periurethral bulking agent injection	5	26 wks
Cystectomy	39PMCF	Bladder cancer with risk of cancer progression - cystectomy - radical with urinary diversion	1	2 wks
	39PMHA	Dysfunctional bladder - cystectomy - non-malignant	4	12 wks
Diagnostic	39PCFA	Hydronephrosis, hematuria - high risk of potential diagnosis of cancer or obstruction – high risk of renal failure - diagnostic ureterorenoscopy- cystoscopy- retrograde pyelograms	1	2 wks
	39PCFC	Hydronephrosis, hematuria - low risk of potential diagnosis of cancer or obstruction - diagnostic ureterorenoscopy- cystoscopy- retrograde pyelograms (Routine re-check)	4	12 wks
	39QTAA	Prostate cancer risk - prostate biopsy	2	4 wks
Epididymo-vasostomy or Vasostomy	39QJAE	Pain or infections - epididymectomy - unilateral	5	26 wks
	39QJAF	Infertility - vasal obstruction - epididymovasostomy or re-anastomosis of vas - unilateral or bilateral	5	26 wks
Fistula Closure	39PMFE	Incontinence, urinary tract infection - high risk of skin breakdown or infection or emergency - fistula closure-suprapubic- vesicovaginal- rectal	1	2 wks
	39PMFG	Incontinence, urinary tract infection - Low risk of skin breakdown or infection or emergency - fistula closure-suprapubic- vesicovaginal- rectal	4	12 wks
Gender Dysphoria	39PZGC	Gender Dysphoria - Urgent revisions for urinary complications	3	6 wks
	35ZZGD	Gender Dysphoria - Minor revisions and/or staging procedures	4	12 wks
	35ZZGE	Gender Dysphoria - Primary and/or non-urgent revisions	5	26 wks
Lower Urinary Tract Reconstruction	39PMIA	High risk of renal deterioration or infection - lower urinary tract reconstruction	1	2 wks
	39PMIC	Low risk of renal deterioration or infection - lower urinary tract reconstruction	4	12 wks
Lymphadenectomy	39MGAC	Bladder, prostate, penis cancer - lymphadenectomy - retroperitoneal or pelvic	3	6 wks
	39MGCA	Testicular cancer - lymphadenectomy - retroperitoneal - post-chemotherapy	1	2 wks
	39MGCB	Testicular cancer - lymphadenectomy - retroperitoneal - primary	2	4 wks
Lymphadenectomy - Inguinal	39MJAA	Penis cancer - lymphadenectomy - inguinal	2	4 wks
Nephrectomy	39PCAB	High risk of cancer or disease progression - nephrectomy radical - simple or partial	1	2 wks
	39PCAC	Low risk of cancer or disease progression - nephrectomy radical - simple or partial	4	12 wks
	39PCAI	Moderate risk of cancer or disease progression - nephrectomy radical- simple or partial	2	4 wks
	39PCAJ	Kidney Transplant - Recipient	1	2 wks
	39PCAK	Kidney Transplant - Living Donor	1	2 wks
Nephroscopy and stone removal	39PCBA	Stone - High risk of emergency admission from obstruction and infection - nephrolithotomy or pyelolithotomy - nephroscopy and stone removal	1	2 wks

Urology cont'd

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Nephroscopy and stone removal	39PCBC	Stone - Low risk of emergency admission from obstruction and infection - nephrolithotomy or pyelolithotomy - nephroscopy and stone removal	3	6 wks
Nephrouret-ectomy	39PCAH	High risk of cancer progression- radical nephroureterectomy	1	2 wks
Orchiectomy	39QMCB	Testicular cancer - radical orchiectomy	1	2 wks
	39QMCC	Prostate cancer- bilateral orchiectomy	3	6 wks
Orchiopexy	39QMBF	Cryptorchidism - orchiopexy - one or two stages	4	12 wks
Penile Prosthesis	39QEAE	Erectile dysfunction - penile prosthesis insertion	5	26 wks
Peyronies	39QEBE	Peyronie's plaque - plication or grafting	5	26 wks
Prostatectomy	39QTBA	Severe symptoms of urinary retention - prostatectomy - transurethral or simple	1	2 wks
	39QTBD	Mild symptoms of urinary retention - prostatectomy - transurethral or simple	4	12 wks
	39QTCA	Prostate cancer with high risk of cancer progression - radical prostatectomy	2	4 wks
	39QTCC	Prostate cancer with intermediate risk of cancer progression - radical prostatectomy	3	6 wks
Pyeloplasty	39PEBD	Hydronephrosis - risk of emergency admission for obstruction or infection- Pyeloplasty or reconstruction - any approach	2	4 wks
Spermatocele or hydrocele	39QMDE	Spermatocele or hydrocele- excision	5	26 wks
Transurethral resection bladder tumour	39PMCD	High risk of cancer progression- transurethral resection bladder tumour	1	2 wks
	39PMCE	Low risk of cancer progression - transurethral resection bladder tumour	2	4 wks
Ureteroscopy and stone manipulation	39PGBA	Ureteral calculus - high risk of renal deterioration / infection - ureteroscopy and stone manipulation	1	2 wks
	39PGBD	Ureteral calculus - low risk of renal deterioration / infection - ureteroscopy and stone manipulation	2	4 wks
Urethral stent insertion	39PEBA	Hydronephrosis - high risk of compromised renal function - ureteral stent insertion	1	2 wks
	39PEBC	Hydronephrosis - low risk of compromised renal function - ureteral stent insertion	2	4 wks
Urethrotomy	39PQBA	Urethral stricture - high risk of obstruction or infection - urethrotomy - external or internal	1	2 wks
	39PQBD	Urethral stricture - low risk of obstruction or infection - urethrotomy - external or internal	3	6 wks
Urinary incontinence	39PMBF	Urinary incontinence severe	3	6 wks
	39PMBG	Urinary incontinence moderate	4	12 wks
	39PMBH	Urinary incontinence mild	5	26 wks
Urolithiasis	39PMGD	Bladder stone - risk of urinary retention or infection or bleeding - cystolitholapaxy	3	6 wks
Varicocele	39QMFF	Infertility - varicocele resection	4	12 wks
	39QMFG	Scrotal pain - varicocele resection	4	12 wks
Other*	39ZZZA	Urology other P1	1	2 wks
	39ZZZB	Urology other P2	2	4 wks
	39ZZZC	Urology other P3	3	6 wks
	39ZZZD	Urology other P4	4	12 wks
	39ZZZE	Urology other P5	5	26 wks
*provide unique diagnosis in free text description				

Vascular Surgery

	Diagnosis Code	Diagnosis Description	Priority	Wait Time
Abdominal Aorta	37KAAC	Aneurysm >6.5cm	1	2 wks
	37KAAD	Aneurysm <6.5cm	2	4 wks
Abdominal Arteries	37KEAA	Renovascular disease	2	4 wks
	37KEBA	Chronic mesenteric ischemia	1	2 wks
	37KEDA	Visceral or renal aneurysm	2	4 wks
Carotid stenosis	37JEAA	Symptomatic carotid stenosis-Strokes- TIA's	1	2 wks
	37JEAB	Asymptomatic carotid stenosis-Progressive- >70%	2	4 wks
Chronic Compartment Syndrome	37LZAB	Chronic compartment syndrome - all others	5	26 wks
	37LZAC	Chronic compartment syndrome - severe symptoms with minimal activities of daily living	2	4 wks
Chronic Venous Insufficiency	37KRAA	Chronic venous insufficiency (CEAP Classification 5/6 - ulcer)	2	4 wks
	37KRAC	Chronic venous insufficiency (CEAP Classification 1/2 - uncomplicated symptomatic varicose veins)	5	26 wks
	37KRAD	Chronic venous insufficiency (CEAP Classification 3/4 - stasis change)	4	12 wks
Claudication	37KGDA	Claudication - severe pain with minimal walking, bed ridden, threat to role and independence	2	4 wks
	37KGDB	Claudication - moderate to severe pain and disability. Threat to role and independence.	4	12 wks
	37KGDC	Claudication - minimal pain and disability. No threat to role and independence.	5	26 wks
Failing Bypass Graft	37KGBA	Failing bypass graft	1	2 wks
	37KGBC	Peripheral Aneurysm - femoral, popliteal, subclavian - chronic false aneurysm	2	4 wks
Limb Ischemia	37KGAA	Critical limb ischemia - rest pain or ulcer	1	2 wks
Thoracic Outlet	37BGBA	Neurogenic thoracic outlet syndrome	5	26 wks
	37JKAB	Arterial or venous thoracic outlet syndrome	2	4 wks
Vascular Access	37ISAA	Poor venous access for chemotherapy, IV therapy or haemodialysis	1	2 wks
	37PCEH	Chronic renal failure - failing dialysis access	1	2 wks
	37PCEI	Chronic renal failure - dialysis within 3 months or catheter	2	4 wks
	37PCEJ	Chronic renal failure - dialysis greater than 3 months	4	12 wks
Venous Obstruction	37KXAA	Venous obstruction	3	6 wks
Other *	37ZZZA	Vascular surg. other P1	1	2 wks
	37ZZZB	Vascular surg. other P2	2	4 wks
	37ZZZC	Vascular surg. other P3	3	6 wks
	37ZZZD	Vascular surg. other P4	4	12 wks
	37ZZZE	Vascular surg. other P5	5	26 wks

* provide unique diagnosis in free text description

Saskatchewan Diagnosis Codes List for Surgical Prioritization is coordinated by the Saskatchewan Surgical Registry.

To request more information, to provide feedback on diagnosis codes, or to suggest additions or changes during the annual review period, contact the Surgical Registry at:
surgicalregistry@health.gov.sk.ca

This listing is in effect from April 1 2024 to March 31 2025.