

# Crop Report

For the Period July 23 to July 29, 2024

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 13, August 1, 2024

The continued heat and lack of moisture has accelerated crop advancement throughout the province. With the current conditions crops throughout many regions are stressed, causing yield potential to further decline this week. Producers are hoping for moisture to help with head and pod filling on later seeded crops but for many advanced crops, any moisture received would have little impact on yield at this stage. Additionally, it is unlikely that a second cut of hay will be possible in most areas of the province due to the lack of moisture.

In the southern parts of the province, pulses are being desiccated with many just starting to be harvested. Cereals are also being harvested for feed in the southern region. Producers indicate there will likely be an increase in the amount of cereal crops that are harvested for feed given the concerns over yield potential under the current conditions. Many other areas of the province are preparing for harvest operations as the hot and dry conditions continue to quickly ripen crops.

Hot temperatures and lack of moisture persisted this week with many areas across the province receiving only trace amounts of rainfall or none at all. The highest rainfall recorded fell in the Hafford area at 15 mm, followed by the St. Walburg area at 14 mm. The Aneroid area received 11 mm over the past week.

Topsoil moisture continued to decline this week. Provincially, cropland topsoil moisture is rated as 41 per cent adequate, 49 per cent short and 10 per cent very short. Hayland topsoil moisture is reported at 40 per cent adequate, 49 per cent short and 11 per cent very short. Pasture topsoil moisture is 37 per cent adequate, 47 per cent short and 16 per cent very short.

Pastures are starting to be impacted by the lack of rainfall. Currently, four per cent of pastures are rated as excellent condition, 37 per cent good, 42 per cent fair, 15 per cent poor and two per cent as very poor condition.

## One year ago

Harvest is beginning in the west-central and southwest regions of the province due to the hot and dry conditions. Pastures have also been impacted by the lack of rainfall. Producers are hoping for rain once the crops are off to help replenish soil moisture for next year.

Follow the 2024 Crop Report on  
Twitter @SKAgriculture

For further information, contact Meghan Rosso, MSc, PAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3721, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

**Saskatchewan**

# Crop Report

For the Period July 23 to July 29, 2024

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report number 13, August 1, 2024

Lack of moisture, heat, lodging due to wind, grasshoppers and aphids continued to take a toll on crops over the past week. If producers are taking control measures for pests, they are reminded to read product labels and follow pre-harvest intervals as crops are quickly advancing throughout the province. More information is available in the [Guide to Crop Protection](#).

As producers prepare for harvest, they are reminded to take safety precautions and preventative fire measures when they can. The Farm Stress Line is available to provide support to producers toll free at 1-800-667-4442.

For further information, contact Meghan Rosso, MSc, PAg,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3721, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan!*

## Saskatchewan Harvest Progress - July 29, 2024

\*Other - crop that will not be harvested due to weather, insect or disease damage

<b>Provincial</b>								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	83%	74%	100%	100%	97%	97%	100%	100%
In Swath	3%	4%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	13%	12%	0%	0%	0%	1%	0%	0%
Combined	1%	3%	0%	0%	0%	1%	0%	0%
Harvested As Feed	0%	7%	0%	0%	3%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	71%	100%	100%	95%	97%	100%	100%	
In Swath	2%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	4%	2%	0%	0%	
Combined	0%	0%	0%	1%	1%	0%	0%	
Harvested As Feed	27%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
<b>South East</b>								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	94%	94%	100%	100%	96%	97%	100%	100%
In Swath	0%	0%	0%	0%	0%	0%	0%	0%
Ready To Straight Combine	6%	2%	0%	0%	0%	0%	0%	0%
Combined	0%	0%	0%	0%	0%	0%	0%	0%
Harvested As Feed	0%	4%	0%	0%	4%	3%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	100%	100%	100%	100%	98%	100%	100%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	0%	0%	1%	0%	0%	
Combined	0%	0%	0%	0%	1%	0%	0%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
<b>South West</b>								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	100%	51%	100%	100%	92%	92%	100%	100%
In Swath	0%	0%	0%	0%	1%	0%	0%	0%
Ready To Straight Combine	0%	29%	0%	0%	0%	6%	0%	0%
Combined	0%	0%	0%	0%	0%	0%	0%	0%
Harvested As Feed	0%	20%	0%	0%	7%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	67%	100%	No Response(s)	94%	92%	100%	100%	
In Swath	3%	0%	No Response(s)	0%	0%	0%	0%	
Ready To Straight Combine	0%	0%	No Response(s)	5%	6%	0%	0%	
Combined	0%	0%	No Response(s)	1%	2%	0%	0%	
Harvested As Feed	30%	0%	No Response(s)	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	No Response(s)	0%	0%	0%	0%	





### **Southeastern Saskatchewan:**

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Many producers in the region are preparing harvest equipment and desiccating pulse crops. A few producers are just starting to harvest earlier seeded pulses along with cereals that are being harvested for feed. Haying is nearing completion with no second cut anticipated due to the lack of moisture.

Minimal rain was received over the past week with two mm being the most recorded in the Esterhazy and Tantallon areas, while the rest of the region received no rainfall.

With the persistent dry and hot conditions, topsoil moisture continues to decline. Currently, cropland topsoil moisture is rated as 34 per cent adequate, 57 per cent short and nine per cent very short. Hayland topsoil moisture is reported at 28 per cent adequate, 62 per cent short and 10 per cent very short. Pasture topsoil moisture is 25 per cent adequate, 57 per cent short and 18 per cent very short.

Pasture conditions are declining within the region with the continued lack of moisture and high temperatures. Currently, 30 per cent of pastures are rated as good, 44 per cent fair, 21 per cent poor and five per cent very poor.

Heat and lack of moisture have been the main causes of crop damage over the past week but producers indicate that gophers, grasshoppers and aphids are still persisting. Wind has also caused lodging in some crops throughout the region, but overall minor damage was reported.

### **Southwestern Saskatchewan:**

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Producers in the region are preparing harvest equipment and desiccating pulse crops. A few producers have already started to harvest pulses along with an increased number of cereals that are being harvested for feed. Haying is nearing completion with no second cut anticipated due to the lack of moisture.

Rainfall was variable within the region; the Aneroid area received the highest amount at 11 mm. The Webb area received nine mm and the Gouldtown area received eight mm. Most of other areas within the region received smaller amounts to no rainfall over the past week.

Topsoil moisture continues to decline with the persistent hot and dry conditions. Currently, cropland topsoil moisture is rated as 13 per cent adequate, 49 per cent short and 38 per cent very short. Hayland topsoil moisture is reported at 13 per cent adequate, 53 per cent short and 34 per cent very short. Pasture topsoil moisture is nine per cent adequate, 37 per cent short and 54 per cent very short.

Pastures are being impacted within the region by the continued lack of moisture and high temperatures. Currently, 13 per cent of pastures are rated as good condition, 49 per cent are fair, 29 per cent are poor and nine per cent are in very poor condition.

Crop damage over the past week was mainly due to the lack of moisture and heat. Wind has also caused lodging in some crops throughout the region, but overall minor damage was reported. Grasshoppers, gophers and aphids continue to be an issue within the region with varying levels of crop damage indicated.

### **East-Central Saskatchewan:**

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

With the higher temperatures and drier conditions accelerating crop advancement, producers are preparing harvest equipment. Limited amounts of harvest have started within the region. Haying operations continue but producers indicate that a second cut is unlikely due to the lack of moisture.

Minimal rain was received over the past week with five mm being the most recorded in the Stalwart area. The Ituna area received three mm and the Hyas and Yorkton areas received two mm. The majority of the region received no rainfall over the past week.

Topsoil moisture continues to decrease with the persistent hot and dry conditions. Currently, cropland topsoil moisture is rated as 49 per cent adequate, 48 per cent short and three per cent very short. Hayland topsoil moisture is reported at 58 per cent adequate, 40 per cent short and two per cent very short. Pasture topsoil moisture is 46 per cent adequate, 52 per cent short and two per cent very short.

The continued lack of moisture and high temperatures are impacting pastures within the region. Currently, 10 per cent of pastures are rated as in excellent condition, 45 per cent good, 39 per cent fair and six per cent are in poor condition.

Heat and lack of moisture are the main causes of crop damage over the past week. Wind has also caused lodging in some crops throughout the region with up to moderate damage reported. Moderate damage has also been reported from aphids in a few areas within the region. Grasshoppers and gophers continue to be reported but with overall minor crop damage occurring.

### **West-Central Saskatchewan:**

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers in the region are preparing harvest equipment with some pulse desiccation occurring. Overall, limited harvest progress was reported for the region but there are a few reports of early seeded cereals being harvested over the past week. Haying operations continue but producers indicate that a second cut is unlikely due to the lack of moisture.

Minimal rain was received over the past week with eight mm being the most recorded in the Macrorie area followed by four mm in the Conquest area. Most of the region received smaller amounts to no rainfall over the past week.

Topsoil moisture continues to decline with the persistent hot and dry conditions. Currently, cropland topsoil moisture is rated as 44 per cent adequate, 51 per cent short and five per cent very short. Hayland topsoil moisture is reported at 45 per cent adequate, 47 per cent short and eight per cent very short. Pasture topsoil moisture is 40 per cent adequate, 49 per cent short and 11 per cent very short.

Pastures are being impacted within the region by the continued lack of moisture and high temperatures. Currently, five per cent of pastures are rated as in excellent condition, 44 per cent are good, 45 per cent are fair and six per cent are in poor condition.

Heat and lack of moisture are the main causes of crop damage over the past week. Wind has also caused lodging in some crops throughout the region with up to moderate damage reported. Moderate damage has also been reported from grasshoppers and aphids in areas within the region. Gophers continue to be reported, but with overall minor crop damage occurring.

### **Northeastern Saskatchewan:**

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

With the higher temperatures and drier conditions accelerating crop advancement, producers are preparing harvest equipment. No harvest activity has been reported for the region. Haying operations continue but producers indicate that a second cut is unlikely due to the lack of moisture.

Minimal rain was received over the past week with five mm being the most recorded in the Nipawin area. The Carrot River, Hague and Duck Lake areas all received three mm. The majority of the region received smaller amounts to no rainfall over the past week.

Topsoil moisture continues to decrease with the persistent hot and dry conditions. Currently, cropland topsoil moisture is rated as 55 per cent adequate, 44 per cent short



and one per cent very short. Hayland topsoil moisture is reported at 55 per cent adequate, 44 per cent short and one per cent very short. Pasture topsoil moisture is 54 per cent adequate, 45 per cent short and one per cent very short.

The continued lack of moisture and high temperatures are impacting pastures within the region. Currently, five per cent of pastures are rated as in excellent condition, 43 per cent are good, 42 per cent are fair and 10 per cent are in poor condition.

Crop damage over the past week was mainly due to the lack of moisture and heat. Wind has also caused lodging in some crops throughout the region, but overall minor damage was reported. Moderate damage has also been reported from aphids in a few areas within the region.

### **Northwestern Saskatchewan:**

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

With the higher temperatures and drier conditions accelerating crop advancement, producers are preparing harvest equipment. No harvest activity has been reported for the region. Haying is nearing completion with no second cut anticipated due to the lack of moisture.


Rainfall was variable within the region with the Hafford area receiving the highest amount at 15 mm. The St. Walburg area received 14 mm followed by the North Battleford area at nine mm. Most other areas within the region received rain but in smaller amounts over the past week.

Topsoil moisture continues to be impacted by the persistent hot and dry conditions. Currently, cropland topsoil moisture is rated as 50 per cent adequate, 43 per cent short and seven per cent very short. Hayland topsoil moisture is reported at 41 per cent adequate, 50 per cent short and nine per cent very short. Pasture topsoil moisture is 51 per cent adequate, 39 per cent short and 10 per cent very short.

Pastures are being impacted within the region by the continued lack of moisture and high temperatures. Currently, two per cent of pastures are rated as in excellent condition, 47 per cent good, 32 per cent fair and 19 per cent poor condition.


Heat and lack of moisture are the main causes of crop damage over the past week. Wind has also caused lodging in some crops throughout the region with up to moderate damage reported. Grasshopper and aphid damage were reported in a few areas within the region over the past week but overall with minor crop damage occurring.

# Crop Report Regions & Census Divisions



# Weekly Rainfall

from July 23 to July 29, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from July 23 to July 29, 2024

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	65	TECUMSEH	0	175	8	168	RIVERSIDE	0	150	14	394A	HUDSON BAY	0	161
1	95	GOLDEN WEST	0	192	8	229	MIRY CREEK	0	171	14	457	CONNAUGHT	0	199
1	4	COALFIELDS	0	258	8	231	HAPPYLAND	0	184	14	395	PORCUPINE	0	290
1	32	RECIPROCITY	0	267	8	259	SNIPE LAKE	0	220	14	488A	TORCH RIVER	0	294
1	2A	MOUNT PLEASANT	0	294	8	142	ENTERPRISE	0	268	14	397A	BARRIER VALLEY	1	299
1	3	ENNISKILLEN	0	297	8	228	LACADENA	1	192	14	394	HUDSON BAY	2	287
1	2	MOUNT PLEASANT	N/A	334	8	138A	WEBB	4	237	14	456	ARBORFIELD	2	317
2	38A	LAURIER	0	129	8	139	GULL LAKE	6	124	14	486	MOOSE RANGE	3	280
2	38	LAURIER	0	160	8	138	WEBB	9	181	14	487	NIPAWIN	5	305
2	10	HAPPY VALLEY	0	162	8	168A	RIVERSIDE	N/A	52	14	397	BARRIER VALLEY	N/A	181
2	68	BROKENSHELL	0	189	8	137	SWIFT CURRENT	N/A	150	14	366	KELVINGTON	N/A	236
2	67	WEYBURN	0	197	8	259A	SNIPE LAKE	N/A	197	14	428	STAR CITY	N/A	242
2	100	ELMSTHORPE	0	290	8	257	MONET	N/A	211	14	367	PONASS LAKE	N/A	301
2	6	CAMBRIA	N/A	32	9	301	ST. PHILIPS	0	88	14	488	TORCH RIVER	N/A	304
3	106	WHISKA CREEK	0	170	9	331	LIVINGSTON	0	216	15	371B	BAYNE	0	181
3	73	STONEHENGE	0	196	9	241	CALDER	0	227	15	371	BAYNE	0	227
3	74	WOOD RIVER	0	272	9	245A	GARRY	0	308	15	371A	BAYNE	0	234
3	75	PINTO CREEK	3	191	9	241A	CALDER	0	309	15	429	FLETT'S SPRINGS	0	245
3	102	LAKE JOHNSTON	3	260	9	333	CLAYTON	2	234	15	461A	PRINCE ALBERT	0	249
3	76	AUVERGNE	11	227	9	243	WALLACE	2	153	15	430	INVERGORDON	0	256
3	101	TERRELL	N/A	141	9	275	INSINGER	N/A	114	15	459	KINISTINO	0	278
4	79A	ARLINGTON	0	158	9	273	SLIDING HILLS	N/A	204	15	403A	ROSTHERN	0	302
4	51	RENO	0	160	9	245	GARRY	N/A	337	15	369	ST. PETER	0	317
4	79	ARLINGTON	0	175	10	247	KELLROSS	0	169	15	400	THREE LAKES	0	347
4	110	PIAPOT	0	183	10	248	TOUCHWOOD	0	176	15	399	LAKE LENORE	0	394
4	108	BONE CREEK	N/A	164	10	337	LINDE	0	197	15	491	BUCKLAND	1	274
4	78A	GRASSY CREEK	N/A	209	10	339	LEROY	0	202	15	372	GRANT	1	238
4	77A	WISE CREEK	N/A	212	10	279	MOUNT HOPE	0	202	15	460	BIRCH HILLS	1	180
5	125A	CHESTERFIELD	0	126	10	336	SASMAN	0	256	15	402	FISH CREEK	2	262
5	124	KINGSLEY	0	168	10	277A	EMERALD	0	259	15	403	ROSTHERN	3	229
5	154A	ELCAPO	0	179	10	246	ITUNA BON ACCORD	0	326	15	463	DUCK LAKE	3	338
5	213	SALTCOATS	0	213	10	276A	FOAM LAKE	0	390	15	520	PADDOCKWOOD	N/A	157
5	155	WOLSELEY	0	218	10	276B	FOAM LAKE	0	332	15	521	LAKELAND	N/A	157
5	122	MARTIN	0	246	10	307	ELFROS	1	272	15	461	PRINCE ALBERT	N/A	192
5	211A	CHURCHBRIDGE	0	257	10	246A	ITUNA BON ACCORD	3	239	15	370	HUMBOLDT	N/A	231
5	123	SILVERWOOD	0	262	10	276	FOAM LAKE	N/A	37	16	437A	NORTH BATTLEFORD	7	205
5	211	CHURCHBRIDGE	0	376	10	279A	MOUNT HOPE	N/A	59	16	436	DOUGLAS	8	226
5	181	LANGENBURG	2	208	10	277	EMERALD	N/A	255	16	437	NORTH BATTLEFORD	8	244
5	151	ROCANVILLE	2	211	11	310	USBORNE	0	193	16	467A	ROUND HILL	9	230
5	183	FERTILE BELT	2	280	11	284	RUDY	0	205	16	435	REDBERRY	15	356
5	215	STANLEY	N/A	238	11	314	DUNDURN	0	257	16	467	ROUND HILL	N/A	156
6	190A	DUFFERIN	0	136	11	282	McCRANEY	0	304	16	466	MEETING LAKE	N/A	167
6	219B	LONGLAKETON	0	146	11	344	CORMAN PARK	1	251	16	497	MEDSTEAD	N/A	174
6	159B	SHERWOOD	0	164	11	251	BIG ARM	5	242	16	406	MAYFIELD	N/A	249
6	190C	DUFFERIN	0	188	12	287	ST. ANDREWS	0	168	16	493	SHELLBROOK	N/A	291
6	160	PENSE	0	188	12	316	HARRIS	0	193	17	470	PAYNTON	0	63
6	156	INDIAN HEAD	0	203	12	286	MILDEN	0	254	17	588	MEADOW LAKE	4	258
6	127	FRANCIS	0	208	12	317A	MARRIOTT	0	272	17	498	PARKDALE	6	118
6	186	ABERNETHY	0	221	12	346	PERDUE	0	281	17	499	MERVIN	6	135
6	220B	McKILLOP	0	236	12	288	PLEASANT VALLEY	0	302	17	501	FRENCHMAN BUTTE	6	172
6	130	REDBURN	0	248	12	345	VANSKOY	0	317	17	502	BRITANNIA	7	121
6	217	LIPTON	0	286	12	376	EAGLE CREEK	0	332	17	468	MEOTA	7	125
6	129	BRATT'S LAKE	1	240	12	347	BIGGAR	0	343	17	561	LOON LAKE	8	190
6	221	SARNIA	1	209	12	317	MARRIOTT	0	410	17	471	ELDON	8	194
6	219A	LONGLAKETON	N/A	54	12	285A	FERTILE VALLEY	4	323	17	501A	FRENCHMAN BUTTE	14	175
6	190	DUFFERIN	N/A	141	12	285	FERTILE VALLEY	8	353	17	472	WILTON	N/A	8
6	216	TULLYMET	N/A	150	12	378	ROSEMOUNT	N/A	283					
6	220A	McKILLOP	N/A	153	12	377	GLENSIDE	N/A	313					
6	190B	DUFFERIN	N/A	158	13	290	KINDERSLEY	0	121					
6	216A	TULLYMET	N/A	190	13	320A	OAKDALE	0	205					
6	219	LONGLAKETON	N/A	194	13	350	MARIPOSA	0	217					
6	159A	SHERWOOD	N/A	208	13	409A	BUFFALO	0	225					
7	132A	HILLSBOROUGH	0	195	13	292A	MILTON	0	263					
7	161	MOOSE JAW	0	197	13	409	BUFFALO	0	273					
7	162A	CARON	0	201	13	382	EYE HILL	0	314					
7	191	MARQUIS	0	241	13	440	HILLSDALE	1	153					
7	132	HILLSBOROUGH	0	250	13	320	OAKDALE	2	151					
7	162	CARON	1	234	13	292	MILTON	3	273					
7	165	MORSE	8	196	13	321	PRAIRIE DALE	3	323					
7	136	COULEE	N/A	150	13	442	MANITOU LAKE	N/A	180					
7	193	EYEBROW	N/A	211	13	410	ROUND VALLEY	N/A	207					
7	223	HURON	N/A	234	13	351	PROGRESS	N/A	315					

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.


N/A indicates that rainfall was not reported for the week

# Cumulative Rainfall

from April 1 to July 29, 2024

## Rainfall (mm)

0.0 - 25.0	100.1 - 125.0	200.1 - 225.0	300.1 - 325.0	400.1 - 425.0
25.1 - 50.0	125.1 - 150.0	225.1 - 250.0	325.1 - 350.0	425.1 - 450.0
50.1 - 75.0	150.1 - 175.0	250.1 - 275.0	350.1 - 375.0	450.1 - 475.0
75.1 - 100.0	175.1 - 200.0	275.1 - 300.0	375.1 - 400.0	475.1 +




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




# Cropland Topsoil Moisture Conditions

from July 23 to July 29, 2024




# Hay Topsoil Moisture Conditions

from July 23 to July 29, 2024



# Pasture Topsoil Moisture Conditions

from July 23 to July 29, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.





# Pasture Conditions

from July 23 to July 29, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




# Minimum Temperature

from July 23 to July 29, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83




Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture


July 31, 2024

# Maximum Temperature

from July 23 to July 29, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83



Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture

July 31, 2024