

# Crop Report

For the Period September 10 to 16, 2024

Published by the Ministry of Agriculture  
ISSN  
Report number 20, September 19, 2024

Many areas of the province received rainfall this past week which caused producers to briefly pause harvest. Harvest is currently 74 per cent complete, which is a 13 per cent increase from last week. Despite the rain slowing harvest progress, it is welcomed by producers in dry areas as it will improve soil moisture conditions.

The southwest region is in the final stage of harvest with 95 per cent of crops harvested. The southeast region currently has 77 per cent of crops harvested. Harvest is at the same stage in the east-central, west-central and northwest regions as 63 per cent of crops have been harvested. The northeast has passed the halfway point as 58 per cent of harvest complete.

Winter wheat, triticale and field pea crop harvest is now complete. Lentil and fall rye crops are very close to wrapping up as well. Leading all spring-seeded cereals, 93 per cent of durum acres have been harvested. Other spring cereals are also coming along as 88 per cent of barley, 81 per cent of spring wheat, 73 per cent of oats and 49 per cent of canary seed have been harvested. Chickpea combining is in the final stages with 89 per cent harvested. For oilseed crops, mustard leads harvest progress at 90 per cent. Many producers are currently working to get canola crops harvested, with 47 per cent in the bin. Flax and soybeans are the furthest behind in harvest progress, with 33 per cent of flax and 25 per cent of soybeans currently harvested.

Pasture conditions around Saskatchewan vary by region. This is largely due to the amount of rainfall received during the growing season. Provincially, less than one per cent of pastures are in excellent condition, 22 per cent are in good condition, 39 per cent are fair, 26 per cent are poor and 13 per cent are very poor. The best pasture conditions are being reported in the northeast while the southwest is reporting the poorest conditions.

## One year ago

Much of Saskatchewan continued to experience dry conditions which allowed harvest efforts to steadily progress. Harvest was 82 percent complete in the province. Harvest had wrapped up for most fall cereal, pea, and lentil crops, while harvest of spring cereal crops was in the home stretch. Many producers were working hard to harvest canola, soybean, and flax crops. Topsoil moisture continued to plummet as 49 per cent of cropland, hayland, and pasture topsoil moisture was short.

Follow the 2024 Crop Report on  
Twitter @SKAgriculture

## Harvest Progress in SK

Per Cent Combined  
Historical All Crops

<b>Sept 16/24</b>	<b>74</b>
Sept 18/23	82
Sept 19/22	73
Sept 13/21	74
Sept 14/20	62
Sept 16/19	23
<b>5 year avg. (2019-2023)</b>	<b>63</b>
<b>10 year avg. (2014-2023)</b>	<b>58</b>

For further information, contact Tyce Masich, BSc, Ag,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-867-7322, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](https://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

**Saskatchewan**

# Crop Report

**For the Period September 10 to 16, 2024**

Published by the Ministry of Agriculture

ISSN

Report number 20, September 19, 2024

There was scattered rainfall throughout the province during this reporting period. The Indian Head area received the most rainfall this past week with 49 mm. The Marsden and Mildred areas closely followed with 48 mm and 42 mm of precipitation, respectively. Other areas to receive notable rainfall include the Lizard Lake area with 41 mm and the Francis and North Battleford areas with 39 mm each.

The precipitation this past week has improved topsoil moisture conditions around the province. Topsoil moisture conditions for cropland are rated as one per cent surplus, 41 per cent adequate, 37 per cent short and 21 per cent very short. For hayland, topsoil moisture is 36 per cent adequate, 39 per cent short and 25 per cent very short. Finally, pasture topsoil moisture is 26 per cent adequate, 39 per cent short and 34 per cent very short. After harvest has wrapped up, producers are hoping for lots of rain to restore depleted soil moisture reserves.

Wind and waterfowl were the main causes of crop damage this week. Grasshopper activity remains high in some areas, continuing to damage crops.

Producers are still working hard to swath and combine crops. As we move into the later stages of harvest, more producers will be focused on post-harvest weed control, storing grain and hauling bales.

With most producers still busy with harvest, safety should always be a priority in all the work they do. Fire risks are still present when working in fields despite the recent moisture, so it's important to not get complacent. Producers should also be aware of powerlines when transporting heavy equipment. Finally, the public is reminded to be patient and exercise extra caution when meeting or passing farm machinery on public roads.

For further information, contact Tyce Masich, BSc, Ag,  
Crops Extension Specialist, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-867-7322, Email: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [saskatchewan.ca/crop-report](http://saskatchewan.ca/crop-report).



Agriculture and  
Agri-Food Canada

**SCIC**  
SASKATCHEWAN CROP  
INSURANCE CORPORATION

*Saskatchewan* The logo for the province of Saskatchewan, featuring the word "Saskatchewan" in a green serif font, followed by a stylized yellow and green flag.

### **Southeastern Saskatchewan:**

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Harvest is now 77 per cent complete in the southeast, which is up 12 per cent from last week. This is a lower increase than the last reporting period, which is due to scattered rainfall in the region causing harvest delays. This is still greater than the five-year average of 66 per cent and 10-year average of 67 per cent.

Harvest is complete for winter wheat, triticale, lentil and field pea crops, with fall rye harvest almost wrapped up at 96 per cent harvested. Additionally, chickpea harvest will be wrapping up soon as 92 per cent have been harvested. Barley and durum lead spring-seeded cereal harvest progress with 94 per cent and 92 per cent, respectively. Spring wheat follows closely behind as 86 per cent of these acres have been harvested. For other spring cereals, 85 per cent of oats have been harvested, along with 49 per cent of canary seed. Mustard is currently 87 per cent harvested, which leads oilseed crops. Canola and flax distantly follow at 56 per cent and 46 per cent harvested, respectively. Soybeans have the highest percentage of crop remaining in the field as only 33 per cent have been harvested.

Southeast Saskatchewan	
Census Division	% Harvested (September 16, 2024)
1	77%
2	94%
5	60%
6	77%
Region average	77%

There was a significant amount of rainfall in certain areas during this reporting period. The Indian Head area received the most rainfall in the province with 49 mm. The Francis area got 39 mm of rain, while the Trossachs and Avonlea areas each received 28 mm.

The rainfall improved topsoil moisture conditions which were drying out prior to the rain. Cropland topsoil moisture is now 61 per cent adequate, 29 per cent short and 10 per cent very short. Hayland topsoil moisture is 53 per cent adequate, 35 per cent short and 12 per cent very short. Finally, pasture topsoil moisture is 52 per cent adequate, 34 per cent short and 14 per cent very short.

Pasture conditions in the southeast are better than provincial averages. Thirty-four per cent of pastures are in good condition, 35 per cent are fair, 26 per cent are poor and five per cent are considered very poor.

Wind and waterfowl were the main sources of crop damage this past week, but damage is considered minor. Once fields dry out, producers will be busy harvesting their remaining crops. Producers are also baling straw and post-harvest harrowing.

### Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Harvest is nearly complete in southwest Saskatchewan as 95 per cent of crops have been taken off, which continues to lead the province in harvest progress. Producers are significantly ahead of the five-year average of 77 per cent and the 10-year average of 73 per cent for harvest progress.

All fall-cereal, oat, triticale, soybean and field pea crops have been harvested. Ninety-nine per cent of lentil crops and 91 per cent of chickpeas have been harvested. Harvest is nearly complete for the remaining spring-seeded cereals as 98 per cent of barley, 97 per cent of spring wheat and durum and 87 per cent of canary seed is off. Lastly, most oilseed crops have been combined with 97 per cent of mustard, 94 per cent of canola, and 74 per cent of flax in the bin.

Some areas in the southwest received rain during this reporting period. The most rainfall seen in the southwest was around Richmond, which got 26 mm of precipitation, followed by areas around Dollard and Leader that received 15 mm.

Southwest Saskatchewan	
Census Division	% Harvested (September 16, 2024)
3	95%
4	94%
7	92%
8	98%
Region average	95%

The rain did not significantly impact topsoil moisture and conditions remain dry in the southwest. Cropland topsoil moisture is rated nine per cent adequate, 31 per cent short and 60 per cent very short. Hayland topsoil moisture is four per cent adequate, 33 per cent short and 63 per cent very short. Pasture topsoil moisture is also dry as four per cent is adequate, 39 per cent is short and 57 per cent is very short.

The poorest pasture conditions in the province are found in the southwest as a mere five per cent are in good condition, 40 per cent are fair, 30 per cent are poor and 25 per cent are in very poor condition.

The main sources of crop damage this past week were from dry conditions, wind and grasshopper activity. Now that harvest is largely wrapping up, producers are hoping for lots of rain this fall to improve soil moisture and mitigate some of the negative effects of the dry conditions.



### East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

The east-central region made good harvest progress this past week as producers crossed the half-way point of harvest. Harvest is currently 63 per cent complete, which is up 17 per cent from last week. Like much of the province, harvest in the east-central region is above the five -and 10-year averages. The five-year average for this time is 49 per cent and the 10-year average is 47 per cent.

Harvest is complete for fall cereal, triticale, field pea and chickpea crops in this region. Lentils follow closely behind with 99 per cent harvested. Durum has the fewest acres remaining for spring-seeded cereals as 87 per cent of crops have been harvested, followed by barley at 81 per cent and spring wheat at 80 per cent. Over half of the oats are harvested with 54 per cent harvest progress. Only 10 per cent of canary seed crops have been harvested. Mustard harvest progress leads all oilseed crops with 90 per cent of the crop in the bin. Canola and flax are further behind with only 34 per cent and 14 per cent of crops harvested, respectively. Lastly, half of the soybean crops are off as harvest progress for this crop is sitting at 50 per cent.

East-Central Saskatchewan	
Census Division	% Harvested (September 16, 2024)
9	56%
10	55%
11	74%
Region average	63%

The east-central received modest rainfall this week, which was enough to cause harvest delays. The Calder area received the most rain with 25 mm, while Foam Lake and Jedburgh areas both received 18 mm.

Topsoil moisture conditions did improve due to the rainfall, which producers were happy to see. Topsoil moisture for cropland is 60 per cent adequate, 38 per cent short and a mere two per cent very short. Hayland topsoil moisture is 47 per cent adequate, 40 per cent short and 13 per cent very short. Finally, pasture topsoil is rated 45 per cent adequate, 42 per cent short and 13 per cent very short.

Pasture conditions in this region are some of the best in the province, largely due to part of the east-central receiving more rain during the growing season relative to much of the province. Twenty-nine per cent of pastures are in good condition, 39 per cent are in fair condition, 17 per cent are poor and 15 per cent are very poor.

Crop damage was mainly caused by strong winds and recent dry conditions in some areas. Aside from harvesting, producers are busy desiccating late-seeded crops, moving livestock and post-harvest harrowing.

### West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Harvest progress this past week increased nine per cent to 63 per cent complete in this region, which is the smallest increase in the province this week. Harvest progress is behind the five-year average of 70 per cent, but ahead of the 60 per cent 10-year average. Many producers in this region experienced rain delays which resulted in slowed progress.

Harvest has finished for fall cereal and field pea crops and lentils are nearly complete at 99 per cent harvested. Well over half of most cereal crops have been harvested, with barley being the closest to being done as 88 per cent of the crop is off. Triticale follows with 75 per cent harvested and spring wheat is a close third at 74 per cent harvest completed.

Seventy-one per cent of durum is in the bin, while 67 per cent of oats have been harvested. Canary seed is the only cereal with more than half the crop in the field, as only 43 per cent of canary seed acres have been harvested. Like much of the province, mustard harvest leads all oilseed crops with 59 per cent of the crop off. Harvest progress for canola is at 41 per cent and nine per cent for flax. Most soybeans are still standing as only 15 per cent have been harvested, while no chickpeas have been harvested yet.

West-Central Saskatchewan	
Census Division	% Harvested (September 16, 2024)
12	68%
13	59%
Region average	63%

West-central Saskatchewan received significant rainfall last week as the highest recorded amount was 48 mm in the Marsden area. The Milden area received 42 mm and Lizard Lake area received 41 mm. Baldwinton and Sonningdale areas both received notable rainfall at 30 mm and 24 mm, respectively.

The abundance of rainfall helped improve topsoil moisture conditions. Cropland topsoil moisture is 38 per cent adequate, 49 per cent short and 13 per cent very short. Hayland topsoil moisture is 35 per cent adequate, 44 per cent short and 21 per cent very short. Pasture topsoil moisture is 33 per cent adequate, 47 per cent short and 20 per cent very short.

Pasture conditions are slightly better in the west-central compared to the provincial average. Twenty-nine per cent of pasture acres are in good condition, 50 per cent are fair, 13 per cent are poor and eight per cent are very poor.

The only notable crop damage in this region was from wind and mild grasshopper activity. Despite causing harvest delays, producers welcomed the rain as conditions have been dry in the west-central region.

### **Northeastern Saskatchewan:**

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

The northeast experienced the highest increase in harvest progress this past week, as progress increased from 34 per cent to 58 per cent. This is ahead of both the five- and 10-year averages of 50 per cent and 44 per cent respectively.

Harvest of fall cereals, durum and triticale is complete and field pea crops are almost wrapped up with 99 per cent harvested. For spring-seeded cereals, 85 per cent of barley, 75 per cent of spring wheat, 64 per cent of oats and 39 per cent of canary seed have been harvested. Twenty-nine per cent of canola has been combined while only nine per cent of flax is off. Other legumes are making good progress as 76 per cent of lentils, 75 per cent of chickpeas and 50 per cent of soybean crops have been harvested.

The Lake Lenore area received the most rainfall in the northeast with 27 mm. Ridgedale area received 15 mm, while Flett Springs and Yellow Creek areas both got 14 mm. Recent rainfall benefited topsoil moisture as cropland topsoil moisture is 53 per cent adequate, 39 per cent short and eight per cent very short. Hayland topsoil moisture is 45 per cent adequate, 45 per cent short and 10 per cent very short. Pasture topsoil moisture is 38 per cent adequate, 50 per cent short and 12 per cent very short.

Northeast Saskatchewan	
Census Division	% Harvested (September 16, 2024)
14	52%
15	63%
Region average	58%

Pasture conditions in the northeast are some of the best in the province. Four per cent of pastures are in excellent condition, 33 per cent are in good condition, 42 per cent are fair, 16 per cent are poor and only five per cent are very poor. These strong pasture conditions relative to the rest of the province are because the northeast has generally received more precipitation this year than the rest of the province.

Crop damage this week was mainly caused by strong winds and waterfowl. Some producers experienced rain delays this week but are mainly focused on getting the crop off in good time when crops dry out.

### Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Just like in east- and west-central regions, harvest is 63 per cent complete in the northwest. This is well ahead of the five-year average of 45 per cent and 10-year average of 38 per cent.

Harvest has wrapped up for fall cereal, mustard and lentil crops in the northwest. Nearly all peas have been harvested as 98 per cent have been combined. Spring wheat leads spring cereals in harvest progress with 78 per cent, with barley closely trailing at 74 per cent. Oats are making steady progress as 69 per cent of crops are off. Finally, 58 per cent of flax is in the bin while 36 per cent of canola has been harvested.

Northwest Saskatchewan	
Census Division	% Harvested (September 16, 2024)
16	62%
17	64%
Region average	63%

The area around North Battleford received the most rainfall in the northwest with 39 mm, followed by Maidstone area with 36 mm. Meadow Lake, Speers and Rabbit Lake all received 24 mm of precipitation. The rain improved topsoil moisture conditions from last week. Cropland topsoil moisture is now 45 per cent adequate, 38 per cent short and 17 per cent very short. Hayland topsoil moisture is 36 per cent adequate, 48 per cent short and 16 per cent very short. Pasture topsoil moisture is 31 per cent adequate, 47 per cent short and 22 per cent very short.



For northwest pastures, 18 per cent are in good condition, 58 per cent are fair, 19 per cent are poor and five per cent are very poor. Pastures in this region would have benefited from the rain this past week, but producer are hoping for more rain this fall to replenish soil moisture and improve conditions for next year.

The main sources of crop damage this past week were from strong winds and waterfowl. Some producers have paused harvest due to wet conditions. Aside from harvest, producers in the Northwest are currently moving livestock and hauling bales.

# Harvest Progress

from September 10 to September 16, 2024

## Harvest Progress



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

## Saskatchewan Harvest Progress - September 16, 2024

\*Other - crop that will not be harvested due to weather, insect or disease damage

Provincial								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	5%	2%	11%	3%	45%	11%
In Swath	0%	1%	2%	0%	6%	2%	2%	18%
Ready To Straight Combine	0%	0%	12%	4%	9%	7%	17%	24%
Combined	95%	91%	80%	93%	66%	85%	33%	47%
Harvested As Feed	3%	6%	1%	0%	7%	3%	0%	0%
Other (Damage/Challenges)	2%	2%	0%	1%	1%	0%	3%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	2%	66%	1%	0%	27%	4%	
In Swath	0%	1%	0%	0%	0%	2%	0%	
Ready To Straight Combine	0%	6%	8%	1%	0%	22%	7%	
Combined	70%	90%	25%	98%	100%	49%	89%	
Harvested As Feed	28%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	2%	1%	1%	0%	0%	0%	0%	
South East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	2%	2%	1%	0%	26%	7%
In Swath	0%	4%	1%	1%	5%	1%	1%	8%
Ready To Straight Combine	0%	0%	11%	5%	9%	5%	27%	29%
Combined	100%	93%	86%	92%	73%	90%	46%	56%
Harvested As Feed	0%	3%	0%	0%	12%	4%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	3%	65%	0%	0%	15%	1%	
In Swath	0%	0%	0%	0%	0%	1%	0%	
Ready To Straight Combine	0%	10%	2%	0%	0%	35%	7%	
Combined	67%	87%	33%	100%	100%	49%	92%	
Harvested As Feed	33%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
South West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	0%	1%	0%	0%	26%	1%
In Swath	0%	0%	1%	0%	0%	1%	0%	0%
Ready To Straight Combine	0%	0%	2%	2%	0%	1%	0%	5%
Combined	98%	86%	93%	97%	81%	90%	74%	94%
Harvested As Feed	2%	14%	4%	0%	19%	8%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	0%	0%	10%	3%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	3%	0%	1%	0%	3%	6%	
Combined	71%	97%	100%	99%	100%	87%	91%	
Harvested As Feed	29%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	

## Saskatchewan Harvest Progress - September 16, 2024

\*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	5%	0%	24%	5%	74%	14%

In Swath	0%	0%	4%	0%	13%	7%	4%	26%
Ready To Straight Combine	0%	0%	11%	13%	10%	7%	8%	26%
Combined	98%	97%	80%	87%	53%	81%	14%	34%
Harvested As Feed	2%	3%	0%	0%	1%	0%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	50%	0%	0%	82%	0%	
In Swath	0%	5%	0%	0%	0%	3%	0%	
Ready To Straight Combine	0%	5%	0%	1%	0%	5%	0%	
Combined	100%	90%	50%	99%	100%	10%	100%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
<b>West-Central</b>								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	9%	12%	18%	2%	59%	18%
In Swath	0%	0%	2%	0%	11%	0%	1%	12%
Ready To Straight Combine	0%	0%	15%	17%	4%	12%	31%	29%
Combined	100%	99%	74%	71%	49%	84%	9%	41%
Harvested As Feed	0%	1%	0%	0%	18%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	15%	50%	0%	0%	30%	87%	
In Swath	0%	0%	0%	0%	0%	1%	0%	
Ready To Straight Combine	25%	26%	35%	1%	0%	26%	13%	
Combined	50%	59%	15%	99%	100%	43%	0%	
Harvested As Feed	25%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
<b>North East</b>								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	3%	0%	17%	4%	86%	17%
In Swath	0%	0%	3%	0%	1%	2%	2%	27%
Ready To Straight Combine	0%	0%	19%	0%	18%	9%	3%	27%
Combined	76%	100%	75%	42%	64%	85%	9%	29%
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	0%
Other (Damage/Challenges)	24%	0%	0%	58%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	0%	0%	0%	3%	0%	30%	25%	
In Swath	0%	0%	0%	0%	0%	6%	0%	
Ready To Straight Combine	0%	0%	50%	21%	1%	25%	0%	
Combined	100%	0%	50%	76%	99%	39%	50%	
Harvested As Feed	0%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	100%	0%	0%	0%	0%	25%	

## Saskatchewan Harvest Progress - September 16, 2024


\*Other - crop that will not be harvested due to weather, insect or disease damage

<b>North West</b>								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	5%	No Response(s)	12%	8%	33%	4%
In Swath	0%	0%	1%	No Response(s)	3%	1%	0%	38%
Ready To Straight Combine	0%	0%	16%	No Response(s)	16%	17%	8%	22%
Combined	100%	100%	78%	No Response(s)	59%	70%	58%	36%
Harvested As Feed	0%	0%	0%	No Response(s)	10%	4%	0%	0%

Other (Damage/Challenges)	0%	0%	0%	No Response(s)	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	
In Swath	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Ready To Straight Combine	No Response(s)	0%	No Response(s)	0%	2%	No Response(s)	No Response(s)	
Combined	No Response(s)	100%	No Response(s)	100%	98%	No Response(s)	No Response(s)	
Harvested As Feed	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	
Other (Damage/Challenges)	No Response(s)	0%	No Response(s)	0%	0%	No Response(s)	No Response(s)	




# Crop Report Regions & Census Divisions



# Weekly Rainfall

from September 10 to September 16, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan

1:3,500,000  
0 25 50 100 150 200  
Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Source:  
Rainfall - Ministry of Agriculture, Crop Report Database  
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture

September 18, 2024

# Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from September 10 to September 16, 2024

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	95	GOLDEN WEST	0	299	8	138	WEBB	1	192	14	395	PORCUPINE	3	312
1	3	ENNSKILLEN	3	355	8	229	MIRY CREEK	3	188	14	456	ARBORFIELD	5	435
1	4	COALFIELDS	4	311	8	168A	RIVERSIDE	3	63	14	488	TORCH RIVER	8	352
1	2A	MOUNT PLEASANT	11	375	8	228	LACADENA	3	203	14	366	KELVINGTON	9	288
1	65	TECUMSEH	14	248	8	259A	SNIPER LAKE	4	207	14	394	HUDSON BAY	9	312
1	32	RECIPROCITY	19	320	8	138A	WEBB	5	270	14	397A	BARRIER VALLEY	10	390
1	2	MOUNT PLEASANT	22	380	8	168	RIVERSIDE	6	156	14	428	STAR CITY	12	293
2	70	KEY WEST	4	4	8	139	GULL LAKE	14	161	14	486	MOOSE RANGE	12	334
2	10	HAPPY VALLEY	12	215	8	231	HAPPYLAND	15	210	14	457	CONNAUGHT	15	219
2	38	LAURIER	15	240	8	142	ENTERPRISE	26	362	14	394A	HUDSON BAY	N/A	185
2	38A	LAURIER	16	201	8	137	SWIFT CURRENT	N/A	154	14	397	BARRIER VALLEY	N/A	211
2	68	BROKENSHELL	28	279	8	259	SNIPER LAKE	N/A	223	14	488A	TORCH RIVER	N/A	312
2	100	ELMSTHORPE	28	359	9	243	WALLACE	0	200	14	367	PONASS LAKE	N/A	353
2	6	CAMBRIA	N/A	32	9	333	CLAYTON	8	280	14	487	NIPAWIN	N/A	369
2	67	WEYBURN	N/A	284	9	331	LIVINGSTON	8	252	15	372	GRANT	2	276
3	75	PINTO CREEK	2	218	9	273	SLIDING HILLS	9	262	15	460	BIRCH HILLS	2	236
3	106	WHISKA CREEK	3	208	9	301	ST. PHILIPS	12	146	15	371B	BAYNE	4	240
3	76	AUVERGNE	4	275	9	245A	GARRY	14	393	15	402	FISH CREEK	4	352
3	74	WOOD RIVER	5	305	9	245	GARRY	18	399	15	370	HUMBOLDT	6	278
3	73	STONEHENGE	12	238	9	241A	CALDER	25	398	15	461A	PRINCE ALBERT	8	300
3	101	TERRELL	N/A	167	9	275	INSINGER	N/A	114	15	371A	BAYNE	10	284
3	102	LAKE JOHNSTON	N/A	301	9	241	CALDER	N/A	296	15	459	KINISTINO	10	352
4	77A	WISE CREEK	2	232	10	307	ELFROS	5	347	15	400	THREE LAKES	10	445
4	110	PIAPOT	9	209	10	248	TOUCHWOOD	6	224	15	369	ST. PETER	13	382
4	51	RENO	12	191	10	279	MOUNT HOPE	10	236	15	403A	ROSTHERN	13	421
4	79A	ARLINGTON	14	186	10	277	EMERALD	10	340	15	429	FLETT'S SPRINGS	14	310
4	79	ARLINGTON	15	241	10	277A	EMERALD	11	346	15	430	INVERGORDON	14	337
4	108	BONE CREEK	N/A	167	10	336	SASMAN	11	376	15	399	LAKE LENORE	27	484
4	78A	GRASSY CREEK	N/A	224	10	339	LEROY	11	274	15	520	PADDOCKWOOD	N/A	217
5	211A	CHURCHBRIDGE	0	334	10	246	ITUNA BON ACCORD	14	391	15	521	LAKELAND	N/A	217
5	124	KINGSLEY	9	253	10	276A	FOAM LAKE	15	453	15	461	PRINCE ALBERT	N/A	222
5	213	SALT COATS	9	273	10	276B	FOAM LAKE	18	421	15	371	BAYNE	N/A	288
5	151	ROCANVILLE	13	321	10	276	FOAM LAKE	N/A	37	15	491	BUCKLAND	N/A	297
5	123	SILVERWOOD	14	377	10	279A	MOUNT HOPE	N/A	59	15	403	ROSTHERN	N/A	299
5	122	MARTIN	15	306	10	247	KELLROSS	N/A	169	15	463	DUCK LAKE	N/A	427
5	211	CHURCHBRIDGE	15	466	10	246A	ITUNA BON ACCORD	N/A	250	16	435	REDBERRY	13	448
5	155	WOLSELEY	20	324	10	337	LINDE	N/A	330	16	467	ROUND HILL	20	245
5	183	FERTILE BELT	20	366	11	314	DUNDURN	1	291	16	467A	ROUND HILL	24	275
5	181	LANGENBURG	24	323	11	282	McCRANEY	3	324	16	436	DOUGLAS	24	294
5	154A	ELCAPO	N/A	206	11	310	USBORNE	7	215	16	437	NORTH BATTLEFORD	36	353
5	125A	CHESTERFIELD	N/A	245	11	344	CORMAN PARK	10	268	16	437A	NORTH BATTLEFORD	39	261
5	215	STANLEY	N/A	248	11	284	RUDY	11	216	16	497	MEDSTEAD	N/A	221
6	190	DUFFERIN	0	189	11	251	BIG ARM	N/A	242	16	466	MEETING LAKE	N/A	235
6	220A	McKILLOP	0	253	12	285	FERTILE VALLEY	0	353	16	406	MAYFIELD	N/A	289
6	159A	SHERWOOD	0	272	12	285A	FERTILE VALLEY	6	334	16	493	SHELLBROOK	N/A	326
6	220B	McKILLOP	1	304	12	347	BIGGAR	10	374	17	501A	FRENCHMAN BUTTE	8	225
6	219	LONGLAKETON	2	278	12	345	VANSCOY	12	366	17	501	FRENCHMAN BUTTE	8	239
6	221	SARNIA	3	240	12	346	PERDUE	13	331	17	502	BRITANNIA	12	153
6	159B	SHERWOOD	3	183	12	317A	MARRIOTT	14	303	17	499	MERVIN	14	201
6	160	PENSE	4	229	12	288	PLEASANT VALLEY	15	328	17	561	LOON LAKE	20	247
6	129	BRAIT'S LAKE	8	298	12	376	EAGLE CREEK	24	402	17	588	MEADOW LAKE	24	314
6	219B	LONGLAKETON	10	214	12	377	GLENSIDE	41	389	17	471	ELDON	36	281
6	130	REDBURN	15	302	12	286	MILDEN	42	296	17	472	WILTON	N/A	8
6	217	LIPTON	17	327	12	287	ST. ANDREWS	N/A	176	17	470	PAYNTON	N/A	64
6	190C	DUFFERIN	20	249	12	316	HARRIS	N/A	213	17	468	MEOTA	N/A	125
6	186	ABERNETHY	20	267	12	378	ROSEMOUNT	N/A	283	17	498	PARKDALE	N/A	160
6	127	FRANCIS	39	323	12	317	MARRIOTT	N/A	410					
6	156	INDIAN HEAD	49	293	13	290	KINDERSLEY	4	152					
6	219A	LONGLAKETON	N/A	124	13	320A	OAKDALE	4	255					
6	190A	DUFFERIN	N/A	136	13	321	PRAIRIE DALE	6	369					
6	216	TULLYMET	N/A	161	13	409A	BUFFALO	11	281					
6	190B	DUFFERIN	N/A	207	13	409	BUFFALO	11	325					
6	216A	TULLYMET	N/A	233	13	351	PROGRESS	12	357					
7	136	COULEE	0	155	13	292	MILTON	13	351					
7	132A	HILLSBOROUGH	0	195	13	350	MARIPOSA	14	256					
7	161	MOOSE JAW	2	229	13	410	ROUND VALLEY	19	282					
7	162	CARON	4	318	13	440	HILLSDALE	30	262					
7	191	MARQUIS	4	326	13	442	MANITOU LAKE	48	344					
7	132	HILLSBOROUGH	6	318	13	320	OAKDALE	N/A	151					
7	165	MORSE	N/A	201	13	292A	MILTON	N/A	320					
7	193	EYEBROW	N/A	225	13	382	EYE HILL	N/A	394					
7	223	HURON	N/A	241										
7	162A	CARON	N/A	260										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week


# Cumulative Rainfall

from April 1 to September 16, 2024



# Cropland Topsoil Moisture Conditions


from September 10 to September 16, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Hay Topsoil Moisture Conditions


from September 10 to September 16, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Pasture Topsoil Moisture Conditions


from September 10 to September 16, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Pasture Conditions

from September 10 to September 16, 2024




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Minimum Temperature

from September 10 to September 16, 2024



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

**Saskatchewan**

1:3,500,000

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83



Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture

September 18, 2024

# Maximum Temperature

from September 10 to September 16, 2024

