

Crop Report

For the Period September 2 to September 8, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 19, September 11, 2025

Producers were able to make significant harvest progress over the past week, although some areas experienced rain delays. Currently, 41 per cent of this year's crop is in the bin, up from 23 per cent reported last week. This is behind the five-year average of 58 per cent and the 10-year average of 49 per cent. Although the mostly dry weather has allowed harvest to progress, combine and equipment fires are a significant risk. Producers are also monitoring stored grain closely as there are concerns for bin heating given the high temperatures that occurred at the time of combining.

The southwest region remains the furthest advanced in harvest progress with 55 per cent complete. The southeast region is at the half-way point, with 50 per cent of harvest complete. The northwest region currently has 41 per cent harvested, the east-central region has 31 per cent harvested and the west-central and northeast regions are both at 27 per cent harvested.

Harvest is nearly complete across the province for winter cereals and field peas while lentils are 84 per cent complete. Triticale is 64 per cent harvested, barley is 54 per cent, durum is 49 per cent, spring wheat is 35 per cent, oats are 35 per cent and canary seed is 11 per cent harvested. Chickpeas are estimated to be 24 per cent harvested. For oilseed crops, mustard is the furthest advanced at 27 per cent, followed by canola at 12 per cent and flax at three per cent harvested.

The range in growing conditions across the province has caused varying yield estimates for all crop types. Regionally, producers also indicate large variations in yield from field to field due to the scattered rainfall amounts received throughout the growing season. The current estimated averages of crop yields are 50 bushels per acre for hard red spring wheat, 38 bushels for durum, 93 bushels for oats, 71 bushels for barley, 39 bushels for canola, 42 bushels for field peas and 1,784 pounds per acre for lentils. Throughout many regions of the province, crop yields have been negatively impacted by the dry conditions experienced in many regions.

One year ago

Significant harvest progress was made over the week due to the lack of moisture. At this point, 61 per cent of the 2024 crop was in the bin, up from 42 per cent reported in the previous week. This was ahead of the five-year average of 50 per cent and the 10-year average of 46 per cent. Although the hot and dry weather allowed harvest to progress, combine and equipment fires were a significant risk. Bins were being monitored closely for heating due to the high temperatures that occurred at the time of combining.

Follow the 2025 Crop Report on Twitter @SKAgriculture

Harvest Progress in SK

Per Cent Combined
Historical All Crops

Sept 8/25	41
Sept 9/24	61
Sept 11/23	68
Sept 12/22	64
Sept 6/21	56
Sept 7/20	43
5 year avg. (2020-2024)	58
10 year avg. (2015-2024)	49

For further information, contact Tyce Masich, BSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-631-8241 Email: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.



Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report

For the Period September 2 to September 8, 2025

Published by the Ministry of Agriculture

ISSN 0701 7085

Report number 19, September 11, 2025

Much of the province received limited or no rainfall this past week. However, the Foam Lake area reported 30 mm of precipitation followed by the Lipton and Langenburg areas that reported 26 mm and 20 mm respectively. The Raymore and Porcupine Plain areas each recorded 18 mm.

Topsoil moisture conditions continue to decline due to the dry weather conditions. Currently, cropland topsoil moisture is rated as two per cent surplus, 58 per cent adequate, 33 per cent short and seven per cent very short. Hayland is rated as two per cent surplus, 48 per cent adequate, 36 per cent short and 14 per cent very short. Pasture topsoil moisture is rated as three per cent surplus, 45 per cent adequate, 34 per cent short and 18 per cent very short. There is a significant need for large amounts of precipitation in many areas to help with replenishing topsoil and subsoil moisture levels along with improving pasture conditions.

Crop damage over the past week was mainly due to frost, wind and dry conditions. Grasshoppers are being reported at higher numbers in some areas with overall minor to moderate crop damage estimated.

Producers are busy combining, swathing and desiccating later seeded crops, along with baling straw, hauling bales and hauling grain. Some producers are beginning their fall field work which includes harrowing and post-harvest spraying for weed control.

As harvest is a very busy time for producers, they are reminded to take safety measures in all the work they do. This includes having fire mitigation resources on hand and taking precautions when working around powerlines. The public is reminded to take extra caution, time and space when encountering machinery on the roads.

Saskatchewan Harvest Progress

Up to September 8, 2025

Provincial % Combined

Winter Wheat**	96%
Fall Rye**	98%
Spring Wheat	35%
Durum	49%
Oats**	35%
Barley**	54%
Flax	3%
Canola	12%
Triticale**	64%
Mustard	27%
Soybean	18%
Lentil	84%
Field Pea	91%
Canaryseed	11%
Chickpea	24%

**includes per cent harvested as feed

For further information, contact Tyce Masich, BSc, AAg,
Crops Extension Specialist, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-631-8241, Email: croreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at saskatchewan.ca/crop-report.




Agriculture and
Agri-Food Canada

SCIC
SASKATCHEWAN CROP
INSURANCE CORPORATION

Saskatchewan

Crop Report Regions & Census Divisions



Southeastern Saskatchewan:

- Census Division 1 – Carnduff, Estevan, Lampman, Redvers and Stoughton areas
- Census Division 2 – Avonlea, Fillmore, Minton, Radville and Weyburn areas
- Census Division 5 – Broadview, Esterhazy, Melville and Moosomin areas
- Census Division 6 – Belle Plaine, Cupar, Lumsden, Indian Head, Regina and Rouleau areas

Producers made significant harvest progress within the region over the past week. Harvest currently sits at 50 per cent complete, which is up from 33 per cent last week. This is behind the five-year average of 63 per cent and the 10-year average of 60 per cent. Some parts of the region have had harvest delays due to rain and frost that may have an impact on some immature crops. Producers are also busy with baling straw, hauling bales and swathing and desiccating some of the later seeded crops.

Harvest is nearly complete within the region for winter cereals, lentils, field peas and triticale. Barley is 62 per cent harvested, durum is 59 per cent, oats are 51 per cent, spring wheat is 46 per cent and canary seed are 15 per cent harvested. Chickpeas are estimated to be 75 per cent harvested. Mustard is the furthest advanced at 32 per cent harvested for oilseed crops, followed by canola at 23 per cent and flax at three per cent harvested. Harvest percentages reported include crop harvested as feed. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

Southeast Saskatchewan	
Census Division	% Harvested (September 8, 2025)
1	55%
2	57%
5	29%
6	56%
Region average	50%

Estimated crop yields vary throughout the region with some areas reporting average to above average yields. Producers estimate 55 bushels per acre for hard red spring wheat, 48 bushels per acre for durum, 95 bushels per acre for oats, 66 bushels per acre for barley, 34 bushels per acre for canola, 41 bushels per acre for field peas and 1,840 pounds per acre for lentils. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

Some significant precipitation fell throughout the north part of the region over the past week. The highest amount was reported in the Lipton area at 26 mm followed by the Langenburg area at 20 mm and the Moosomin area 15 mm. Southern parts of the region received less over the past week with the many areas receiving no precipitation.

Topsoil moisture was mostly maintained in the region compared to the previous week due to the moisture that was received. Currently, cropland topsoil moisture is rated as 58 per cent adequate, 37 per cent short and five per cent very short. Hayland is rated as 40 per cent adequate, 56 per cent short and four per cent very short. Pasture topsoil moisture is rated as 39 per cent adequate, 58 per cent short and three per cent very short. There is a significant need for large amounts of precipitation throughout the region to help replenish soil moisture levels along with improving declining pasture conditions.

Over the past week, crop damage was mainly due to wind and frost along with dry conditions. Producers have also noted that damage due to wildlife and migratory birds has increased but limited crop damage was reported.

Southwestern Saskatchewan:

- Census Division 3 – Assiniboia, Gravelbourg, Mankota, Ponteix and Rockglen areas
- Census Division 4 – Cadillac, Consul, Eastend, Maple Creek and Val Marie areas
- Census Division 7 – Beechy, Central Butte, Craik, Herbert, Hodgeville and Moose Jaw areas
- Census Division 8 – Cabri, Elrose, Fox Valley, Leader, Swift Current and Tompkins areas

Favourable weather has allowed harvest progress to increase to 55 per cent. This is behind the five-year average of 83 per cent and the 10-year average of 71 per cent. As most producers continue with harvest, others are busy with baling straw, hauling bales and starting fall field work which includes harrowing and post-harvest weed spraying.

Southwest Saskatchewan	
Census Division	% Harvested (September 8, 2025)
3	49%
4	52%
7	57%
8	59%
Region average	55%

Harvest is complete within the region for winter cereals. Field peas are 85 per cent harvested and lentils are estimated at 83 per cent complete. Triticale is 70 per cent harvested, oats are 69 per cent, barley is 57 per cent, spring wheat is 54 per cent, durum is 45 per cent and canary seed is eight per cent harvested. Chickpeas are estimated to be 16 per cent harvested. Mustard is the furthest advanced at 24 per cent harvested for oilseed crops, followed by canola at 19 per cent. Harvest percentages reported include crop harvested as feed. A full summary of individual crop harvest progress for all regions can be viewed in the attached harvest progress table.

Producers estimate varying crop yields throughout the region. Currently, hard red spring wheat is estimated to be 36 bushels per acre, durum is 29 bushels per acre, oats are 55 bushels per acre, barley is 53 bushels per acre, canola is estimated at 29 bushels per acre, fields peas are 32 bushels per acre and lentils are estimated at 1,593 pounds per acre. Quality, along with crop yield, has been significantly impacted in areas due to the lack of moisture experienced throughout the growing season. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

Very little precipitation fell throughout much of the region. The highest amount was reported in the Mossbank area with 4 mm followed by the Webb area with 3 mm. All other areas received less rainfall over the past week with many areas receiving no precipitation.

Topsoil moisture continues to show shortages in the region due to the lack of moisture and increased temperatures. Currently, cropland topsoil moisture is rated five per cent surplus,

56 per cent adequate, 28 per cent short and 11 per cent very short. Hayland is rated as eight per cent surplus, 55 per cent adequate, 16 per cent short and 21 per cent very short. Pasture topsoil moisture is rated as 12 per cent surplus, 50 per cent adequate, 19 per cent short and 19 per cent very short. Significant amounts of precipitation will be needed in many parts of the region to help replenish low soil moisture levels along with improving pasture conditions.

Over the past week, crop damage was mainly due to frost and wind along with migratory birds. Producers also reported minor crop damage due to a number of insects.

East-Central Saskatchewan:

- Census Division 9 – Calder, Canora, Pelly, Preeceville, Sheho and Yorkton areas
- Census Division 10 – Foam Lake, Kelliher, Leroy, Raymore and Wadena areas
- Census Division 11 – Davidson, Colonsay, Langham, Lanigan, Nokomis, Outlook and Saskatoon areas

Harvest progressed throughout the region over the past week with 31 per cent of this year’s crop harvested. This is behind the five-year average of 43 per cent and the 10-year average of 37 per cent. Some parts of the region have had harvest delays due to rain and frost that may have an impact on some immature crops. As producers continue with harvest, they are also busy with baling straw, hauling bales and swathing and desiccating some of the later seeded crops.

East-Central Saskatchewan	
Census Division	% Harvested (September 8, 2025)
9	23%
10	25%
11	42%
Region average	31%

Harvest is complete for fall rye within the region with winter wheat, triticale, lentils, chickpeas and field peas also nearing completion. Durum is 63 per cent harvested, barley is 49 per cent, spring wheat is 37 per cent, oats are 15 per cent and canary seed is reported at 12 per cent complete. Mustard is the furthest advanced at 10 per cent harvested for oilseed crops, followed by canola at eight per cent and mustard at one per cent. Harvest percentages reported include crop harvested as feed.

Producers estimate varying yields throughout the region with some areas reporting yields that are better than expected. Currently, hard red spring wheat is estimated to be 51 bushels per acre, durum is 47 bushels per acre, oats are 102 bushels per acre, barley is 78 bushels per acre, canola is estimated at 41 bushels per acre, field peas are 50 bushels per acre and lentils are estimated at 1,775 pounds per acre. Producers will continue to monitor crop quality as harvest progresses within the region. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

Some parts of the region received precipitation over the past week. The highest amount was reported in the Foam Lake area with 30 mm followed by the Raymore and Calder areas that received 18 mm and 17 mm respectively. The Leross area also received 15 mm of precipitation.

Topsoil moisture declined due to limited moisture and increased temperatures in most of the region. Currently, cropland topsoil moisture is rated one per cent surplus, 66 per cent adequate, 32 per cent short and one per cent very short. Hayland is rated as one per cent surplus, 60 per cent adequate, 37 per cent short and two per cent very short. Pasture topsoil moisture is rated as one per cent surplus, 50 per cent adequate, 38 per cent short and 11 per cent very short. Producers are hopeful for larger amounts of precipitation following harvest to help replenish soil moisture levels along with improving pasture conditions.

Over the past week, crop damage was mainly due to frost and wind along with dry conditions. Producers have also indicated that flea beetles, bertha armyworm and lygus bugs have caused some minor damage with grasshoppers causing minor to moderate damage in some areas of the region.

West-Central Saskatchewan:

- Census Division 12 – Biggar, Delisle, Rosetown and Sonningdale areas
- Census Division 13 – Cut Knife, Kerrobert, Kindersley, Macklin, Plenty and Wilkie areas

Producers made significant harvest progress within the region over the past week. Harvest currently sits at 27 per cent complete, which is up from the 10 per cent reported last week. This is behind the five-year average of 62 per cent and the 10-year average of 51 per cent. As producers continue with harvest in the region, they are also busy with baling straw, hauling bales, hauling grain and swathing and desiccating some of the later seeded crops.

West-Central Saskatchewan	
Census Division	% Harvested (September 8, 2025)
12	25%
13	28%
Region average	27%

Harvest is complete for winter cereals and is nearing completion for field peas and lentils.

Triticale is 50 per cent harvested, barley is 36 per cent harvested, oats are 23 per cent harvested, durum is 20 per cent harvested, spring wheat is 16 per cent harvested and canary seed sits at 15 per cent harvested. Canola is the furthest advanced at nine per cent harvested for oilseed crops, followed by mustard at five per cent and flax at three per cent harvested. Chickpeas are at 18 per cent harvested and five per cent of the soybeans have been completed. Harvest percentages reported include crop harvested as feed.

Estimated crop yields vary throughout the region with some areas reporting yields that are better than expected. Producers estimate 51 bushels per acre for hard red spring wheat, 47 bushels per acre for durum, 89 bushels per acre for oats, 70 bushels per acre for barley, 44 bushels per acre for canola, 49 bushels per acre for field peas and 2,148 pounds per acre for lentils. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

Over the past week, no precipitation was recorded in any part of the region.

Topsoil moisture declined significantly in the region due to the lack of moisture and increased temperatures. Currently, cropland topsoil moisture is rated 48 per cent adequate, 45 per cent short and seven per cent very short. Hayland is rated as 42 per cent adequate, 52 per cent short and six per cent very short. Pasture topsoil moisture is rated as 38 per cent adequate, 55 per cent short and seven per cent very short. A significant amount of precipitation is needed throughout the region to help replenish soil moisture levels and improve declining pasture conditions.

Over the past week, crop damage was mainly due to wind, dry conditions and frost with mostly minor to moderate damage reported.

Northeastern Saskatchewan:

- Census Division 14 – Choiceland, Hudson Bay, Kelvington, Melfort, and Nipawin areas
- Census Division 15 – Cudworth, Humboldt, Kinistino, Prince Albert, Rosthern and St. Brieux areas

Despite some scattered showers within the region this week, harvest was able to progress to 27 per cent complete. This is behind the five-year average of 39 per cent and the 10-year average of 32 per cent. Some parts of the region have had harvest delays due to rain and frost may have an impact on some immature crops. As producers continue with harvest in the region, they are also busy with baling straw, hauling bales and swathing and desiccating some of the later seeded crops.

Northeast Saskatchewan	
Census Division	% Harvested (September 8, 2025)
14	31%
15	24%
Region average	27%

Currently, winter cereal harvest is nearly complete within the region with field peas following closely at 88 per cent harvested. Durum is two per cent combined with an additional eight per cent indicated as not being harvested at this time due to other damage and/or challenges. Barley is 59 per cent harvested, oats are 31 per cent, spring wheat is 22 per cent and canary seed sits at four per cent harvested within the region. Lentils are reported to be 76 per cent harvested. For oilseed crops, canola and flax are four per cent harvested. Soybeans are 13 per cent harvested and chickpeas are only three per cent harvested with both crops having other damage and/or challenges associated with the harvest. Producers are reporting 17 per cent of triticale has been harvested for feed while 50 per cent was subject to other damage and/or challenges associated with the harvest within the region at this time. Harvest percentages reported include crop harvested as feed.

Estimated crop yields vary throughout the region with some areas reporting slightly better than expected yields. Producers estimate 55 bushels per acre for hard red spring wheat, 108 bushels per acre for oats, 83 bushels per acre for barley, 44 bushels per acre for canola, 49 bushels per acre for field peas and 2,170 pounds per acre for lentils. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

Rain was scattered throughout the region over the past week. The highest amount was reported in the Porcupine Plain area at 18 mm followed by the Arborfield area at 16 mm and the Kelvington area at 13 mm. All other areas received less than 11 mm of rainfall over the past week with some areas receiving no precipitation.

Reductions to topsoil moisture were reported over the past week. Currently, cropland topsoil moisture is rated two per cent surplus, 77 per cent adequate, 20 per cent short and one per cent very short. Hayland is rated as three per cent surplus, 64 per cent adequate, 31 per cent short and two per cent very short. Pasture topsoil moisture is rated as three per cent surplus, 61 per cent adequate, 33 per cent short and three per cent very short.

Over the past week, reporters indicated minor crop damage due to wind with minor to moderate damage from frost. Migratory birds, other wildlife and grasshoppers also caused mostly minor crop damage.

Northwestern Saskatchewan:

- Census Division 16 – Blaine Lake, Canwood, North Battleford, Radisson and Spiritwood areas
- Census Division 17 – Glaslyn, Maidstone, Meadow Lake, Pierceland and St. Walburg areas

Producers made significant harvest progress within the region over the past week due to the dry weather conditions. Harvest currently sits at 41 per cent complete, which is up from the 12 per cent reported last week. This is ahead of the five-year average of 36 per cent and the 10-year average of 25 per cent. As producers continue with harvest, they are also busy with baling straw, hauling bales and swathing and desiccating some of the later seeded crops.

Northwest Saskatchewan	
Census Division	% Harvested (September 8, 2025)
16	42%
17	40%
Region average	41%

Winter cereal harvest is complete within the region. Lentil and field pea harvest are nearing completion with 96 per cent and 93 per cent harvested, respectively. Sixty per cent of spring wheat is harvested, barley is 54 per cent and oats are 34 per cent harvested. For oilseed crops, canola is reported to be seven per cent harvested and flax is three per cent harvested. Harvest percentages reported include crop harvested as feed.

Estimated crop yields vary throughout the region with areas reporting poorer yields that did not receive adequate moisture. Overall, producers are indicating that the increased heat and lack of moisture experienced throughout the growing season negatively impacted yield and quality for various crops. Producers estimate 43 bushels per acre for hard red spring wheat, 74 bushels per acre for oats, 63 bushels per acre for barley, 37 bushels per acre for canola, 40 bushels per acre for field peas and 1,858 pounds per acre for lentils. A full summary of estimated crop yields for all regions can be viewed in the attached estimated crop yields table.

No precipitation was recorded in any part of the region over the past week.

Topsoil moisture declined significantly over the past week due to lack of moisture and increased temperatures within the region. Currently, cropland topsoil moisture is rated 32 per cent adequate, 49 per cent short and 19 per cent very short. Hayland is rated as 20 per cent adequate, 40 per cent short and 40 per cent very short. Pasture topsoil moisture is rated as 20 per cent adequate, 39 per cent short and 41 per cent very short. Significant amounts of precipitation will be needed in much of the region to help replenish critically low soil moisture levels along with improving detrimental pasture conditions.

Over the past week, reporters indicated moderate to severe crop damage was caused by frost and dry conditions. Minor to moderate crop damage due to wind, migratory birds and other wildlife was also reported. Producers also indicated that grasshoppers, lygus bugs and bertha armyworm caused minor to moderate damage in some isolated areas of the region.

Saskatchewan Harvest Progress -September 8, 2025

*Other - crop that will not be harvested due to weather, insect or disease damage

East-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	29%	18%	53%	31%	77%	49%
In Swath	0%	0%	12%	8%	27%	12%	0%	26%
Ready To Straight Combine	4%	0%	22%	11%	5%	8%	13%	17%
Combined	87%	99%	37%	63%	10%	47%	10%	8%
Harvested As Feed	9%	1%	0%	0%	5%	2%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	3%	50%	100%	6%	3%	53%	5%	
In Swath	0%	23%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	26%	0%	6%	3%	35%	0%	
Combined	0%	1%	0%	88%	94%	12%	95%	
Harvested As Feed	97%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
West-Central								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	52%	55%	67%	36%	93%	62%
In Swath	0%	0%	2%	1%	5%	5%	0%	13%
Ready To Straight Combine	0%	0%	30%	24%	5%	23%	4%	16%
Combined	100%	100%	16%	20%	7%	35%	3%	9%
Harvested As Feed	0%	0%	0%	0%	16%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	50%	85%	60%	8%	3%	75%	82%	
In Swath	0%	0%	0%	0%	0%	0%	0%	
Ready To Straight Combine	0%	10%	35%	10%	7%	10%	0%	
Combined	0%	5%	5%	82%	90%	15%	18%	
Harvested As Feed	50%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	0%	0%	0%	0%	0%	0%	0%	
North East								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	38%	60%	38%	13%	88%	49%
In Swath	0%	0%	7%	1%	7%	7%	0%	28%
Ready To Straight Combine	3%	2%	33%	29%	24%	21%	8%	19%
Combined	97%	98%	22%	2%	31%	58%	4%	4%
Harvested As Feed	0%	0%	0%	0%	0%	1%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	8%	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	25%	34%	30%	17%	6%	80%	45%	
In Swath	6%	0%	0%	1%	0%	0%	0%	
Ready To Straight Combine	2%	34%	7%	6%	6%	16%	2%	
Combined	0%	0%	13%	76%	88%	4%	3%	
Harvested As Feed	17%	0%	0%	0%	0%	0%	0%	
Other (Damage/Challenges)	50%	32%	50%	0%	0%	0%	50%	

Saskatchewan Harvest Progress -September 8, 2025

*Other - crop that will not be harvested due to weather, insect or disease damage

North West								
	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oats	Barley	Flax	Canola
Standing	0%	0%	22%	No Response(s)	43%	21%	41%	29%
In Swath	0%	0%	1%	No Response(s)	5%	14%	56%	48%
Ready To Straight Combine	0%	0%	17%	No Response(s)	18%	11%	0%	16%
Combined	100%	100%	60%	No Response(s)	22%	48%	3%	7%
Harvested As Feed	0%	0%	0%	No Response(s)	12%	6%	0%	0%
Other (Damage/Challenges)	0%	0%	0%	No Response(s)	0%	0%	0%	0%
	Triticale	Mustard	Soybean	Lentil	Field Pea	Canaryseed	Chickpea	
Standing	No Response(s)	No Response(s)	No Response(s)	0%	6%	100%	No Response(s)	
In Swath	No Response(s)	No Response(s)	No Response(s)	0%	0%	0%	No Response(s)	
Ready To Straight Combine	No Response(s)	No Response(s)	No Response(s)	2%	1%	0%	No Response(s)	
Combined	No Response(s)	No Response(s)	No Response(s)	96%	93%	0%	No Response(s)	
Harvested As Feed	No Response(s)	No Response(s)	No Response(s)	0%	0%	0%	No Response(s)	
Other (Damage/Challenges)	No Response(s)	No Response(s)	No Response(s)	2%	0%	0%	No Response(s)	


Saskatchewan Estimated Crop Yields - September 8, 2025								
	Winter Wheat (bu/acre)	Durum (bu/acre)	Flax (bu/acre)	Fall Rye (bu/acre)	Oat (bu/acre)	Canola (bu/acre)	Hard Red Spring Wheat (bu/acre)	Barley (bu/acre)
Southeast	63	48	24	51	95	34	55	66
Southwest	32	29	18	39	55	29	36	53
East-Central	50	47	27	59	102	41	51	78
West-Central	40	47	27	40	89	44	51	70
Northeast	55	55	30	55	108	44	55	83
Northwest	No Response(s)	No Response(s)	32	No Response(s)	74	37	43	63
Provincial	44	38	25	44	93	39	50	71
	Soybean (bu/acre)	Other Spring Wheat (bu/acre)	Triticale (bu/acre)	Field Pea (bu/acre)	Mustard (lbs/acre)	Canaryseed (lbs/acre)	Lentil (lbs/acre)	Chickpea (lbs/acre)
Southeast	40	68	No Response(s)	41	1434	1333	1840	1800
Southwest	25	40	14	32	832	1107	1593	1591
East Central	40	60	60	50	1382	2375	1775	0
West Central	40	68	50	49	1628	1631	2148	2755
Northeast	0	52	0	49	0	1265	2170	0
Northwest	No Response(s)	43	No Response(s)	40	No Response(s)	No Response(s)	1858	No Response(s)
Provincial	40	59	32	42	1141	1343	1784	1622

* 'Other Spring Wheat' includes all wheat classes other than Hard Red Spring Wheat

** Crop yield predictions at this point in time. Please keep in mind these are regional averages, and yields can vary greatly across an area.

Weekly Rainfall

from September 2 to September 8, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Weekly Rainfall Summary

(reported in millimeters)

1 inch=25 mm

for the period from September 2 to September 8, 2025

Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr	Census Division	RM No.	RM Name	Past Week	Since 1-Apr
1	2	MOUNT PLEASANT	N/A	155	8	137	SWIFT CURRENT	N/A	81	14	366	KELVINGTON	13	215
1	3	ENNISKILLEN	2	307	8	138	WEBB	3	326	14	367	PONASS LAKE	N/A	126
1	4	COALFIELDS	N/A	306	8	139	GULL LAKE	N/A	244	14	394	HUDSON BAY	11	205
1	32	RECIPROCITY	12	300	8	168	RIVERSIDE	0	246	14	395	PORCUPINE	18	217
1	34	BROWNING	N/A	238	8	228	LACADENA	0	279	14	397	BARRIER VALLEY	10	171
1	94	HAZELWOOD	N/A	109	8	229	MIRY CREEK	0	206	14	428	STAR CITY	3	246
1	95	GOLDEN WEST	0	191	8	231	HAPPYLAND	0	211	14	456	ARBORFIELD	16	286
1	2A	MOUNT PLEASANT	3	327	8	259	SNIPE LAKE	0	215	14	457	CONNAUGHT	9	47
2	6	CAMBRIA	N/A	1	8	260	NEWCOMBE	N/A	11	14	486	MOOSE RANGE	9	228
2	10	HAPPY VALLEY	N/A	269	8	138A	WEBB	0	323	14	487	NIPAWIN	N/A	291
2	38	LAURIER	3	272	8	257A	MONET	0	258	14	488	TORCH RIVER	N/A	256
2	66	GRIFFIN	5	307	8	259A	SNIPE LAKE	N/A	387	14	394A	HUDSON BAY	9	207
2	67	WEYBURN	N/A	195	9	241	CALDER	N/A	313	14	397A	BARRIER VALLEY	9	293
2	70	KEY WEST	N/A	110	9	243	WALLACE	10	274	14	488A	TORCH RIVER	0	67
2	96	FILLMORE	N/A	39	9	245	GARRY	8	184	14	488B	TORCH RIVER	N/A	73
2	100	ELMSTHORPE	N/A	246	9	273	SLIDING HILLS	14	272	15	369	ST. PETER	2	255
2	38A	LAURIER	0	186	9	274	GOOD LAKE	0	247	15	370	HUMBOLDT	0	191
3	11	HART BUTTE	N/A	234	9	301	ST. PHILIPS	N/A	164	15	371	BAYNE	9	316
3	73	STONEHENGE	N/A	239	9	331	LIVINGSTON	14	250	15	372	GRANT	0	220
3	74	WOOD RIVER	N/A	223	9	333	CLAYTON	11	241	15	373	ABERDEEN	3	208
3	75	PINTO CREEK	N/A	301	9	241A	CALDER	17	409	15	399	LAKE LENORE	8	244
3	76	AUVERGNE	1	336	9	245A	GARRY	N/A	124	15	400	THREE LAKES	0	352
3	101	TERRELL	N/A	26	10	246	ITUNA BON ACCORD	11	186	15	402	FISH CREEK	2	157
3	102	LAKE JOHNSTON	4	289	10	247	KELLROSS	15	118	15	429	FLETT'S SPRINGS	2	336
3	106	WHISKA CREEK	0	355	10	248	TOUCHWOOD	5	215	15	430	INVERGORDON	10	240
3	74A	KEY WEST	0	291	10	277	EMERALD	5	187	15	459	KINISTINO	0	311
4	51	RENO	0	187	10	279	MOUNT HOPE	5	210	15	460	BIRCH HILLS	0	185
4	79	ARLINGTON	N/A	288	10	307	ELFROS	9	222	15	461	PRINCE ALBERT	N/A	211
4	110	PIAPOT	0	200	10	309	PRAIRIE ROSE	N/A	219	15	463	DUCK LAKE	0	250
4	77A	WISE CREEK	N/A	383	10	336	SASMAN	6	258	15	491	BUCKLAND	N/A	115
4	78A	GRASSY CREEK	N/A	162	10	337	LAKEVIEW	N/A	242	15	520	PADDOCKWOOD	N/A	183
4	79A	ARLINGTON	0	270	10	339	LEROY	7	223	15	521	LAKELAND	N/A	183
5	122	MARTIN	15	216	10	246A	ITUNA BON ACCORD	11	169	15	371A	BAYNE	N/A	198
5	124	KINGSLEY	13	301	10	248A	TOUCHWOOD	18	239	15	371B	BAYNE	6	322
5	151	ROCANVILLE	13	219	10	276A	FOAM LAKE	0	226	15	403A	ROSTHERN	0	234
5	155	WOLSELEY	13	135	10	276B	FOAM LAKE	10	293	15	403B	ROSTHERN	N/A	36
5	181	LANGENBURG	20	245	10	276C	FOAM LAKE	30	218	15	403C	ROSTHERN	2	254
5	183	FERTILE BELT	N/A	168	10	277A	EMERALD	N/A	172	15	461A	PRINCE ALBERT	0	277
5	211	CHURCHBRIDGE	13	285	10	279A	MOUNT HOPE	N/A	200	16	406	MAYFIELD	N/A	0
5	213	SALTCOATS	10	233	11	251	BIG ARM	0	66	16	434	BLAINE LAKE	0	155
5	214	CANA	8	229	11	282	McCRANEY	0	188	16	435	REDBERRY	N/A	291
5	215	STANLEY	0	118	11	283	ROSEDALE	0	273	16	436	DOUGLAS	0	150
5	125A	CHESTERFIELD	10	223	11	284	RUDY	0	174	16	437	NORTH BATTLEFORD	0	122
5	154A	ELCAPO	10	187	11	310	USBORNE	N/A	45	16	466	MEETING LAKE	N/A	164
5	183A	FERTILE BELT	10	279	11	314	DUNDURN	0	257	16	467	ROUND HILL	N/A	168
5	211A	CHURCHBRIDGE	11	261	11	344	CORMAN PARK	0	254	16	493	SHELLBROOK	0	81
6	127	FRANCIS	6	161	11	282A	McCRANEY	3	44	16	494	CANWOOD	0	133
6	128	LAJORD	0	206	12	286	MILDEN	N/A	247	16	497	MEDSTEAD	0	178
6	130	REDBURN	1	172	12	287	ST. ANDREWS	N/A	268	16	437A	NORTH BATTLEFORD	N/A	168
6	156	INDIAN HEAD	7	183	12	288	PLEASANT VALLEY	0	194	16	467A	ROUND HILL	N/A	220
6	160	PENSE	N/A	165	12	316	HARRIS	N/A	202	17	468	MEOTA	0	110
6	186	ABERNETHY	10	161	12	317	MARRIOTT	N/A	193	17	470	PAYNTON	N/A	4
6	190	DUFFERIN	0	120	12	345	VANSKOY	N/A	225	17	471	ELDON	0	76
6	216	TULLYMET	N/A	102	12	346	PERDUE	0	235	17	498	PARKDALE	0	94
6	217	LIPTON	26	250	12	347	BIGGAR	0	155	17	499	MERVIN	0	140
6	219	LONGLAKETON	N/A	152	12	376	EAGLE CREEK	0	272	17	501	FRENCHMAN BUTTE	N/A	0
6	221	SARNIA	1	126	12	377	GLENSIDE	0	194	17	502	BRITANNIA	0	129
6	159A	SHERWOOD	N/A	207	12	378	ROSEMOUNT	N/A	11	17	561	LOON LAKE	0	146
6	159B	SHERWOOD	0	132	12	285A	FERTILE VALLEY	0	271	17	588	MEADOW LAKE	0	259
6	190A	DUFFERIN	0	29	13	290	KINDERSLEY	0	229	17	622	BEAVER RIVER	0	65
6	190B	DUFFERIN	0	185	13	292	MILTON	0	295	17	498A	PARKDALE	0	106
6	190C	DUFFERIN	0	160	13	321	PRAIRIEDALE	N/A	224	17	501A	FRENCHMAN BUTTE	0	183
6	216A	TULLYMET	0	106	13	350	MARIPOSA	0	151	17	561A	LOON LAKE	N/A	96.15
6	219A	LONGLAKETON	4	197	13	351	PROGRESS	0	177					
6	219B	LONGLAKETON	5	113	13	379	REFORD	N/A	136					
6	220A	McKILLOP	2	143	13	382	EYE HILL	0	294					
6	220B	McKILLOP	2	202	13	409	BUFFALO	0	266					
7	132	HILLSBOROUGH	2	395	13	410	ROUND VALLEY	N/A	148					
7	136	COULEE	N/A	300	13	440	HILLSDALE	0	165					
7	161	MOOSE JAW	0	188	13	442	MANITOU LAKE	0	207					
7	162	CARON	0	218	13	292A	MILTON	0	280					
7	165	MORSE	0	213	13	320A	OAKDALE	0	157					
7	191	MARQUIS	N/A	37	13	320B	OAKDALE	N/A	230					
7	193	EYEBROW	0	186	13	409A	BUFFALO	0	185					
7	223	HURON	N/A	194										
7	132A	HILLSBOROUGH	0	205										
7	162A	CARON	N/A	145										
7	222A	CRAIK	0	78										
7	223A	HURON	N/A	190										


Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

N/A indicates that rainfall was not reported for the week

Cumulative Rainfall

from April 1 to September 8, 2025





NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Harvest Progress

from April 1 to September 8, 2025

Harvest Progress




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Cropland Topsoil Moisture Conditions

from September 2 to September 8, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Hay Topsoil Moisture Conditions

from September 2 to September 8, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Pasture Topsoil Moisture Conditions

from September 2 to September 8, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Minimum Temperature

from September 2 to September 8, 2025




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.




Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture September 10, 2025

Maximum Temperature

from September 2 to September 8, 2025



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada
 IDW interpolation (power 3.5, fixed radius 300 km)
 Geomatics Services, Ministry of Agriculture September 10, 2025