

The Health Hazard Regulations

being

[Chapter P-37.1 Reg 10](#) (effective December 5, 2002) as amended by Saskatchewan Regulations [57/2007](#), [81/2015](#); [7/2020](#) and [89/2023](#).

NOTE:

This consolidation is not official. Amendments have been incorporated for convenience of reference and the original statutes and regulations should be consulted for all purposes of interpretation and application of the law. In order to preserve the integrity of the original statutes and regulations, errors that may have appeared are reproduced in this consolidation.

Table of Contents

1	Title	13.1	Tanning facilities
2	Interpretation	13.2	Registration of tanning facilities
3	Application to public water supply	13.3	Disclosure of information
4	Duties, etc., on more than one person	13.4	Minors prohibited from using UV tanning equipment
5	Approval re public water supplies	13.5	Proof of age
6	Duties of owners, operators of public water supplies	13.6	Signs re health effects and prohibition against use of tanning equipment
7	Reporting of results	13.7	Advertising
8	Treatment of public water supply	14	Disposal of dead animals
9	Notice of breakdown, disruption of treatment	15	Posting of signs
9.1	Limited-scope water pipeline	16	Sask. Reg. 420/64 amended
10	Delivery of potable water by bulk tank	17	Sask. Reg. 729/68 repealed
11	Sanitary facilities and services – public places	18	Sask. Reg. 213/79 repealed
12	Air quality in public buildings	19	Coming into force
13	Personal service facilities		

CHAPTER P-37.1 REG 10

The Public Health Act, 1994

Title

- 1 These regulations may be cited as *The Health Hazard Regulations*.

Interpretation

- 2(1) In these regulations:

- (a) “**Act**” means *The Public Health Act, 1994*;
- (a.1) “**limited-scope water pipeline**” means a pipeline that:
 - (i) is used to distribute a supply of water that is intended to be used for drinking or personal hygiene purposes;
 - (ii) is connected to at least three but less than 15 service connections;
 - (iii) is not directly connected to a municipal waterworks that is the subject of a permit issued pursuant to *The Environmental Management and Protection Act, 2010*; and
 - (iv) does not receive water directly from a surface water source, ground water source or other raw water source;
 - (b) “**public building**” means a building or structure to which the public has access as of right or by express or implied invitation, and includes a public accommodation;
 - (c) “**public place**” means a place to which the public has access as of right or by express or implied invitation, and includes a public building;
 - (d) “**public water supply**” means a supply of water to which sections 5 to 9 apply;
 - (e) “**recreational area**” means an area intended for use by the public for enjoyment or appreciation of the natural environment in the out-of-doors, and includes sports grounds, playgrounds and beaches;
 - (f) “**service connection**” means a connection between a distribution system and premises;
 - (g) “**special event**” means:
 - (i) a theatre production;
 - (ii) a fair or festival;
 - (iii) an exhibition;
 - (iv) a concert;
 - (v) an art or craft show; or
 - (vi) a multicultural event;

P-37.1 REG 10

HEALTH HAZARD

(h) “**wayside area**” means an area of land that is adjacent to a public thoroughfare and is used or permitted to be used by the travelling public for rest periods of less than 24 hours, but does not include a campground.

(2) In these regulations, a reference to a local authority is a reference to the local authority that has jurisdiction in the area in which the public water supply, the limited-scope water pipeline, the public place, the personal service facility or the dead animal, as the case may be, is located.

13 Dec 2002 cP-37.1 Reg 10 s2; 13 Jly 2007 SR 57/2007 s3; 15 Sep 2023 SR 89/2023 s3.

Application to public water supply

3(1) Subject to subsection (2), sections 5 to 9 apply to a supply of water that is intended to be used for drinking or personal hygiene purposes and:

- (a) is provided at any of the following places:
 - (i) a facility as defined in *The Child Care Act, 2014*;
 - (ii) a mental health approved home as defined in *The Mental Health Services Act*;
 - (iii) a facility designated as a hospital or a health centre pursuant to *The Facility Designation Regulations*;
 - (iv) a personal care home as defined in *The Personal Care Homes Act*;
 - (v) a care facility as defined in *The Residential Services Act, 2019*;
 - (vi) a facility designated as a special-care home pursuant to *The Facility Designation Regulations*;
 - (vii) any facility, establishment, business or premises that is required to be licensed by any regulations pursuant to *The Public Health Act, 1994*;
 - (viii) a school or an independent school, as defined in *The Education Act, 1995*;
 - (ix) a recreational area;
 - (x) a special event;
 - (xi) a wayside area;
 - (xii) an itinerant use accommodation as defined in *The Public Accommodation Regulations*;
 - (xiii) a multi-dwelling unit owned by the Saskatchewan Housing Corporation;
- (b) is a well or other supply of water intended for public use that is not connected to a distribution system; or

HEALTH HAZARD

P-37.1 REG 10

- (c) is provided from a distribution system that:
 - (i) is connected to at least three but less than 15 service connections; and
 - (ii) receives water directly from a surface water source, ground water source or other raw water source.
- (2) Subsection (1) does not apply to:
 - (a) commercially bottled water;
 - (b) a supply of water that is a waterworks within the meaning of *The Environmental Management and Protection Act, 2010*;
 - (b.1) a supply of water to which section 9.1 applies;
 - (c) a supply of water to which subsection 10(1) applies; or
 - (d) a supply of water that, for the purposes of section 15 of the Act, is posted as being not potable water.

13 Dec 2002 cP-37.1 Reg 10 s3; 13 Jly 2007 SR 57/2007 s4; 15 Sep 2023 SR 89/2023 s4.

Duties, etc., on more than one person

4 Where a provision of these regulations imposes a duty or requirement on more than one person, the duty or requirement applies to all of those persons, but the duty or requirement is imposed primarily on the person with the greatest degree of control over the matters that are the subject of the duty or requirement.

13 Dec 2002 cP-37.1 Reg 10 s4.

Approval re public water supplies

5(1) No person shall establish, extend, renovate or alter a public water supply unless the owner or operator has obtained written approval to do so from the local authority.

(2) Subsection (1) does not apply to the routine maintenance of a public water supply or to any alteration to, or renovation of, a public water supply that is governed by *The Plumbing Code Regulations*.

(3) Nothing in subsection (1) requires the operator of a public water supply in operation on the coming into force of these regulations to obtain written approval to establish that public water supply.

13 Dec 2002 cP-37.1 Reg 10 s5; 15 Sep 2023 SR 89/2023 s5.

Duties of owners, operators of public water supplies

6(1) The owner or operator of a public water supply shall:

- (a) ensure that the water is potable at the place where it is delivered for use;
- (b) locate, construct and operate the public water supply in a manner that will:
 - (i) reduce the potential of contamination of the water source; and
 - (ii) prevent the contamination of water within the distribution system, including any place where water is collected, stored or treated; and

P-37.1 REG 10**HEALTH HAZARD**

- (c) subject to subsections (4) and (5), submit samples of water for analysis to the Provincial Laboratory or another laboratory approved by the minister, in accordance with subsection (3).
- (2) An owner or operator of a public water supply who submits samples of water for analysis as required by clause (1)(c) shall include with the sample a notice advising the laboratory that the sample is taken from a public water supply.
- (3) The owner or operator of a public water supply shall submit samples of water from the supply:
- (a) for bacteriological analysis:
 - (i) in the case of a public water supply that is operated throughout the year, once every three months; and
 - (ii) in the case of a public water supply that is operated on a seasonal basis, once per year, with the sample for a year being taken at a time specified by the local authority; and
 - (b) for major ion analysis:
 - (i) in the case of a ground water supply, at least once in every period of 365 days unless otherwise directed by the local authority; and
 - (ii) in the case of a surface water supply, at least once in every period of 730 days unless otherwise directed by the local authority.
- (4) A local authority may require the owner or operator of a public water supply to submit samples for analysis at more frequent intervals than subsection (3) requires if:
- (a) the results of an analysis indicate that the supply is, or has the potential to become, a health hazard; or
 - (b) for any other reason, the local authority determines that more frequent analysis is appropriate to monitor the safety of the supply.
- (5) A local authority may require the owner or operator of a public water supply to submit samples for analysis other than those mentioned in subsection (3) if the local authority suspects that the supply may be subject to contamination that would not be identified in an analysis required by that subsection.

13 Dec 2002 cP-37.1 Reg 10 s6.

Reporting of results

- 7(1) Subject to subsection (2), a laboratory that conducts an analysis of samples of water from a public water supply for the purposes of section 6 must, within seven days after the date of completion of the analysis, report the results of the analysis to:
- (a) the owner or operator of the public water supply; and
 - (b) the local authority.
- (2) If the results of an analysis indicate the presence of *E. coli* or fecal coliforms in the sample, the laboratory that conducted the analysis shall:
- (a) immediately notify the local authority; and

HEALTH HAZARD

P-37.1 REG 10

- (b) within 72 hours after obtaining the results, send a written copy of the results to the owner or operator who submitted the sample and to the local authority.
- (3) An owner of a public water supply who receives notice pursuant to subsection (2) must immediately inform any operator and the local authority of the notification.
- (4) An operator of a public water supply who receives notice pursuant to subsection (2) must immediately inform the owner and the local authority of the notification.
- (5) A local authority may make information available to the public respecting the public water supplies that are located within the jurisdictional area of the local authority, including, without limiting the generality of the foregoing, information respecting:
- (a) the location of a public water supply;
 - (b) the owner and the operator of the public water supply;
 - (c) the nature of the public water supply;
 - (d) the compliance of the owner and operator with the requirements to submit samples for analysis pursuant to section 6;
 - (e) the results of analyses carried out pursuant to section 6 on samples from the public water supply; and
 - (f) any concerns that the local authority has respecting the safety of the public water supply.

13 Dec 2002 cP-37.1 Reg 10 s7.

Treatment of public water supply

8 If a local authority suspects that a public water supply constitutes a health hazard, the local authority may require the owner or operator to provide ongoing treatment of the kind and to the extent required by the local authority.

13 Dec 2002 cP-37.1 Reg 10 s8.

Notice of breakdown, disruption of treatment

9 The owner or operator of a public water supply shall immediately notify the local authority of any event or situation that may affect the safety of the public water supply, including:

- (a) any malfunction of treatment equipment that could affect the safety of the public water supply;
- (b) any breakdown or contamination of a distribution system; and
- (c) any matter that may affect the safety or suitability of the source water from which the public water supply is derived.

13 Dec 2002 cP-37.1 Reg 10 s9.

P-37.1 REG 10**HEALTH HAZARD****Limited-scope water pipeline**

9.1(1) If a supply of water intended to be used for drinking or personal hygiene purposes is provided from a limited-scope water pipeline, the owner or operator of the pipeline shall, at least once every three months:

- (a) take samples of the water;
- (b) submit the samples to a laboratory mentioned in clause 6(1)(c) for bacteriological analysis; and
- (c) include with the samples a notice advising the laboratory that the samples are taken from a limited-scope water pipeline.

(2) The local authority may require the owner or operator of a limited-scope water pipeline to submit samples of water for analysis at more frequent intervals than are required by subsection (1) if:

- (a) the results of an analysis indicate that the supply of water distributed by the pipeline is, or has the potential to become, a health hazard; or
- (b) for any other reason, the local authority determines that more frequent analysis is appropriate to monitor the safety of the supply of water distributed by the pipeline.

(3) Subject to subsection (4), a laboratory that conducts an analysis of samples of water from a limited-scope water pipeline for the purposes of this section must, within seven days after the date of completion of the analysis, report the results of the analysis to:

- (a) the owner or operator of the limited-scope water pipeline; and
- (b) the local authority.

(4) If the results of an analysis indicate the presence of *E. coli* or fecal coliforms in the sample, the laboratory that conducted the analysis shall:

- (a) immediately notify the local authority; and
- (b) within 72 hours after obtaining the results, send a written copy of the results to the local authority and the owner or operator who submitted the sample.

(5) An owner of a limited-scope water pipeline who receives notice pursuant to subsection (4) must immediately inform any operator and the local authority of the notification.

(6) An operator of a limited-scope water pipeline who receives notice pursuant to subsection (4) must immediately inform the owner and the local authority of the notification.

HEALTH HAZARD

P-37.1 REG 10

Delivery of potable water by bulk tank

10(1) Subject to subsection (2), if potable water intended to be used for drinking or personal hygiene purposes is delivered by way of a bulk water tank, the person who delivers the water shall ensure that:

- (a) the water being delivered is potable at the point of delivery; and
 - (b) unless otherwise approved by the local authority with jurisdiction over the place where the water is being delivered, the water is obtained from a waterworks that is the subject of a permit, issued pursuant to *The Environmental Management and Protection Act, 2010*, authorizing the operation of a waterworks supplying water intended or used for human consumptive use.
- (2) Subsection (1) does not apply if the person is delivering water to:
- (a) that person's place of residence; or
 - (b) a private function hosted by that person.
- (3) A local authority may require a person mentioned in subsection (1):
- (a) at intervals specified by the local authority, to take samples of the water;
 - (b) to submit the samples for any analysis that the local authority may direct to a laboratory mentioned in clause 6(1)(c); and
 - (c) to report the results of the analyses to the local authority.
- (4) A person mentioned in subsection (1) who submits samples of water for analysis pursuant to clause (3)(b) shall include with the sample a notice:
- (a) advising the laboratory that the sample is taken from a bulk water tank containing water intended to be used for drinking or personal hygiene purposes; and
 - (b) setting out the name of the local authority that required the person to submit the samples for analysis.
- (5) Subject to subsection (6), a laboratory that conducts an analysis of samples of water from a bulk water tank for the purposes of this section must, within seven days after the date of completion of the analysis, report the results of the analysis to:
- (a) the person mentioned in subsection (1); and
 - (b) the local authority.
- (6) If the results of an analysis indicate the presence of *E. coli* or fecal coliforms in the sample, the laboratory that conducted the analysis shall:
- (a) immediately notify the local authority; and
 - (b) within 72 hours after obtaining the results, send a written copy of the results to the local authority and the person mentioned in subsection (1).
- (7) A person mentioned in subsection (1) who receives notice pursuant to subsection (6) must immediately inform the local authority of the notification.

P-37.1 REG 10**HEALTH HAZARD**

(8) A local authority may make information available to the public respecting the delivery of water by bulk water tank within the jurisdictional area of the local authority, including, without limiting the generality of the foregoing, information respecting:

- (a) the locations to which the water is delivered;
- (b) the persons who deliver water by bulk water tank within the jurisdictional area;
- (c) the nature of the water being delivered by bulk water tank;
- (d) the compliance of a person mentioned in subsection (1) with the requirements to submit samples for analysis pursuant to this section;
- (e) the results of analyses carried out pursuant to this section on samples from a bulk water tank; and
- (f) any concerns that the local authority has respecting the safety of water being delivered by bulk water tank.

(9) If a local authority suspects that a supply of water mentioned in this section constitutes a health hazard, the local authority may require the person delivering the water to take any steps directed by the local authority to remedy the hazard.

13 Dec 2002 cP-37.1 Reg 10 s10; 15 Sep 2023 SR 89/2023 s6.

Sanitary facilities and services – public places

11 Unless the local authority approves otherwise, the owner or operator of a public place shall:

- (a) provide toilets and sinks that are easily accessible to the public; and
- (b) provide garbage receptacles, and use garbage disposal methods, that prevent:
 - (i) access to the garbage by insects, rodents and other animals;
 - (ii) the development and emission of offensive odours; and
 - (iii) contamination of ground water or surface water.

13 Dec 2002 cP-37.1 Reg 10 s11.

Air quality in public buildings

12(1) If a public building or a portion of a public building receives emissions from internal combustion engines, the owner or operator shall:

- (a) ensure that any part of the building to which the public has access has a natural or mechanical ventilation system that prevents or abates a health hazard caused by those emissions; and
- (b) uses and maintains the ventilation system so as to prevent or abate the health hazard.

HEALTH HAZARD

P-37.1 REG 10

(2) In the case of a public building that is an ice arena, the owner or operator must ensure that ice-resurfacing equipment used in the building is maintained to a level, and used in a manner, that minimizes air pollution emissions from the equipment.

(3) Where a local authority has reason to believe that the air quality in a public building may pose a health hazard to a member of the public, the local authority may require the owner or operator of the building to conduct any tests specified by the local authority to monitor air quality in the building and to provide the results of those tests to the local authority.

13 Dec 2002 cP-37.1 Reg 10 s12.

Personal service facilities

13(1) For the purposes of subclause 2(aa)(iii) of the Act, the following are prescribed as personal service facilities:

- (a) facilities in which body piercing, bone grafting or scarification services are provided to the public;
 - (b) facilities, other than a facility described in clause (a) or in subclause 2(aa)(i) or (ii) of the Act, in which a service involving a procedure that is invasive to the body of the person receiving the service is provided to the public, unless that service is provided by a person acting in the person's capacity as a member in good standing of a professional association that is regulated by an Act.
- (2) **Repealed.** 2023 SR 89/2023 s7.
- (3) No person shall cause or permit a personal service facility to be operated:
- (a) in an unsanitary manner or under unsanitary conditions;
 - (b) in a manner that may facilitate the transmission of a communicable disease; or
 - (c) in a manner that may cause or facilitate an injury, including a thermal, chemical or physical injury, causing the person receiving the service harm beyond that which is reasonable for the type of service provided.
- (4) No person shall sell, offer for sale or provide any of the following:
- (a) scleral tattooing;
 - (b) the implantation of eye jewellery under the conjunctiva.
- (5) In this section, **“operator”** means any of the following:
- (a) the owner of a personal service facility;
 - (b) a person who manages or controls a personal service facility.
- (6) Subject to subsection (7), no operator shall construct, extend, renovate, alter or operate a personal service facility, or provide personal services at that facility, without having provided prior written notice in accordance with subsection (8) to the local authority in whose jurisdictional area the personal service facility is or will be operating.

P-37.1 REG 10**HEALTH HAZARD**

- (7) Subsection (6) does not apply to the following:
- (a) routine maintenance of a personal service facility;
 - (b) construction, extension, renovation or alteration of a personal service facility that does not affect the type or provision of personal services at that facility.
- (8) The notice required pursuant to subsection (6) must include the following:
- (a) the operation name, if any, and location of the personal service facility;
 - (b) the name and contact information of the operator;
 - (c) a list of the personal services that are or will be provided at the personal service facility;
 - (d) any additional information or material respecting the operator or the personal service facility that the local authority may reasonably request.
- (9) The operator must ensure that the individuals providing personal services at or on behalf of the personal service facility are:
- (a) reasonably trained to provide those personal services; and
 - (b) sufficiently equipped to recognize, prevent and respond to health hazards that may arise when engaging in provision of a personal service.
- (10) On request, an individual providing a personal service must show proof of training to, as the case may be:
- (a) the local authority; or
 - (b) a member of the public requesting the personal service.
- (11) An operator who operated a personal service facility in accordance with these regulations on the day before the coming into force of *The Health Hazard Amendment Regulations, 2023* has 90 days after the coming into force of *The Health Hazard Amendment Regulations, 2023* to provide the notice required by this section to the local authority.

13 Dec 2002 cP-37.1 Reg 10 s13; 7 Feb 2020 SR
7/2020 s2; 15 Sep 2023 SR 89/2023 s7.

Tanning facilities

13.1 In this section and in sections 13.2 to 13.7:

- (a) **“ministry”** means the ministry over which the minister presides;
- (b) **“operator”** means any of the following:
 - (i) the owner of a tanning facility;
 - (ii) a person who manages or controls a tanning facility;

HEALTH HAZARD

P-37.1 REG 10

(c) “**tanning facility**” means a location, place, area, structure or establishment where UV tanning services are sold, offered for sale or provided in a commercial setting, and includes a suntanning parlour;

(d) “**UV tanning**” means tanning induced by the use of ultraviolet radiation emitting equipment such as a tanning bed or a tanning booth;

(e) “**UV tanning equipment**” means equipment designed to cause tanning of the skin by means of exposing one or more parts of the body to ultraviolet irradiation and includes any component of that equipment, but does not include equipment when it is used to treat any disease, pain, injury, disability or physical condition in a case in which directions are provided by a physician.

2 Oct 2015 SR 81/2015 s2.

Registration of tanning facilities

13.2(1) No person shall operate a tanning facility unless the facility is registered in accordance with these regulations.

(2) Subject to subsection (4), an operator shall register the tanning facility with the local authority in whose jurisdictional area the tanning facility is to be operated in a form and manner acceptable to the local authority.

(3) The operator of a tanning facility shall notify the local authority in writing of any proposed change in location of the tanning facility before commencing operations at the new location.

(4) The operator of a tanning facility that provided UV tanning services on the day before the day on which *The Health Hazard Amendment Regulations, 2015* come into force is not required to register with the local authority pursuant to subsection (2) until the date that is 90 days after the day on which *The Health Hazard Amendment Regulations, 2015* come into force.

2 Oct 2015 SR 81/2015 s2.

Disclosure of information

13.3(1) A local authority may, for a purpose related to public health protection, disclose information collected pursuant to section 13.2:

(a) to another local authority;

(b) to the ministry; or

(c) to a ministry, department or agency of:

(i) the government of another province or territory of Canada;

(ii) the Government of Saskatchewan; or

(iii) the Government of Canada.

P-37.1 REG 10**HEALTH HAZARD**

(2) The ministry may, for a purpose related to public health protection, disclose information received from a local authority pursuant to clause (1)(b):

- (a) to another local authority; or
- (b) to another ministry, department or agency of:
 - (i) the government of another province or territory of Canada;
 - (ii) the Government of Saskatchewan;
 - (iii) the Government of Canada; or
 - (iv) the government of a foreign country or state.

2 Oct 2015 SR 81/2015 s2.

Minors prohibited from using UV tanning equipment

13.4(1) Subject to subsection (2), no operator of a tanning facility shall permit a person who is under 18 years of age to use UV tanning equipment in the tanning facility.

(2) Subsection (1) does not apply with respect to a person who is under 18 years of age if that person presents to the operator or an employee of the tanning facility a written prescription, issued by a physician, directing that person to undergo UV tanning.

(3) A physician shall not issue a prescription mentioned in subsection (2) to a person who is under 18 years of age if:

- (a) that person has been diagnosed as having a vitamin D deficiency or a seasonal affective disorder; or
- (b) that person has been directed by a physician to undergo, and has access to, alternative phototherapy or photochemotherapy treatments.

2 Oct 2015 SR 81/2015 s2.

Proof of age

13.5(1) For the purposes of section 13.4, if it appears or should reasonably appear that a person appearing at a tanning facility is under 18 years of age, the operator or employee of the tanning facility shall require that person to provide proof of his or her age by presenting any of the following:

- (a) a photo identification card that forms part of a Saskatchewan driver's licence;
- (b) a Canadian passport;
- (c) a certificate of Canadian citizenship that contains the person's photograph;
- (d) a Canadian Forces identification card;
- (e) any other document that:
 - (i) is issued by the government of a province or territory of Canada, the Government of Canada or the government of a foreign country or state; and
 - (ii) contains the person's photograph, date of birth and signature.

HEALTH HAZARD

P-37.1 REG 10

(2) If the person fails or refuses to provide proof that he or she is not under 18 years of age, the operator or employee of the tanning facility shall request the person to leave the tanning facility.

(3) No operator or employee of a tanning facility shall permit the use of UV tanning equipment in the tanning facility by a person who produces a document mentioned in subsection (1) if it appears that the document has been altered.

2 Oct 2015 SR 81/2015 s2.

Signs re health effects and prohibition against use of tanning equipment

13.6(1) The operator of a tanning facility shall post a clearly visible sign described in subsection (2).

(2) The sign mentioned in subsection (1) must:

- (a) be at least 21.5 centimetres wide and at least 35.5 centimetres high;
- (b) be posted in a prominent place in the tanning facility or within the immediate view of anyone who enters the tanning facility; and
- (c) contain the following message:

“Notice - UV tanning equipment emits ultraviolet radiation. Exposure to UV radiation increases your risk of developing skin cancer and can also cause serious injury and premature signs of aging. It is illegal to sell, offer for sale or provide UV tanning services to anyone under 18 years of age without a prescription issued by a physician”.

2 Oct 2015 SR 81/2015 s2.

Advertising

13.7 No person who advertises UV tanning services shall:

- (a) place advertising in media or other publications that are targeted at persons who are under 18 years of age;
- (b) employ depictions that are targeted at persons who are under 18 years of age; or
- (c) advertise to persons under 18 years of age using messages or images, or messages and images, that are false or misleading or likely to create an erroneous impression about the health effects or health risks of UV tanning.

2 Oct 2015 SR 81/2015 s2.

Disposal of dead animals

14 Subject to *The Wildlife Regulations, 1981*, when an animal dies or is unintentionally killed, the owner or the person in possession of the animal shall cause the carcass to be removed and buried or disposed of to the satisfaction of the local authority.

13 Dec 2002 cP-37.1 Reg 10 s14.

P-37.1 REG 10**HEALTH HAZARD****Posting of signs**

15(1) A local authority may post a notice or sign, or require the owner or operator of a public place to post a notice or sign, to notify the public of a potential health hazard within its jurisdictional area.

(2) Without limiting the generality of subsection (1), where a local authority determines that a body of water within its jurisdictional area that is used for swimming poses a health risk to swimmers, the local authority may:

(a) post a notice stating that the body of water is unfit or unsafe for swimming;
or

(b) require the person who owns or is in possession of land adjacent to or abutting the water and who invites, encourages or permits the public to enter on the land for swimming in the body of water to post a notice stating that the body of water is unfit or unsafe for swimming.

13 Dec 2002 cP-37.1 Reg 10 s15.

Sask. Reg. 420/64 amended

16(1) The Sanitation Regulations, being Saskatchewan Regulations 420/64, are amended in the manner set forth in this section.

(2) Sections 3 to 5 are repealed.

(3) Sections 9 to 14 are repealed.

(4) Sections 18 to 21 are repealed.

(5) Section 41 is repealed.

(6) Section 45 is repealed.

13 Dec 2002 cP-37.1 Reg 10 s16.

Sask. Reg. 729/68 repealed

17 Saskatchewan Regulations 729/68, made pursuant to *The Public Health Act*, R.S.S. 1953, c.230, are repealed.

13 Dec 2002 cP-37.1 Reg 10 s17.

Sask. Reg. 213/79 repealed

18 The Regulations Governing Barber and Beauty Culture Establishments, 1979, being Saskatchewan Regulations 213/79, are repealed.

13 Dec 2002 cP-37.1 Reg 10 s18.

Coming into force

19(1) Subject to subsection (2), these regulations come into force on the day on which *The Water Regulations, 2002* come into force.

(2) If these regulations are filed with the Registrar of Regulations after *The Water Regulations, 2002* come into force, these regulations come into force on the day on which they are filed with the Registrar of Regulations.

13 Dec 2002 cP-37.1 Reg 10 s19.