

Notice of Immunization

Important: Keep this form with the student’s immunization records or other health documents.

_____ was immunized _____ with the vaccine(s) noted below:		Arm
<input type="checkbox"/>	Diphtheria, Tetanus, Pertussis, Polio, <i>Haemophilus influenza</i> type b	Left Right
<input type="checkbox"/>	<i>Haemophilus influenza</i> type b	Left Right
<input type="checkbox"/>	Hepatitis A	Left Right
<input type="checkbox"/>	Hepatitis B	Left Right
<input type="checkbox"/>	Human Papillomavirus (9 HPV types)	Left Right
<input type="checkbox"/>	Measles, Mumps, Rubella	Left Right
<input type="checkbox"/>	Measles, Mumps, Rubella, Varicella	Left Right
<input type="checkbox"/>	Meningococcal B	Left Right
<input type="checkbox"/>	Meningococcal Conjugate C	Left Right
<input type="checkbox"/>	Meningococcal Conjugate ACYW-135	Left Right
<input type="checkbox"/>	Pneumococcal Conjugate 13	Left Right
<input type="checkbox"/>	Pneumococcal Polysaccharide 23	Left Right
<input type="checkbox"/>	Polio	Left Right
<input type="checkbox"/>	Tetanus, Diphtheria, Pertussis	Left Right
<input type="checkbox"/>	Tetanus, Diphtheria, Pertussis, Polio	Left Right
<input type="checkbox"/>	Varicella	Left Right
<input type="checkbox"/>	COVID-19 (specify brand: _____)	Left Right
<input type="checkbox"/>	Other:	Left Right
<input type="checkbox"/>	Other:	Left Right
<input type="checkbox"/>	Other:	Left Right

Care after immunization:

- Children can use their arm normally afterwards.
- Common side effects like fever, redness, pain and tenderness at the injection site, a fever, or feeling tired are generally mild and usually last for 1 – 2 days. For redness or swelling at the injection site, apply a cold compress.
- Only treat a fever **if** your child is uncomfortable, refusing fluids and not sleeping.
- For specific vaccine side effects, refer to the vaccine fact sheets that were included with the consent form or go to: www.saskatchewan.ca/immunize
- For information about immunization programs, call the HealthLine at 811 or go to: www.saskatchewan.ca/immunize
- **Please report unexpected or serious side effects to a public health nurse, a physician or nurse practitioner.**

Acetaminophen (Tylenol, Tempra) may be given for fever or soreness. ASA (Aspirin) must NOT be given to anyone younger than 18 years old because of the risk of Reye syndrome.

